

GEDORE 

2021 | EN



COMPENDIUM



gedore.com



16

MOBILE TOOL STORAGE




22

SPANNERS



60

TORQUE WRENCHES



50

SOCKET SETS



62

SCREWDRIVERS



CONTENTS



TOOL MODULES

4 – 15



MOBILE TOOL STORAGE

16 – 21



SPANNERS

22 – 29



RANGE OF SOCKETS

30 – 49



SOCKET SETS

50 – 59



TORQUE WRENCHES

60 – 61



SCREWDRIVERS AND BITS

62 – 69



PLIERS

70 – 75



STRIKING TOOLS

76 – 81



MEASURING / MARKING

82 – 83



CUTTING / FILING / DRILLING

84 – 89



1000 V

90 – 93



AUTOMOTIVE

94 – 99

ARTICLE INDEX

100 – 109

DISCLAIMER

110

TOOL MODULES

FULLY
EQUIPPED




COMBINABLE ALL-ROUND CAREFREE PACKAGES

- Assortments and modules can be combined with GEDORE red tool storage
- The perfect equipment for different areas of application, ready to use



FOAM MODULES ARE CUSTOMISABLE


- All shown foam modules are customisable to all common workshop trolleys.
- Simply cut to the desired size:
W 485 - 570 mm, D 345 - 410 mm, H up to 70 mm



R22150000
Double ended ring spanner set
in 1/3 module 8 pieces



> In foam module



| Code | No. | Contents | |
|----------------|-----------|--|-----|
| 3301697 | R22150000 | Double ring spanner 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm | 1,6 |

R22150001
Double open ended spanner set
in 1/3 module 8 pieces



> In foam module



| Code | No. | Contents | |
|----------------|-----------|---|-------|
| 3301698 | R22150001 | Double open ended spanner Size 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm | 1,115 |

R22150002
Combination ratchet spanner set
in 1/3 module 9 pieces



> In foam module




| Code | No. | Contents | |
|----------------|-----------|--|------|
| 3301701 | R22150002 | Combination ratchet wrench SW 8 10 12 13 14 15 16 17 19 mm | 1,43 |

R22150003
Combination ratchet spanner set
in 1/3 module 10 pieces



> In foam module



| Code | No. | Contents | |
|----------------|-----------|---|------|
| 3301702 | R22150003 | Combination ratchet wrench SW 8 10 12 13 14 15 16 17 18 19 mm | 1,68 |

WWW.GEDORE.COM


Tool Modules

R22150006

Socket set 1/4"
im 1/3 module
37 pieces



> In foam module

| Code | No. | Contents |  |
|----------------|-----------|---|---|
| 3301705 | R22150006 | 1/4" 2K lever reversible ratchet, fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 1/4" screwdriver bit socket hexagon socket 3 4 5 6 8 10 37 mm 1/4" screwdriver bit socket slotted 5.5 6.5 37 mm 1/4" screwdriver bit socket cross-slotted PH 1 2 3 37 mm 1/4" screwdriver bit socket cross recess PZ 1 2 37 mm 1/4" screwdriver bit socket TX with bore T10 T15 T20 T25 T27 T30 T40 37 mm 1/4" socket wrench extension 100 mm 1/4" T-handle with sliding piece 115 mm 1/4" universal joint 32 mm | 0,87 |

R22150008

Ratchet with
accessories 1/2"
im 1/3 module 5 pieces



> In foam module

| Code | No. | Contents |  |
|----------------|-----------|--|---|
| 3301707 | R22150008 | 1/2" 2C lever reversible ratchet fine toothed, 72 teeth 250 mm 1/2" socket wrench extension 125 250 mm 1/2" cross handle with sliding piece 250 mm 1/2" universal joint 66 mm | 1,88 |

R22150009

Socket set 1/2"
im 1/3 module 26 pieces



> In foam module


| Code | No. | Contents |  |
|----------------|-----------|---|---|
| 3301708 | R22150009 | 1/2" hexagon socket wrench SW 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32 1/2" hexagon socket 6 7 8 9 10 12 14 55 mm | 1,7 |

R22150011

Screwdriver bit
socket set 1/2"
im 1/3 module 15 pieces



> In foam module


| Code | No. | Contents |  |
|----------------|-----------|--|---|
| 3301710 | R22150011 | Screwdriver bit socket with hexagon socket 5 6 7 8 9 10 12 14 17 55 mm screwdriver bit socket, hexagon socket 5 6 8 80 mm screwdriver bit socket, hexagon socket 10 12 14 140 mm | 2,124 |

R22150012

Impact socket
set 1/2"
in 1/3 module
32 pieces



> In foam module

| Code | No. | Contents |  |
|----------------|-----------|---|---|
| 3301711 | R22150012 | Power screwdriver bit socket 10 11 12 13 14 15 16 17 19 21 22 24 78 mm locking ring and pin (1 piece each) | 2,84 |

R22150013
Screwdriver set
im 1/3 module 6 pieces



> In foam module

| Code | No. | Contents | |
|----------------|-----------|---|-------|
| 3301712 | R22150013 | Screwdriver slotted 4 5.5 6.5 8 mm screwdriver Phillips PH 1 2 | 0,854 |

R22150014
Screwdriver set
im 1/3 module 6 pieces



> In foam module

| Code | No. | Contents | |
|----------------|-----------|--|------|
| 3301713 | R22150014 | Screwdriver slotted 4 5.5 6.5 8 mm screwdriver cross-slotted PZ 1 2 | 0,82 |

R22150015
Screwdriver set
im 1/3 module 6 pieces



> In foam module

| Code | No. | Contents | |
|----------------|-----------|-------------------------------------|-----|
| 3301714 | R22150015 | Screwdriver T10 T15 T20 T25 T30 T40 | 0,8 |

R22150016
VDE Screwdriver set
im 1/3 module 6 pieces



> In foam module

| Code | No. | Contents | |
|----------------|-----------|---|------|
| 3301715 | R22150016 | VDE screwdriver slotted 2.5 3 4 5.5 mm VDE screwdriver Phillips PH 1 2 | 0,68 |

R22150017
Retaining ring
pliers set
im 1/3 module 4 pieces



> In foam module

| Code | No. | Contents | |
|----------------|-----------|--|-------|
| 3301716 | R22150017 | External circlip pliers, straight 19-60 mm External circlip pliers, angled 19-60 mm Internal circlip pliers, straight 19-60 mm Internal circlip pliers, angled 19-60 mm | 1,136 |

R22150018
Pliers set
im 1/3 module 4 pieces



> In foam module

| Code | No. | Contents | |
|----------------|-----------|--|-------|
| 3301717 | R22150018 | Water pump pliers 10" 250 mm Combination pliers 180 mm Flat nose pliers, straight 160 mm side cutter 160 mm | 1,238 |

R22150019
Hammer/chisel set
in 1/3 CT-module
7 pieces



> In foam module

| Code | No. | Contents | |
|----------------|-----------|---|-------|
| 3301718 | R22150019 | Engineers' hammer 300 g flat chisel 125 mm 150 mm cross chisel 125 mm center punch 4 mm 120 mm pin punch 4 mm 120 mm punch 3 mm 150 mm | 1,222 |

Tool Modules

R22250000

Combination spanner set and hexagon socket key set in the 3/3 foam module, 26 pieces




> In foam module

| Code | No. | Contents | |
|----------------|-----------|--|-------|
| 3301699 | R22250000 | Combination wrench SW 6 7 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 mm offset screwdriver 1.5 2 2.5 3 4 5 6 8 10 mm | 2,232 |

R22250001

Combination ratchet spanner set im 2/3 module 23 pieces



> In foam module

| Code | No. | Contents | |
|----------------|-----------|--|-------|
| 3301700 | R22250001 | Combination ratchet wrench SW 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 mm offset screwdriver 1.5 2 2.5 3 4 5 6 8 10 mm | 3,297 |

R22350000

Tool set sockets, ratchet, accessories 1/4"-1/2" in 3/3 foam module, 84 pieces




> For hand-operated screw work
> In foam module

| Code | No. | Contents | |
|----------------|-----------|--|-----|
| 3301681 | R22350000 | 1/4" 2K lever reversible ratchet, fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert, hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 1/4" hexagon socket wrench SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 50 mm 1/4" screwdriver bit socket hexagon socket 3 4 5 6 8 10 37 mm 1/4" screwdriver bit socket, slotted 5.5 6.5 37 mm 1/4" screwdriver bit socket, Phillips PH 1 2 3 37 mm 1/4" screwdriver bit socket, Phillips PZ 1 2 37 mm 1/4" screwdriver bit socket TX with bore T10 T15 T20 T25 T27 T30 T40 37 mm 1/4" socket wrench extension 100 mm 1/4" T-handle with slide piece 115 mm 1/4" universal joint 32 mm 1/2" 2K lever reversible ratchet, fine-toothed, 72 teeth 250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32 1/2" Screwdriver bit socket hexagon socket 6 7 8 9 10 12 14 55 mm 1/2" spark plug insert SW 16 21 mm 65 mm 1/2" socket wrench extension 125 250 mm 1/2" T-handle with sliding piece 250 mm 1/2" universal joint 66 mm adjustable wrench, adjustable 8" 200 mm | 5,9 |

R22350001

Pliers, hammer, chisel set in 3/3 foam module, 29 parts



> In foam module

| Code | No. | Contents | |
|----------------|-----------|---|------|
| 3301682 | R22350001 | Circlip pliers, external, straight 19-60 mm Circlip pliers, external, angled 19-60 mm Circlip pliers, internal, straight 19-60 mm Circlip pliers, internal, angled 19-60 mm Set of feeler gauges, 13 pcs. Grip pliers 10" 225 mm Combination pliers 180 mm Telephone pliers, straight 160 mm side cutter 160 mm Water pump pliers 10" 250 mm Engineer's hammer 300 g Flat chisel 125 mm, 150 mm Cross cut chisel 125 mm Grains 4 mm 120 mm Pin punch 4 mm 120 mm Drift punch 3 mm 150 mm | 3,08 |

R22350004

Measuring and cutting tools set
in 3/3 foam module,
30 parts



> In foam module

| Code | No. | Contents | |
|----------------|-----------|--|-----|
| 3301685 | R22350004 | Digital caliper Professional cutter with 5 replacement blades 175 mm Tape measure 3 m (de-) magnetizer Multifunctional saw 300 mm Spirit level 300 mm Wooden folding rule 2 m Construction pencil 175 mm Hard metal scriber 145 mm LED torch 130 mm | 2,5 |

R22350005

Screwdriver, pliers,
hammer and chisel set
in 3/3 foam module,
23 parts



> In foam module

| Code | No. | Contents | |
|----------------|-----------|--|-----|
| 3301686 | R22350005 | Combination pliers 180 mm side cutters 160 mm needle nose pliers, straight 200 mm screwdriver slotted 3 4 5.5 6.5 mm screwdriver Phillips PH 1 2 screwdriver TX T10 T15 T20 T25 T30 T40 water pump pliers 10"250 mm Engineers' hammer 300 g flat chisel 125 mm, 150 mm cross chisel 125 mm punch 4 mm 120 mm pin punch 4 mm 120 mm punch 3 mm 150 mm | 2,8 |

R22350006

Ratchet wrench and
double open-ended
spanner set
in 3/3 foam module,
22-part



> In foam module

| Code | No. | Contents | |
|----------------|-----------|---|-----|
| 3301687 | R22350006 | Combination ratchet wrench SW 8 9 10 11 12 13 14 15 16 17 18 19 20 22 mm Double wrench SW 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm | 3,4 |

R22350002

Screwdriver and
file set
in 3/3 foam module,
26 parts



> In foam module

| Code | No. | Contents | |
|----------------|-----------|--|---|
| 3301683 | R22350002 | Slotted screwdriver 4 5.5 6.5 8 mm Phillips screwdriver PH 1 2 Screwdriver TX T10 T15 T20 T25 T30 T40 Test screwdriver 3 mm 135 mm bit screwdriver 1/4" offset screwdriver 1.5 2 2.5 3 4 5 6 8 10 mm half-round file 310 mm triangular file 310 mm round file 310 mm | 2 |

R21000072


Universal tool set basic
72 pieces



| Code | No. | Contents | Pieces | kg |
|---------|-----------|---|--------|------|
| 3301627 | R21000072 | Double open-end wrench 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm Engineer's hammer 300 g Combination pliers 180 mm Power side cutter 200 mm Pincers 200 mm Multifunction saw 300 mm Roll tape measure 3 m Construction pencil 175 mm Screwdriver slot 4 5.5 6.5 mm Screwdriver cross recess PZ1 2 Offset screwdriver set, 9 pcs. 1.5 2 2.5 3 4 5 6 8 10 mm VDE screwdriver slot 3 mm 170 mm VDE screwdriver cross recess PH 2 210 mm Flat chisel 125 mm Water pump pliers 10" 250 mm Phase tester 3 mm 135 mm VDE cable knife 185 mm Half-round file 310 mm Cutter knife with pencil sharpener 175 mm Open-end wrench 8" 200 mm Bit-Box, 32 pcs. Bit-Screwdriver 210 mm Spirit level 300 mm | 72 | 5,56 |

R21000059

Universalsset ALLROUND
59 pieces



| Code | No. | Contents | Pieces | kg |
|---------|-----------|--|--------|------|
| 3301632 | R21000059 | Combination wrench 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 27 mm Adjustable wrench 6" 12" Tungsten carbide scribe 150 mm Wooden folding rule 2 m Screwdriver slot 4 5.5 6.5 mm Screwdriver cross recess PH 1 2 Screwdriver cross recess PZ 1 2 Offset screwdriver set, 9 pcs. 1.5 2 2.5 3 4 5 6 8 10 mm Offset screwdriver set, 9-piece TX T10 T15 T20 T25 T27 T30 T40 T45 T50 Phase tester 3 mm 135 mm Combination pliers 180 mm Side cutter 160 mm Water pump pliers 10" 250 mm Fitter's hammer 300 g 800 g Flat chisel 250 mm Cross chisel 150 mm Drift punch 3 4 5 mm 150 mm Grains 5 mm 120 mm Flat file 310 mm Round file 310 mm | 59 | 8,56 |

R21000057


Universal set MECHANIC
57 pieces



| Code | No. | Contents | Pieces | kg |
|---------|-----------|--|--------|------|
| 3301637 | R21000057 | Combination wrench 6 7 8 9 10 11 12 13 14 15 16 17 18 19 mm Screwdriver slot 3 4 5,5 6,5 mm Screwdriver Phillips PH 0 1 2 Phase tester 3 mm 144 mm Offset screwdriver set, 9 pcs. 1.5 2 2.5 3 4 5 6 8 10 mm 1/2" hexagon socket wrench insert 8 10 11 12 13 14 15 16 17 18 19 22 24 mm 2C reversible ratchet 1/2" Extension 1/2" 125 250 mm Cardan joint 1/2" 66 mm Spark plug insert 1/2" 16 21 mm 65 mm Plug-in strip 8" Insert holder 1/2" for plug-in strip Combination pliers 180 mm Side cutter 160 mm Water pump pliers 10" 250 mm Engineer's hammer 300 g Tape measure 3 m | 57 | 5,84 |

R21010001


Tool set
in foam modules 119 parts



| Code | No. | Contents | Pieces | kg |
|---------|-----------|---|--------|-------|
| 3301656 | R21010001 | R22150018 Set of pliers in 1/3 in foam module R22150006 Socket wrench set 1/4" in 1/3 in foam module R22150009 Socket wrench set 1/2" in 1/3 in foam module R22150013 Screwdriver set in 1/3 in foam module R22150019 Hammer and chisel set in 1/3 in foam module R22150008 Ratchet with accessories 1/2" in 1/3 in foam module R22150015 Screwdriver set in 1/3 in foam module R22250000 Combination wrench set and offset screwdriver in 2/3 in foam module R93200025 Cutter knife with 5 spare blades R94550003 Roll tape measure 3 m | 119 | 14,46 |

R21010002

tool assortment
in foam modules 166 pieces



| Code | No. | Contents | Pieces | kg |
|---------|-----------|---|--------|-------|
| 3301657 | R21010002 | R22150006 1/4" socket wrench set in 1/3 foam module R22150000 Double ring wrench set in 1/3 foam module R22150018 Set of pliers in 1/3 foam module R22150019 Hammer and chisel set in 1/3 foam module R22150009 Socket wrench set 1/2" in 1/3 foam module R22150008 Ratchet with accessories 1/2" in 1/3 foam module R22250001 Ring ratchet open-end wrench set and offset screwdriver in 2/3 foam module R22150014 Screwdriver set in 1/3 foam module R22150015 Screwdriver set in 1/3 foam module R22150017 Set of circlip pliers in 1/3 foam module R27200010 Grip pliers 10" 225 mm R33005031 Bit-Box 1/4" 32 pieces R38990000 (De)magnetizer R94420021 Digital caliper R93200025 Cutter knife with 5 spare blades 175mm R94650013 Set of feeler gauges R93160052 Half-round file 310 mm R94550003 Roll tape measure 3 m | 166 | 19,24 |

R21010004

Tool set in foam modules
129 pieces



| Code | No. | Contents | Pieces | kg |
|---------|-----------|---|--------|------|
| 3301679 | R21010004 | R22350000 Tool set sockets, ratchet, accessories 1/4"-1/2" R22350005 Tool set screwdrivers, pliers, hammer, chisel R22350006 Tool set ratchet wrenches, double open-ended spanner | 129 | 13,6 |

R21600072

Universal set BASIC
in tool case, 72 pieces



| Code | No. | Contents | Pieces | kg |
|---------|-----------|---|--------|-------|
| 3301628 | R21600072 | Double open-ended spanner 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm Locksmith's hammer 300 g Combination pliers 180 mm Power side cutter 200 mm Nippers 200 mm Multifunctional saw 300 mm Rolling tape measure 3 m Construction pencil 175 mm Screwdriver slot 4 5,5 6,5 mm Screwdriver cross recess PZ 1 2 Offset screwdriver 1.5 2.2 5 3 4 5 6 8 10 mm VDE-Screwdriver slot 3 mm 170 mm VDE-Screwdriver cross recess PH 2 210 mm Flat chisel 125 mm Water pump pliers 10" 250 mm Phase tester 3 mm 135 mm VDE cable knife 185 mm Half-round file 310 mm Cutter knife with pencil sharpener 175 mm Roller fork spanner 8" 200 mm Bit box, 32 pcs. Bit screwdriver 210 mm Spirit level 300 mm | 72 | 10,56 |



R21650072

Universal set BASIC
in tool case, 72 pieces



| Code | No. | Contents | Pieces | kg |
|---------|-----------|--|--------|-------|
| 3301630 | R21650072 | Double open-ended spanner 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm Locksmith's hammer 300 g Combination pliers 180 mm Power side cutter 200 mm Nippers 200 mm Multifunctional saw 300 mm Rolling tape measure 3 m Construction pencil 175 mm Screwdriver slot 4,5,6,5 mm Screwdriver cross recess PZ 1 2 Offset screwdriver 1.5 2.2.5 3 4.5 6 8 10 mm VDE-Screwdriver slot 3 mm 170 mm VDE-Screwdriver cross recess PH 2 210 mm Flat chisel 125 mm Water pump pliers 10" 250 mm Phase tester 3 mm 135 mm VDE cable knife 185 mm Half-round file 310 mm Cutter knife with pencil sharpener 175 mm Roller fork spanner 8" 200 mm Bit box, 32 pcs. Bit screwdriver 210 mm Spirit level 300 mm | 72 | 10,36 |

R21650059

Universal set ALLROUND
in tool case, 59 pieces



> All tools are stored in a tool case

> Made of ABS, high thickness ABS vacuum formed shells

| Code | No. | Contents | Pieces | kg |
|---------|-----------|--|--------|------|
| 3301635 | R21650059 | Combination spanner 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 27 mm Roller fork spanner 6" 12" Carbide drawing needle 150 mm Wooden ruler 2 m Screwdriver slot 4,5,6,5 mm Screwdriver cross recess PH 1 2 Screwdriver cross recess PZ 1 2 Offset screwdriver 1.5 2.2.5 3 4 5 6 8 10 mm Offset screwdriver TX T10 T15 T20 T25 T27 T30 T40 T45 T50 Phase tester 3 mm 135 mm Combination pliers 180 mm Side cutters 160 mm Water pump pliers 10" 250 mm Metalworker's hammer 300 g 800 g Flat chisel 250 mm Cross chisel 150 mm Punch 3 4 5 mm 150 mm Centre punch 5 mm 120 mm Flat file 310 mm Round file 310 mm | 59 | 10,4 |

R21650057

Universal set MECHANIC
57 pieces



> All tools are stored in a tool case

> Made of ABS, high thickness ABS vacuum formed shells

| Code | No. | Contents | Pieces | kg |
|---------|-----------|--|--------|-------|
| 3301640 | R21650057 | Combination wrench 6 7 8 9 10 11 12 13 14 15 16 17 18 19 mm Screwdriver slot 3 4 5,5 6,5 mm Screwdriver cross-head PH 0 1 2 Phase tester 3 mm 144 mm Offset screwdriver set, 8 pcs. 2.2.5 3 4 5 6 8 10 mm 1/2" hexagon socket wrench insert 8 10 11 12 13 14 15 16 17 18 19 22 24 mm Ratchet 1/2" Extension 1/2" 125 250 mm Cardan joint 1/2" 66mm Spark plug insert 1/2" 16 21 mm 65mm Plug-in strip 8" Insert holder 1/2" for plug-in strip Combination pliers 180 mm Side cutter 160 mm Water pump pliers 10" 250 mm Engineer's hammer 300 g Tape measure 3 m | 57 | 13,36 |

R21650108

Universal set ALL-IN
in tool box, 108 pieces



> All tools are stored in a tool case

> Made of ABS, high thickness ABS vacuum formed shells

| Code | No. | Contents | Pieces | kg |
|---------|-----------|--|--------|------|
| 3301645 | R21650108 | 2C reversible ratchet 1/2" 250 mm Extension 1/2" 125 250 mm Cardan joint 1/2" 66 mm Socket 1/2" hexagonal 8 10 11 12 13 14 15 16 17 18 19 22 24 27 30 32 mm CK reversible ratchet 1/4" 150 mm Extension 1/4" 100 mm Socket 1/4" hexagonal 4.4.5 5.5 6 7 8 9 10 11 12 13 14 mm Bit box, 32 pcs. Bit screwdriver 210 mm Cardan joint 1/4" 33 mm 2 x plug-in bar 8" Insert holder 1/4" + 1/2" for plug-in bar Combination ratchet spanner 8 9 10 11 12 13 14 15 17 19 mm Screwdriver slot 3 4 5,5 6,5 mm Screwdriver cross recess PH 1 2 Offset screwdriver 1.5 2.2.5 3 4 5 6 8 10 mm Combination pliers 180 mm Power side cutter 200 mm Flat-nose pliers, straight 200 mm Water pump pliers 10" 250 mm Metalworker's hammer 500 g Flat chisel 150 mm Centre punch 4 mm 120 mm Pin punch 4 mm 120 mm Piercing punch 4 mm 150 mm Cutter knife with pencil sharpener 175 mm Tape measure 5 m | 108 | 13,4 |

MOBILE TOOL STORAGE



*SMART
ORGANISATIONAL
TALENTS*

i

STORE, ORGANISE AND TRANSPORT


- The right tool storage for every application, from simple transport solutions to mobile workstations
- Robust materials and stable constructions for a long service life
- Tool trolleys and workbenches can be combined with foam modules for optimum workplace organisation

R20600073

Tool box
5 compartments, empty



- > Made from sheet steel, red powder coated
- > Lockable with padlock

| Code | No. | W | D | H |  |
|----------------|-----------|-----|-----|-----|---|
| 3301658 | R20600073 | 535 | 210 | 260 | 5 |

R20650066

Tool case



- > Sturdy aluminium frame with edge protector, trays of impact-resistant plastic
- > Lockable metal locks, 2 keys
- > 1 lid tool pallet with pouches on 2 sides
- > 1 bottom tool pallet with pouches on one side

- > Bottom tray with variable dividers (large or small parts)

| Code | No. | W | D | H |  |
|----------------|-----------|-----|-----|-----|---|
| 3301660 | R20650066 | 445 | 180 | 380 | 4,5 |

R20802012

Tool wallet
empty



- > Water-repellent surface
- > Stable lock with adjustable strap
- > For tools up to 240 mm in length

| Code | No. | W | D | H |  |
|----------------|-----------|-----|-----|----|---|
| 3301626 | R20802012 | 160 | 260 | 25 | 0,2 |


R20702069

Tool/laptop bag



- > Laptop bag up to 17"
- > Padded compartment for safe transport of laptop and accessories
- > Trolley holder

- > Separate carrying handles
- > Padded shoulder strap

| Code | No. | W | D | H |  |
|----------------|-----------|-----|-----|-----|---|
| 3301662 | R20702069 | 480 | 370 | 140 | 2,1 |

R20150006

Tool trolley MECHANIC
with 6 drawers



- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 6 drawers telescopically fully extendable with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys

| Code | No. | Contents | H | W | D | Weight |
|----------------|-----------|---|-----|-----|-----|--------|
| 3301663 | R20150006 | 4 x H 69 mm 1 x H 144 mm 1 x H 218 mm | 910 | 628 | 418 | 56 |

R21560004

Tool set in
workshop trolley MECHANIC
129 pieces



- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 6 drawers telescopically fully extendable with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys

| Code | No. | Contents | H | W | D | Weight |
|----------------|-----------|--|-----|-----|-----|--------|
| 3301673 | R21560004 | R22350000 Tool set inserts, ratchet, accessories 1/4"-1/2" R22350005 Tool set screwdriver, pliers, hammer, chisel R22350006 Tool set ring ratchet wrench, double open-end wrench | 910 | 628 | 418 | 0,07 |

R21560001

Tool set in
workshop trolley MECHANIC
119 pieces



- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 6 drawers telescopically fully extendable with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys

| Code | No. | Contents | H | W | D | Weight |
|----------------|-----------|---|-----|-----|-----|--------|
| 3301667 | R21560001 | R22150018 Pliers set in 1/3 module R22150006 Socket wrench set 1/4" in 1/3 module R22150009 Socket wrench set 1/2" in 1/3 module R22150013 Screwdriver set in 1/3 module R22150019 Hammer and chisel set in 1/3 module R22150008 ratchet with accessories 1/2" in 1/3 module R22150015 screwdriver set in 1/3 module R22250000 combination spanner set and offset screwdriver in 2/3 module R93200025 cutter knife with 5-fold blades R94550003 tape measure 3 m | 910 | 628 | 418 | 70 |

R21560002

Tool set in workshop trolley MECHANIC
166 pieces



- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 6 drawers telescopically fully extendable with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys

| Code | No. | Contents | H | W | D | kg |
|---------|-----------|---|-----|-----|-----|----|
| 3301668 | R21560002 | R22150006 Socket spanner set 1/4" in 1/3 module R22150000 Double-ended ring spanner set in 1/3 module R22150018 Pliers set in 1/3 module R22150019 Hammer and chisel set in 1/3 module R22150009 Socket spanner set 1/2" in 1/3 module R22150008 Ratchet with accessories 1/2" in 1/3 module R22250001 Combination ratchet spanner set in 2/3 module R22150014 Screwdriver set in 1/3 module R22150015 Screwdriver set in 1/3 module R22150017 Circlip pliers set in 1/3 module R27200010 Grip pliers 10" R33005031 Bit box 1/4" R38990000 (De)magnetiser R94420021 Measuring caliper R93200025 Cutter knife with 5 blades R94650013 Feeler gauge set, 13 pcs. R93160052 Half-round file R94550003 Tape measure 3 m | 910 | 628 | 418 | 75 |

R20400006

Tool trolley MECHANIC
with 6 drawers



- > Large storage space with adjustable shelf, separately lockable
- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 6 drawers telescopically fully extendable with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys

| Code | No. | Dimensions | H | W | D | kg |
|---------|-----------|---|-----|-----|-----|----|
| 3301818 | R20400006 | 4 x H 69 mm 1 x H 144 mm 1 x 218 mm | 935 | 988 | 431 | 81 |

R20152006

Workshop trolley MECHANIC
6 drawers, black, matt



- > Solid sheet steel construction, torsion-resistant, highly loadable
- > 6 drawers with telescopic full-extension runners with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys
- > Max. load capacity 210 kg

| Code | No. | Dimensions | H | W | D | kg |
|---------|-----------|---|-----|-----|-----|----|
| 3300012 | R20152006 | 4 x H 69 mm 1 x H 144 mm 1 x H 218 mm | 910 | 628 | 418 | 56 |

R21562002

Workshop trolley MECHANIC with 6 drawers R20152006 + set R21010002
166 pieces



- > Solid sheet steel construction, torsion-resistant, highly loadable
- > 6 drawers with telescopic full-extension runners with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys

| Code | No. | Contents | H | L | D | Pieces | kg |
|---------|-----------|---|-----|-----|-----|--------|-------|
| 3300013 | R21562002 | R22150006 1/4" socket wrench set in 1/3 foam module R22150000 Double ring wrench set in 1/3 foam module R22150018 Set of pliers in 1/3 foam module R22150019 Hammer and chisel set in 1/3 foam module R22150009 Socket wrench set 1/2" in 1/3 foam module R22150008 Ratchet with accessories 1/2" in 1/3 foam module R22250001 Combination ratchet wrench set in 2/3 foam module R22150014 Screwdriver set in 1/3 foam module R22150015 Screwdriver set in 1/3 foam module R22150017 Set of circlip pliers in 1/3 foam module R27200010 Grip pliers 10" R33005031 Bit-Box 1/4" R38990000 (De)magnetizer R94420021 Caliper gauge R93200025 Cutter knife with 5-fold blades R94650013 Feeler Gauge Set, 13 pcs. R93160052 Half-round file R94550003 Tape measure 3 m | 910 | 628 | 418 | 166 | 75,24 |

R20901500

Set of lengthwise dividers for the MECHANIC workshop trolley
6 pieces



- > For individual drawer partitioning in workshop trolleys

| Code | No. | Pieces | kg |
|---------|-----------|--------|------|
| 3301665 | R20901500 | 6 | 0,35 |

R20200004

Tool trolley WINGMAN with 4 drawers



- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 4 drawers telescopically fully extendable with individual locking (one-hand operation)
- > Load capacity 35 kg per drawer
- > Large compartment with 2 lockable wing doors
- > Central locking with cylinder lock with 2 keys

| Code | No. | H | W | D | kg | |
|---------|-----------|--|-------|-----|-----|----|
| 3301688 | R20200004 | 4 x H = 83 mm compartment: H 386 x W 612 mm | 1.034 | 724 | 470 | 68 |

R22041004

Workshop trolley WINGMAN
with tool set
129 pieces



- > Solid sheet steel construction, torsion-resistant, highly loadable
- > 4 drawers telescopically fully extendable with individual locking (one-hand operation)

- > Load capacity 35 kg per drawer
- > Large compartment with 2 lockable hinged doors
- > Central locking with cylinder lock with 2 keys

| Code | No. | Contents | H | W | D | kg |
|---------|-----------|---|-------|-----|-----|-------|
| 3301689 | R22041004 | R22350000 Tool set inserts, ratchet, accessories 1/4"-1/2" R22350005 Tool set screwdrivers, pliers, hammer, chisel R22350006 Tool set ring ratchet wrench, double open-end wrench | 1.034 | 724 | 470 | 81,64 |

R20200007

Workshop trolley WINGMAN
with 7 drawers




- > Solid sheet steel construction, torsion-resistant, highly loadable
- > 7 drawers with telescopic full-extension runners with individual locking (one-hand operation)

- > Load capacity 35 kg per drawer
- > Central locking with cylinder lock with 4 keys

| Code | No. | | H | W | D | kg |
|---------|-----------|---------------------------------|-------|-----|-----|----|
| 3301690 | R20200007 | 5 x H = 83 mm 2 x H = 155 mm | 1.034 | 724 | 470 | 80 |

R22071004

Tool set in
workshop trolley WINGMAN
129 pieces



- > Solid sheet steel construction, torsion-resistant, highly loadable
- > 7 drawers with telescopic full-extension runners with individual locking (one-hand operation)

- > Load capacity 35 kg per drawer
- > Central locking with cylinder lock with 4 keys

| Code | No. | Contents | H | W | D | kg |
|---------|-----------|---|-------|-----|-----|-------|
| 3301694 | R22071004 | R22350000 Tool set sockets, ratchet, accessories 1/4"-1/2" R22350005 Tool set screwdrivers, pliers, hammer, chisel R22350006 Tool set ratchet wrenches, double open-ended spanner | 1.034 | 724 | 470 | 93,64 |

R20240003

Tool chest WINGMAN
with 3 drawers



- > Combinable with the WINGMAN workshop trolley
- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 3 drawers with telescopic full extension and individual locking device (single-hand operation)

- > Load capacity 35 kg per drawer
- > Generous storage under lid, lid with brake, opening angle 90 degrees, usable as work surface
- > Central locking with cylinder lock with 2 keys

| Code | No. | | H | W | D | kg |
|---------|-----------|---|-----|-----|-----|----|
| 3301696 | R20240003 | Drawers: 3x H 83 mm compartment: H 70 x W 520 x D 400 mm | 446 | 724 | 470 | 40 |

SPANNERS

**MAXIMUM
TRANSMISSION**



TOOLS WITH BRAINS

- Large assortment with versatile solutions from open-end to ring and ratchet spanners
- Optimised head heights and widths as well as jaw positions for efficient working angles
- Matt-satin surfaces for glare-free work

R0710XXXXCombination ratchet
spanner

- > Based on DIN 3113,
ISO 3318
- > Straight pattern
- > Jaw set at 15°

| Code | No. | Ø mm | ↳ mm | kg |
|----------------|-----------|------|------|-------|
| 3300828 | R07100080 | 8 | 136 | 0,047 |
| 3300829 | R07100090 | 9 | 143 | 0,065 |
| 3300830 | R07100100 | 10 | 160 | 0,066 |
| 3300831 | R07100110 | 11 | 168 | 0,077 |
| 3300832 | R07100120 | 12 | 174 | 0,085 |
| 3300833 | R07100130 | 13 | 180 | 0,1 |
| 3300834 | R07100140 | 14 | 193 | 0,11 |
| 3300835 | R07100150 | 15 | 200 | 0,149 |
| 3300836 | R07100160 | 16 | 216 | 0,18 |
| 3300837 | R07100170 | 17 | 233 | 0,2 |
| 3300838 | R07100180 | 18 | 239 | 0,22 |
| 3300839 | R07100190 | 19 | 250 | 0,248 |
| 3300840 | R07100200 | 20 | 285 | 0,41 |
| 3300841 | R07100210 | 21 | 285 | 0,412 |
| 3300842 | R07100220 | 22 | 285 | 0,402 |
| 3300843 | R07100240 | 24 | 325 | 0,504 |
| 3300844 | R07100270 | 27 | 359 | 0,64 |
| 3300845 | R07100300 | 30 | 425 | 1,19 |
| 3300846 | R07100320 | 32 | 425 | 1,15 |
| 3300848 | R07100360 | 36 | 482 | 1,757 |

R0710XXXXCombination ratchet
spanner set
metric

- > Based on DIN 3113,
ISO 3318
- > Straight pattern
- > Ratchet mechanism
with 72 teeth
- > In the holder

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|--------------------------------------|--------|-------|
| 3300849 | R07105005 | 8 10 13 17 19 mm | 5 | 0,699 |
| 3300850 | R07105012 | 8 9 10 11 12 13 14 15 16 17 18 19 mm | 12 | 1,569 |

R0720XXXXCombination ratchet
spanner
reversible

- > Based on DIN 3113,
ISO 3318
- > Ring offset to 15°,
reversible for right and
left hand operation
- > Ratchet mechanism
with 72 teeth
- > Jaw set at 15°

| Code | No. | Ø mm | ↳ mm | kg |
|----------------|-----------|------|------|-------|
| 3300851 | R07200080 | 8 | 135 | 0,042 |
| 3300852 | R07200090 | 9 | 142 | 0,07 |
| 3300853 | R07200100 | 10 | 158 | 0,07 |
| 3300854 | R07200110 | 11 | 167 | 0,08 |
| 3300855 | R07200120 | 12 | 173 | 0,08 |
| 3300856 | R07200130 | 13 | 179 | 0,101 |
| 3300857 | R07200140 | 14 | 189 | 0,116 |
| 3300858 | R07200150 | 15 | 199 | 0,15 |
| 3300859 | R07200160 | 16 | 215 | 0,171 |
| 3300860 | R07200170 | 17 | 232 | 0,197 |
| 3300861 | R07200180 | 18 | 238 | 0,219 |
| 3300862 | R07200190 | 19 | 247 | 0,25 |
| 3300863 | R07200200 | 20 | 285 | 0,4 |
| 3300864 | R07200210 | 21 | 285 | 0,401 |
| 3300865 | R07200220 | 22 | 285 | 0,4 |
| 3300866 | R07200240 | 24 | 325 | 0,5 |
| 3300867 | R07200270 | 27 | 359 | 0,65 |
| 3300868 | R07200300 | 30 | 425 | 1,14 |
| 3300869 | R07200320 | 32 | 425 | 1,14 |
| 3300871 | R07200360 | 36 | 482 | 1,671 |

Spanners

R0720XXXX

Combination ratchet spanner set, reversible



- > Based on DIN 3113, ISO 3318
- > Ring offset to 15°, reversible for right and left hand operation
- > Ratchet mechanism with 72 teeth
- > In the holder

| Code | No. | Contents | Pieces | |
|----------------|-----------|--------------------------------------|--------|-------|
| 3300872 | R07205005 | 8 10 13 17 19 mm | 5 | 0,688 |
| 3300873 | R07205012 | 8 9 10 11 12 13 14 15 16 17 18 19 mm | 12 | 1,576 |

R07203012

Combination ratchet spanner set
12 pieces



- > In accordance with DIN 3113 ISO 3318
- > Ring offset to 15°, reversible for right and left hand operation
- > Ratchet mechanism with 72 teeth
- > In rugged plastic case

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-------|
| 3300059 | R07203012 | Combination ratchet spanners 8 10 12 13 15 17 18 19 mm Square end drive adaptor 1/4" for Size 10 mm, 3/8" for Size 13 mm, 1/2" for Size 19 mm Bit adaptor 1/4" for Size 10mm | 12 | 15,68 |

R07203016

Combination ratchet spanner set
metric, 16 pieces



- > Based on DIN 3113, ISO 3318
- > Ring offset to 15°, reversible for right and left hand operation
- > Ratchet mechanism with 72 teeth
- > In rugged plastic case

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-----|
| 3300060 | R07203016 | Combination ratchet wrench SW 8 9 10 11 12 13 14 15 16 17 18 19 mm Square drive adapter 1/4" for SW 10 mm, 3/8" for SW 13 mm, 1/2" for SW 19 mm Bit adapter 1/4" for SW 10 mm | 16 | 2,1 |

R0730XXXX

Flexible head combination ratchet spanner
metric



- > Based on DIN 3113, ISO 3318
- > With 180° swivel head
- > Jaw set at 15°

| Code | No. | | | |
|----------------|-----------|----|-----|-------|
| 3300874 | R07300080 | 8 | 136 | 0,05 |
| 3300876 | R07300100 | 10 | 160 | 0,08 |
| 3300879 | R07300130 | 13 | 180 | 0,12 |
| 3300883 | R07300170 | 17 | 233 | 0,33 |
| 3300885 | R07300190 | 19 | 250 | 0,289 |
| 3300889 | R07300240 | 24 | 325 | 0,56 |

R07305005

Flexible head combination ratchet spanner set
5 pieces



- > In accordance with DIN 3113 ISO 3318
- > With 180° swivel head
- > Ratchet mechanism with 72 teeth
- > In the holder

| Code | No. | Contents | Pieces | |
|----------------|-----------|------------------|--------|-------|
| 3300890 | R07305005 | SW 8 10 13 17 19 | 5 | 1,158 |

R05905010

Open ended ratchet spanner set metric, 10 pieces



- > In accordance with DIN 3113 ISO 3318
- > Straight pattern
- > Open end with ratchet function
- > In the holder

| Code | No. | Contents | Pieces | |
|----------------|-----------|----------------------------------|--------|-------|
| 3301003 | R05905010 | 10 11 12 13 14 15 16 17 18 19 mm | 10 | 1,758 |

R0740XXXX

Double ring ratchet spanner



- > Based on DIN 3113, ISO 3318
- > Straight pattern

| Code | No. | | | |
|----------------|-----------|---------|-----|------|
| 3300891 | R07400809 | 8 x 9 | 128 | 0,06 |
| 3300892 | R07400810 | 8 x 10 | 128 | 0,06 |
| 3300893 | R07401011 | 10 x 11 | 150 | 0,08 |
| 3300894 | R07401213 | 12 x 13 | 170 | 0,11 |
| 3300895 | R07401415 | 14 x 15 | 190 | 0,15 |
| 3300896 | R07401618 | 16 x 18 | 230 | 0,2 |
| 3300897 | R07401719 | 17 x 19 | 230 | 0,22 |

R07405006

Double ring ratchet spanner set straight, metric, 6 pieces



- > Based on DIN 3113, ISO 3318
- > Straight pattern
- > Ratchet mechanism with 72 teeth
- > In the holder

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|-------|
| 3300898 | R07405006 | Double ring ratchet wrench 8x9 10x11 12x13 14x15 16x18 17x19 mm | 6 | 0,865 |

R07501002

Double ring ratchet spanner set 2 pieces



- > 63 in 2
- > Straight pattern
- > With lever change
- > Ratchet mechanism with 72 teeth

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|-------|
| 3300900 | R07501002 | Screw profiles and sizes: hexagonal/12-edged 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4 SPLINE hexagon/12-edge 8 10 11 13 14 16 17 19 mm TX E10 E12 E14 E16 E18 E20 E22 E24 square 9/32 11/32 3/8 7/16 15/32 17/32 9/16 5/8" - square square 7 9 11 12 13 14 16 mm | 2 | 0,398 |

R07501019

Double ring ratchet spanner 4in1



- > The four most common sizes in one tool:
10, 13, 17, 19 mm
- > Straight pattern
- > With lever change

| Code | No. | | | |
|----------------|-----------|-------------------|-----|------|
| 3300899 | R07501019 | 10 x 13 x 17 x 19 | 210 | 0,21 |

Spanners

R0110XXXX

Double ended ring spanner metric



- > Acc. to DIN 838, ISO 3318, ISO 1085, ISO 10104
- > 5° offset
- > Thin walled rings

| Code | No. | Ø mm | l mm | kg |
|---------|-----------|---------|------|-------|
| 3300901 | R01100607 | 6 x 7 | 175 | 0,055 |
| 3300902 | R01100809 | 8 x 9 | 185 | 0,07 |
| 3300904 | R01101011 | 10 x 11 | 198 | 0,09 |
| 3300906 | R01101213 | 12 x 13 | 215 | 0,115 |
| 3300908 | R01101415 | 14 x 15 | 228 | 0,15 |
| 3300909 | R01101617 | 16 x 17 | 246 | 0,19 |
| 3300910 | R01101719 | 17 x 19 | 268 | 0,235 |
| 3300911 | R01101819 | 18 x 19 | 268 | 0,235 |
| 3300913 | R01102022 | 20 x 22 | 292 | 0,315 |
| 3300914 | R01102123 | 21 x 23 | 315 | 0,35 |
| 3300916 | R01102426 | 24 x 26 | 328 | 0,45 |
| 3300917 | R01102427 | 24 x 27 | 328 | 0,5 |
| 3300918 | R01102430 | 24 x 30 | 342 | 0,6 |
| 3300919 | R01102528 | 25 x 28 | 342 | 0,5 |
| 3300921 | R01102732 | 27 x 32 | 365 | 0,6 |
| 3300922 | R01103032 | 30 x 32 | 370 | 0,63 |
| 3300924 | R01103641 | 36 x 41 | 445 | 1,05 |

R0110XXXX

Double ended ring spanner set metric



- > Acc. to DIN 838, ISO 3318, ISO 1085, ISO 10104
- > 5° offset
- > Thin walled rings
- > Chrome-vanadium steel
- > Matt satin chrome-plated finish
- > In the holder

| Code | No. | Contents | Pieces | kg |
|---------|-----------|--|--------|------|
| 3300926 | R01105008 | 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm | 8 | 1,4 |
| 3300928 | R01105012 | 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm | 12 | 3,55 |

R0135XXXX

Half-moon ring spanner metric



- > For tight spaces
- > Thin walled rings

| Code | No. | Ø mm | l mm | kg |
|---------|-----------|---------|------|-------|
| 3301113 | R01351012 | 10 x 12 | 128 | 0,045 |
| 3301114 | R01351113 | 11 x 13 | 150 | 0,075 |
| 3301115 | R01351315 | 13 x 15 | 168 | 0,1 |
| 3301116 | R01351416 | 14 x 16 | 184 | 0,115 |
| 3301117 | R01351517 | 15 x 17 | 184 | 0,115 |

R0512XXXX

Double open ended spanner



- > Acc. to DIN 895, ISO 3318, ISO 1085
- > Short version
- > Jaw set at 15°

| Code | No. | Ø mm | l mm | kg |
|---------|-----------|---------|------|-------|
| 3301067 | R05120607 | 6 x 7 | 97 | 0,017 |
| 3301068 | R05120809 | 8 x 9 | 106 | 0,023 |
| 3301069 | R05121011 | 10 x 11 | 125 | 0,04 |
| 3301070 | R05121213 | 12 x 13 | 135 | 0,06 |
| 3301071 | R05121415 | 14 x 15 | 150 | 0,083 |
| 3301072 | R05121617 | 16 x 17 | 160 | 0,095 |
| 3301073 | R05121819 | 18 x 19 | 176 | 0,13 |
| 3301074 | R05122022 | 20 x 22 | 196 | 0,19 |
| 3301075 | R05122123 | 21 x 23 | 212 | 0,235 |
| 3301076 | R05122426 | 24 x 26 | 245 | 0,288 |
| 3301077 | R05122427 | 24 x 27 | 245 | 0,288 |
| 3301078 | R05122528 | 25 x 28 | 245 | 0,283 |
| 3301079 | R05122732 | 27 x 32 | 259 | 0,4 |
| 3301080 | R05123032 | 30 x 32 | 259 | 0,4 |

R05126008

Double open ended
spanner set in wallet,
metric, 8 pieces



- > Acc. to DIN 895,
ISO 3318, ISO 1085
- > Jaw set at 15°
- > In practical roll-up bag

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|------|
| 3301081 | R05126008 | 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm | 8 | 0,64 |

R0512XXXX

Double open ended
spanner set
short



- > Acc. to DIN 895,
ISO 3318, ISO 1085
- > Jaw set at 15°
- > In the holder

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|-----|
| 3300958 | R05125006 | 6x7 8x9 10x11 12x13 14x15 16x17 mm | 6 | 0,3 |
| 3300961 | R05125012 | 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x26 25x28 27x32 mm | 12 | 2 |

R0510XXXX

Double open ended
spanner



- > Acc. to DIN 3110,
ISO 3318, ISO 1085,
ISO 10102
- > Jaw set at 15°

| Code | No. | mm | mm | |
|----------------|-----------|---------|-----|-------|
| 3300930 | R05100607 | 6 x 7 | 122 | 0,025 |
| 3300931 | R05100809 | 8 x 9 | 140 | 0,04 |
| 3300933 | R05101011 | 10 x 11 | 157 | 0,057 |
| 3300934 | R05101013 | 10 x 13 | 172 | 0,06 |
| 3300935 | R05101213 | 12 x 13 | 172 | 0,055 |
| 3300940 | R05101415 | 14 x 15 | 188 | 0,1 |
| 3300942 | R05101617 | 16 x 17 | 205 | 0,11 |
| 3300943 | R05101719 | 17 x 19 | 222 | 0,155 |
| 3300944 | R05101819 | 18 x 19 | 222 | 0,155 |
| 3300946 | R05102022 | 20 x 22 | 236 | 0,21 |
| 3300947 | R05102123 | 21 x 23 | 247 | 0,24 |
| 3300948 | R05102224 | 22 x 24 | 247 | 0,24 |
| 3300949 | R05102426 | 24 x 26 | 266 | 0,3 |
| 3300950 | R05102427 | 24 x 27 | 266 | 0,3 |
| 3300952 | R05102528 | 25 x 28 | 280 | 0,46 |
| 3300954 | R05102732 | 27 x 32 | 302 | 0,46 |
| 3300955 | R05103032 | 30 x 32 | 302 | 0,46 |
| 3300957 | R05103641 | 36 x 41 | 360 | 0,83 |

R0510XXXX

Double open ended
spanner set
long, metric



- > Acc. to DIN 3110,
ISO 3318, ISO 1085,
ISO 10102
- > Jaw set at 15°
- > In the holder

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|------|
| 3300959 | R05105008 | 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm | 8 | 0,7 |
| 3300960 | R05105012 | 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32 mm | 12 | 2,42 |

Spanners

R0910XXXX

Combination spanner
with same size each end
metric



- > Acc. to DIN 3113,
Form A, ISO 3318,
ISO 7738
- > Ring offset to 15°
- > Jaw set at 15°

| Code | No. | Ø mm | ↳ mm ▷ | kg |
|---------|-----------|------|--------|-------|
| 3300962 | R09100060 | 6 | 95 | 0,016 |
| 3300963 | R09100070 | 7 | 105 | 0,018 |
| 3300964 | R09100080 | 8 | 110 | 0,024 |
| 3300965 | R09100090 | 9 | 120 | 0,031 |
| 3300966 | R09100100 | 10 | 130 | 0,035 |
| 3300967 | R09100110 | 11 | 140 | 0,035 |
| 3300968 | R09100120 | 12 | 153 | 0,05 |
| 3300969 | R09100130 | 13 | 163 | 0,072 |
| 3300970 | R09100140 | 14 | 173 | 0,075 |
| 3300971 | R09100150 | 15 | 185 | 0,09 |
| 3300972 | R09100160 | 16 | 198 | 0,105 |
| 3300973 | R09100170 | 17 | 210 | 0,12 |
| 3300974 | R09100180 | 18 | 220 | 0,155 |
| 3300975 | R09100190 | 19 | 230 | 0,17 |
| 3300976 | R09100200 | 20 | 240 | 0,2 |
| 3300977 | R09100210 | 21 | 252 | 0,24 |
| 3300978 | R09100220 | 22 | 262 | 0,22 |
| 3300980 | R09100240 | 24 | 282 | 0,3 |
| 3300983 | R09100270 | 27 | 310 | 0,4 |
| 3300986 | R09100300 | 30 | 340 | 0,5 |
| 3300987 | R09100320 | 32 | 360 | 0,7 |

R0910XXXX

Combination spanner set
metric



- > Acc. to DIN 3113,
Form A, ISO 3318,
ISO 7738
- > Jaw set at 15°
- > In the holder

| Code | No. | Contents | Pieces | kg |
|---------|-----------|--|--------|-------|
| 3300988 | R09105008 | 8 9 10 11 13 14 17 19 mm | 8 | 0,6 |
| 3300989 | R09105010 | 8 10 11 12 13 14 15 17 19 22 mm | 10 | 1,366 |
| 3300992 | R09105112 | 6 7 8 9 10 11 12 13 14 17 19 22 mm | 12 | 1,1 |
| 3300990 | R09105012 | 10 11 12 13 14 17 19 22 24 27 30 32 mm | 12 | 2,5 |
| 3300993 | R09105015 | 6 7 8 10 11 12 13 14 17 19 22 24 27 30 32 mm | 15 | 3,1 |
| 3300994 | R09105017 | 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 mm | 17 | 1,8 |
| 3300991 | R09105021 | 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 mm | 21 | 4,712 |
| 3300995 | R09105024 | 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 26 27 28 30 32 mm | 24 | 5,4 |

R0911XXXX

Combination spanner
with same size each
end inch



- > Ring offset to 15°
- > Jaw set at 15°

| Code | No. | Ø "AF" | ↳ mm ▷ | kg |
|---------|-----------|---------|--------|-------|
| 3301026 | R09110016 | 1/4" | 95 | 0,02 |
| 3301027 | R09110020 | 5/16" | 110 | 0,02 |
| 3301028 | R09110024 | 3/8" | 130 | 0,03 |
| 3301029 | R09110028 | 7/16" | 140 | 0,045 |
| 3301030 | R09110032 | 1/2" | 163 | 0,07 |
| 3301031 | R09110036 | 9/16" | 173 | 0,085 |
| 3301032 | R09110040 | 5/8" | 198 | 0,095 |
| 3301033 | R09110044 | 11/16" | 210 | 0,15 |
| 3301034 | R09110048 | 3/4" | 230 | 0,18 |
| 3301035 | R09110052 | 13/16" | 252 | 0,206 |
| 3301036 | R09110056 | 7/8" | 262 | 0,254 |
| 3301037 | R09110060 | 15/16" | 282 | 0,295 |
| 3301038 | R09110064 | 1" | 302 | 0,373 |
| 3301039 | R09110068 | 1.1/16" | 310 | 0,375 |
| 3301040 | R09110072 | 1.1/8" | 320 | 0,435 |
| 3301041 | R09110080 | 1.1/4" | 360 | 0,634 |

R09115016

Combination
spanner set
inch (AF), 16 pieces



- > Ring offset to 15°
- > Jaw set at 15°
- > In the holder

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|-----|
| 3301043 | R09115016 | 1/4 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4 13/16 7/8 15/16 1 1.1/16 1.1/8 1.1/4" | 16 | 3,8 |

R0310XXXX

Single open ended
spanner adjustable



- > Acc. to DIN 3117, Form A
- > Jaw set at 15°
- > Polished head with lasered scale
- > High torque

| Code | No. | inch | mm | inch | mm | |
|----------------|-----------|------|-----|---------|----|------|
| 3300996 | R03100006 | 6 | 150 | 15/16 | 24 | 0,14 |
| 3300997 | R03100008 | 8 | 200 | 1.3/16 | 30 | 0,25 |
| 3300998 | R03100010 | 10 | 250 | 1.11/32 | 34 | 0,42 |
| 3300999 | R03100012 | 12 | 300 | 1.19/32 | 41 | 0,7 |

R0380XXXX

Adjustable spanner



- > Acc. to DIN 3117, Form A
- > Jaw set at 15°
- > Swedish pattern, roller with left hand thread
- > With mm-scale

| Code | No. | inch | mm | inch | mm | |
|----------------|-----------|------|-----|---------|----|-----|
| 3301064 | R03800015 | 15 | 385 | 1.11/16 | 43 | 1,4 |
| 3301065 | R03800018 | 18 | 460 | 2.11/64 | 55 | 2,1 |
| 3301066 | R03800024 | 24 | 610 | 2.7/16 | 62 | 3,7 |

R0391XXXX

Single open ended
spanner with ratchet



- > Jaw set at 15°
- > Swedish pattern, roller with left hand thread
- > Ratchet function
- > With mm-scale

| Code | No. | inch | mm | inch | mm | |
|----------------|-----------|------|-----|------|----|-------|
| 3301001 | R03910008 | 8 | 205 | 1.18 | 30 | 0,412 |
| 3301002 | R03910010 | 10 | 256 | 1.42 | 36 | 0,66 |

R01700057

Wheel cross wrench



- > Chrome-vanadium steel
- > chrome-plated

| Code | No. | mm | |
|----------------|-----------|------------------------------|-------|
| 3301453 | R01700057 | 17 x 19 (3/4") x 21 x 11/16" | 0,974 |

WWW.GEDORE.COM

RANGE OF SOCKETS

**ROBUST
MULTI-TALENT**



DONE IN THE TWINKLING OF AN EYE

- Ratchets in 1/4", 3/8" and 1/2" with right/left rotation and reversing lever
- Ratchet mechanism with fine toothing and oval heads for minimum return angle and easy access to the workpiece
- Extensive range of inserts, extensions and adapters

i LEGEND



R4000027

Reversible ratchet 1/4"



- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release

- > Fine-toothed
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | " | " | ° | mm | kg |
|---------|----------|------|-----|---|-----|-------|
| 3300158 | R4000027 | 1/4" | 6,3 | 5 | 150 | 0,122 |

R4005009

Reversible ratchet 1/4"
cranked



- > Offset pattern for in-depth screw work
- > Lever for reversible clockwise/anticlockwise operation

- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | " | " | ° | mm | kg |
|---------|----------|------|-----|----|-----|-----|
| 3300159 | R4005009 | 1/4" | 6,3 | 10 | 145 | 0,1 |

R40120027

2C swivel head reversible ratchet



- > Ratchet head swivels through 180°
- > Lockable in 5 positions
- > Lever for reversible clockwise/anticlockwise operation

- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | " | " | ° | mm | kg |
|---------|-----------|------|-----|---|-----|------|
| 3300156 | R40120027 | 1/4" | 6,3 | 5 | 163 | 0,13 |

R40150027

Bit ratchet 1/4"
reversible, with drive adaptor



- > Lever for reversible clockwise/anticlockwise operation
- > In-hex for direct mounting of bits as per DIN 3126 - D 6.3
- > With retention spring

- > Square connection according to DIN 3120 - A 6.3, ISO 1174, with ball locking
- > External hexagonal drive according to DIN 3126 - C 6.3 (1/4"), with ball lock

| Code | No. | " | " | ° | mm | kg |
|---------|-----------|------|-----|----|----|-------|
| 3300161 | R40150027 | 1/4" | 6,3 | 6° | 91 | 0,034 |

R40170027

2C swivel head bit ratchet
reversible



- > Ratchet head swivels through 180°
- > Lockable in 5 positions
- > With magnetic holder

- > Lever for reversible clockwise/anticlockwise operation
- > In-hex for direct mounting of bits as per DIN 3126 - D 6.3

| Code | No. | " | " | ° | mm | kg |
|---------|-----------|------|-----|----|-----|------|
| 3300160 | R40170027 | 1/4" | 6,3 | 5° | 163 | 0,13 |

Range of Sockets

R4100XXXX

Socket 1/4"
hexagon, metric,
short



- Hand-operated, knurled grip
- Acc. to DIN 3124, ISO 2725
- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | mm | mm | Ø1 | Ø2 | kg |
|---------|-----------|-----|----|------|------|-------|
| 3300064 | R41000403 | 4 | 25 | 6,7 | 12,0 | 0,012 |
| 3300065 | R41004503 | 4,5 | 25 | 7,2 | 12,0 | 0,013 |
| 3300066 | R41000503 | 5 | 25 | 7,8 | 12,0 | 0,013 |
| 3300067 | R41005503 | 5,5 | 25 | 8,5 | 12,0 | 0,013 |
| 3300068 | R41000603 | 6 | 25 | 9,1 | 12,0 | 0,014 |
| 3300069 | R41000703 | 7 | 25 | 10,5 | 12,0 | 0,012 |
| 3300070 | R41000803 | 8 | 25 | 11,3 | 12,0 | 0,014 |
| 3300071 | R41000903 | 9 | 25 | 12,0 | 13,0 | 0,012 |
| 3300072 | R41001003 | 10 | 25 | 12,7 | 14,5 | 0,014 |
| 3300073 | R41001103 | 11 | 25 | 14,0 | 16,0 | 0,017 |
| 3300074 | R41001203 | 12 | 25 | 15,0 | 17,0 | 0,02 |
| 3300075 | R41001303 | 13 | 25 | 16,0 | 18,0 | 0,02 |
| 3300076 | R41001403 | 14 | 25 | 18,0 | 19,7 | 0,018 |

R4100XXXX

Socket 1/4"
hexagon,
long pattern



- Hand-operated, knurled grip
- Acc. to DIN 3124, ISO 2725
- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | mm | mm | Ø1 | Ø2 | kg |
|---------|-----------|-----|----|------|------|-------|
| 3300077 | R41000409 | 4 | 50 | 6,7 | 12,0 | 0,028 |
| 3300078 | R41004509 | 4,5 | 50 | 7,2 | 12,0 | 0,026 |
| 3300079 | R41000509 | 5 | 50 | 7,8 | 12,0 | 0,03 |
| 3300080 | R41005509 | 5,5 | 50 | 8,5 | 12,0 | 0,03 |
| 3300081 | R41000609 | 6 | 50 | 9,1 | 12,0 | 0,029 |
| 3300082 | R41000709 | 7 | 50 | 10,5 | 12,0 | 0,025 |
| 3300083 | R41000809 | 8 | 50 | 11,3 | 12,0 | 0,024 |
| 3300084 | R41000909 | 9 | 50 | 12,0 | 13,2 | 0,032 |
| 3300085 | R41001009 | 10 | 50 | 12,7 | 14,7 | 0,039 |
| 3300086 | R41001109 | 11 | 50 | 14,0 | 16,0 | 0,05 |
| 3300087 | R41001209 | 12 | 50 | 15,0 | 17,0 | 0,055 |
| 3300088 | R41001309 | 13 | 50 | 16,0 | 18,0 | 0,055 |

R4711XXXX

Socket
1/4" hexagon,
with magnet



- Hex drive as per DIN 3126 - C 6.3 (1/4") for use in chucks

| Code | No. | mm | kg |
|---------|-----------|----|-------|
| 3300517 | R47110012 | 65 | 0,026 |
| 3300518 | R47110112 | 65 | 0,03 |
| 3300519 | R47110212 | 65 | 0,036 |

R4255XXXX

Screwdriver
bit socket 1/4"
for in-hex screws



- Hand-operated, knurled grip
- Acc. to DIN 7423
- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | mm | mm | mm | Ø | kg |
|---------|-----------|----|----|------|----|-------|
| 3300123 | R42550306 | 3 | 37 | 15,0 | 12 | 0,016 |
| 3300124 | R42550406 | 4 | 37 | 15,0 | 12 | 0,016 |
| 3300125 | R42550506 | 5 | 37 | 15,0 | 12 | 0,017 |
| 3300126 | R42550606 | 6 | 37 | 15,0 | 12 | 0,015 |
| 3300127 | R42550806 | 8 | 37 | 15,0 | 12 | 0,02 |
| 3300128 | R42551006 | 10 | 37 | 15,0 | 12 | 0,02 |

R4120XXXX

Socket 1/4"
for external TX
screws



- Hand-operated, knurled grip
- Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | mm | mm | Ø1 | Ø2 | kg |
|---------|-----------|-----|----|------|------|-------|
| 3300102 | R41200203 | E5 | 25 | 7,2 | 12,0 | 0,013 |
| 3300103 | R41200303 | E6 | 25 | 8,2 | 12,0 | 0,014 |
| 3300104 | R41200403 | E7 | 25 | 9,0 | 12,0 | 0,014 |
| 3300105 | R41200503 | E8 | 25 | 13,3 | 12,0 | 0,015 |
| 3300106 | R41200703 | E10 | 25 | 12,5 | 13,2 | 0,015 |

R4245XXXX
Screwdriver
bit socket 1/4" TX®



- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | | ↳ mm ↲ | | ∅ | |
|----------------|-----------|-----|--------|------|----|-------|
| 3300107 | R42451106 | T10 | 37 | 15,0 | 12 | 0,015 |
| 3300108 | R42451206 | T15 | 37 | 15,0 | 12 | 0,016 |
| 3300109 | R42451306 | T20 | 37 | 15,0 | 12 | 0,016 |
| 3300110 | R42451406 | T25 | 37 | 15,0 | 12 | 0,016 |
| 3300111 | R42451506 | T27 | 37 | 15,0 | 12 | 0,016 |
| 3300112 | R42451606 | T30 | 37 | 15,0 | 12 | 0,016 |
| 3300113 | R42451806 | T40 | 37 | 15,0 | 12 | 0,017 |

R4246XXXX
Screwdriver bit socket
1/4" TX®
with hole



- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | | ↳ mm ↲ | | ∅ | |
|----------------|-----------|-----|--------|------|----|-------|
| 3300116 | R42461106 | T10 | 37 | 15,0 | 12 | 0,015 |
| 3300117 | R42461206 | T15 | 37 | 15,0 | 12 | 0,016 |
| 3300118 | R42461306 | T20 | 37 | 15,0 | 12 | 0,016 |
| 3300119 | R42461406 | T25 | 37 | 15,0 | 12 | 0,016 |
| 3300120 | R42461506 | T27 | 37 | 15,0 | 12 | 0,016 |
| 3300121 | R42461606 | T30 | 37 | 15,0 | 12 | 0,016 |

R45200022
Sliding T-bar with slider 1/4"



- > Acc. to DIN 3122, ISO 3315
- > For hand-operated sockets

- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock

| Code | No. | ■ " | ■ mm | ↳ mm ↲ | |
|----------------|-----------|------|------|--------|-------|
| 3300143 | R45200022 | 1/4" | 6,3 | 115 | 0,038 |

R38950001
Square plug-in handle 1/4"



- > For hand-operated sockets and accessories with square drive as per DIN 3120, ISO 1174, ball locking device
- > 2-component-handle for a hands-friendly transfer of force

- > Coupler in acc. with DIN 3120 - A 6.3, ISO 1174, with ball locking device
- > square socket in handle suitable for ratchet drive with DIN 3120 - C 6.3, ISO 1174, with ball catch groove

| Code | No. | ■ " | ■ mm | ↳ mm ↲ | |
|----------------|-----------|------|------|--------|------|
| 3301344 | R38950001 | 1/4" | 6,3 | 171 | 0,12 |

R4510XXXX
Extension 1/4"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock

| Code | No. | ■ " | ■ mm | ↳ mm ↲ | |
|----------------|-----------|------|------|--------|-------|
| 3300140 | R45100009 | 1/4" | 6,3 | 50 | 0,025 |
| 3300141 | R45100019 | 1/4" | 6,3 | 100 | 0,05 |
| 3300142 | R45100029 | 1/4" | 6,3 | 150 | 0,065 |

Range of Sockets

R45300005 Universal joint 1/4"



- > Screwed-on joint
- > Acc. to DIN 3123 - C 6,4
- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock

| Code | No. | 1/4" | 6,3 mm | 33 mm | 0,024 kg |
|---------|-----------|------|--------|-------|----------|
| 3300144 | R45300005 | 1/4" | 6,3 | 33 | 0,024 |

R47001004 Adapter set 4 pieces



- > For secure connection of ratchet wrench and socket
- > Push-button release
- > Square drive according to DIN 3120, ISO 1174, with ball locking device
- > Bit holder for bits with external hexagon drive according to DIN 3126 - C 6.3 (1/4")

| Code | No. | Contents | Pieces | 0,1 kg |
|---------|-----------|--|--------|--------|
| 3300061 | R47001004 | Outer hexagon 19 mm x outer square 1/2" for sockets Outer hexagon 13 mm x outer square 3/8" for sockets Outer hexagon 10 mm x outer square 1/4" for sockets Outer hexagon 10 mm x inner hexagon 1/4" suitable for all 1/4" bits | 4 | 0,1 |

R47100103 Bit adaptor 1/4"



- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove
- > For 1/4" bits with hexagon drive as per DIN 3126, ISO 1173
- > With retention spring

| Code | No. | 1/4" | 6 | 1/4" | 6,0 | 25 mm | 0,018 kg |
|---------|-----------|------|---|------|-----|-------|----------|
| 3300151 | R47100103 | 1/4" | 6 | 1/4" | 6,0 | 25 | 0,018 |

R47110009 Drive adapter 1/4"



- > For driving sockets and screwdriver bit sockets
- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock
- > Hex drive as per DIN 3126 - C 6.3 (1/4") for use in chucks

| Code | No. | 1/4" | 6,3 | 1/4" | 6,3 | 50 mm | 0,016 kg |
|---------|-----------|------|-----|------|-----|-------|----------|
| 3300150 | R47110009 | 1/4" | 6,3 | 1/4" | 6,3 | 50 | 0,016 |

R47100003
Drive adapter 1/4"



- > For driving sockets and screwdriver bit sockets
- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock
- > Hexagon drive acc. to DIN 3126 - C 6,3 (1/4")

| Code | No. | 6.3mm 1/4" | 6.3 | 1/4" | 6,3 | 0,008 |
|---------|-----------|---------------|-----|------|-----|-------|
| 3300149 | R47100003 | 1/4" | 6,3 | 1/4" | 6,3 | 0,008 |

R47120011
Quick-change bit holder 1/4" with magnet



- > Quick-grip system for hex bits as per DIN 3126 - C 6.3 + E 6.3 (1/4")
- > Hex drive as per DIN 3126 - C 6.3 (1/4") for use in chucks
- > Release for bit ejection

| Code | No. | 6.3mm 1/4" | 6.3 | 1/4" | 60 | 0,03 |
|---------|-----------|---------------|-----|------|----|------|
| 3300148 | R47120011 | 1/4" | 6,3 | 1/4" | 60 | 0,03 |

R4711XXXX
Bit holder 1/4" with magnet



- > Acc. to DIN 7427
- > For bits with external hexagon drive to DIN 3126 - C 6.3 E 6.3 (1/4"), external hexagon drive to DIN 3126 - C 6.3 (1/4") for use in chucks

| Code | No. | 6.3mm 1/4" | 6.3 | 1/4" | 60 | 0,022 |
|---------|-----------|---------------|-----|------|----|-------|
| 3300146 | R47110011 | 1/4" | 6,3 | 1/4" | 60 | 0,022 |
| 3300147 | R47110014 | 1/4" | 6,3 | 1/4" | 75 | 0,03 |

R50000027
Reversible ratchet 3/8"



- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release

- > Fine-toothed
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | 10mm 3/8" | 10 | 5° | 180 | 0,282 |
|---------|-----------|--------------|----|----|-----|-------|
| 3300224 | R50000027 | 3/8" | 10 | 5° | 180 | 0,282 |

R50050009
Reversible ratchet 3/8" cranked



- > Offset pattern for in-depth screw work
- > Lever for reversible clockwise/anticlockwise operation

- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | 10mm 3/8" | 10 | 10° | 210 | 0,226 |
|---------|-----------|--------------|----|-----|-----|-------|
| 3300225 | R50050009 | 3/8" | 10 | 10° | 210 | 0,226 |

R50120027

2C swivel head reversible ratchet 3/8"



- > Ratchet head swivels through 180°
- > Lockable in 5 positions
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | " | mm | ° | mm | kg |
|---------|-----------|------|----|---|-----|-------|
| 3301819 | R50120027 | 3/8" | 10 | 5 | 246 | 0,339 |

R5100XXXX

Socket 3/8"
hexagon, metric,
short



- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove

| Code | No. | mm | mm | Ø1 | Ø2 | kg |
|---------|-----------|----|----|------|------|-------|
| 3300164 | R51000604 | 6 | 28 | 10,0 | 17,0 | 0,019 |
| 3300165 | R51000704 | 7 | 28 | 10,6 | 17,0 | 0,019 |
| 3300166 | R51000804 | 8 | 28 | 11,8 | 17,0 | 0,02 |
| 3300167 | R51000904 | 9 | 28 | 13,2 | 17,0 | 0,021 |
| 3300168 | R51001004 | 10 | 28 | 14,2 | 17,0 | 0,021 |
| 3300169 | R51001104 | 11 | 28 | 15,6 | 17,0 | 0,021 |
| 3300170 | R51001204 | 12 | 28 | 17,0 | 18,0 | 0,024 |
| 3300171 | R51001304 | 13 | 28 | 18,0 | 18,0 | 0,029 |
| 3300172 | R51001404 | 14 | 28 | 19,5 | 19,0 | 0,032 |
| 3300173 | R51001504 | 15 | 28 | 21,0 | 20,0 | 0,036 |
| 3300174 | R51001604 | 16 | 28 | 22,0 | 21,0 | 0,039 |
| 3300175 | R51001704 | 17 | 30 | 23,5 | 22,0 | 0,053 |
| 3300176 | R51001804 | 18 | 30 | 24,5 | 23,0 | 0,057 |
| 3300177 | R51001904 | 19 | 30 | 26,0 | 24,0 | 0,061 |
| 3300178 | R51002004 | 20 | 32 | 28,0 | 25,0 | 0,06 |
| 3300179 | R51002104 | 21 | 32 | 28,0 | 26,0 | 0,074 |
| 3300180 | R51002204 | 22 | 32 | 30,0 | 28,0 | 0,088 |

R55200039

Sliding T bar
with slider 3/8"



- > Acc. to DIN 3122, ISO 3315
- > For hand-operated sockets
- > Coupler based on DIN 3120 - A 10, ISO 1174, with ball lock

| Code | No. | " | mm | mm | kg |
|---------|-----------|------|----|-----|------|
| 3300242 | R55200039 | 3/8" | 10 | 200 | 0,19 |

R5510XXXX

Extension 3/8"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 10, ISO 1174, with ball lock

| Code | No. | " | mm | mm | kg |
|---------|-----------|------|----|-----|------|
| 3300218 | R55100024 | 3/8" | 10 | 125 | 0,1 |
| 3300219 | R55100029 | 3/8" | 10 | 150 | 0,15 |

R57300008

Converter
3/8" to 1/2"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 12.5, ISO 1174, with ball lock
- > Additional socket extension turns the converter into a sliding T-bar with slider

| Code | No. | □" | □ mm | ■" | ■ mm | - mm | ⚖ |
|----------------|-----------|------|------|------|------|------|-------|
| 3300243 | R57300008 | 3/8" | 10,0 | 1/2" | 12,5 | 44 | 0,068 |

R57500004

Reducer
3/8" to 1/4"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock

| Code | No. | □" | □ mm | ■" | ■ mm | - mm | ⚖ |
|----------------|-----------|------|------|------|------|------|-------|
| 3300244 | R57500004 | 3/8" | 10,0 | 1/4" | 6,3 | 27 | 0,021 |

R60050009

2C reversible ratchet 1/2"
cranked



- > Offset pattern for in-depth screw work
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | ■" | ■ mm | ∠° | - mm | ⚖ |
|----------------|-----------|------|------|----|------|-------|
| 3300411 | R60050009 | 1/2" | 12,5 | 10 | 255 | 0,514 |

R60120027

2C swivel head reversible ratchet



- > Ratchet head swivels through 180°
- > Lockable in 5 positions
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | ■" | ■ mm | ∠° | - mm | ⚖ |
|----------------|-----------|------|------|----|------|-------|
| 3300409 | R60120027 | 1/2" | 12,5 | 5 | 292 | 0,633 |

R60600006

2C-Ratchet handle with coupler 1/2"



- > Square coupler for clockwise/anti-clockwise operation
- > Acc. to DIN 3122, ISO 3315
- > Also suitable for use with stepped keys and radiator nipple keys
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | ■" | ■ mm | ∠° | - mm | ⚖ |
|----------------|-----------|------|------|----|------|------|
| 3300412 | R60600006 | 1/2" | 12,5 | 12 | 270 | 0,56 |

Range of Sockets

R60010027

2C reversible ratchet 1/2"
reversible



- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release

- > Telescopic shaft lockable in 5 positions
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | 1/2" | 12,5 | 5 | 460-600 | 40 | 1,099 |
|---------|-----------|------|------|---|---------|----|-------|
| 3300522 | R60010027 | 1/2" | 12,5 | 5 | 460-600 | 40 | 1,099 |

R60110009

2C swivel-head telescopic ratchet
reversible



- > Telescopic shaft lockable in 5 positions
- > Ratchet head swivels through 180°
- > Ring for reversing clockwise/anticlockwise direction

- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | 1/2" | 12,5 | 10 | 430-580 | 70 | 1,292 |
|---------|-----------|------|------|----|---------|----|-------|
| 3300523 | R60110009 | 1/2" | 12,5 | 10 | 430-580 | 70 | 1,292 |

R60000027

2C reversible ratchet 1/2"



- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release

- > Fine-toothed
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | 1/2" | 12,5 | 5 | 250 | 0,586 |
|---------|-----------|------|------|---|-----|-------|
| 3300410 | R60000027 | 1/2" | 12,5 | 5 | 250 | 0,586 |

R6255XXXX

Screwdriver
bit socket 1/2"
for in-hex screws



- > Hand-operated, knurled grip
- > Acc. to DIN 7422
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

| Code | No. | mm | mm | mm | mm | g |
|---------|-----------|----|----|------|----|-------|
| 3300358 | R62550410 | 4 | 55 | 17,0 | 22 | 0,06 |
| 3300359 | R62550510 | 5 | 55 | 17,0 | 22 | 0,064 |
| 3300360 | R62550610 | 6 | 55 | 17,0 | 22 | 0,064 |
| 3300361 | R62550710 | 7 | 55 | 17,0 | 22 | 0,068 |
| 3300362 | R62550810 | 8 | 55 | 17,0 | 22 | 0,068 |
| 3300363 | R62550910 | 9 | 55 | 17,0 | 22 | 0,078 |
| 3300364 | R62551010 | 10 | 55 | 17,0 | 22 | 0,08 |
| 3300365 | R62551110 | 11 | 55 | 17,0 | 24 | 0,112 |
| 3300366 | R62551210 | 12 | 55 | 17,0 | 24 | 0,112 |
| 3300367 | R62551410 | 14 | 55 | 17,0 | 24 | 0,136 |
| 3300368 | R62551710 | 17 | 55 | 17,0 | 26 | 0,174 |
| 3300369 | R62551910 | 19 | 55 | 17,0 | 28 | 0,22 |

R6255XXXX

Screwdriver
bit socket 1/2"
for in-hex screws



- > Hand-operated, knurled grip
- > Acc. to DIN 7422
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

| Code | No. | mm | mm | mm | mm | g |
|---------|-----------|----|-----|------|----|-------|
| 3300377 | R62550519 | 5 | 100 | 62,0 | 22 | 0,07 |
| 3300378 | R62550619 | 6 | 100 | 62,0 | 22 | 0,075 |
| 3300379 | R62550719 | 7 | 100 | 62,0 | 22 | 0,084 |
| 3300380 | R62550819 | 8 | 100 | 62,0 | 22 | 0,09 |
| 3300381 | R62551019 | 10 | 100 | 62,0 | 22 | 0,15 |
| 3300382 | R62551219 | 12 | 100 | 62,0 | 24 | 0,19 |
| 3300383 | R62551419 | 14 | 100 | 62,0 | 24 | 0,22 |
| 3300384 | R62551719 | 17 | 100 | 62,0 | 26 | 0,228 |

R6120XXXXSocket 1/2"
for external
TX screws

- › Hand-operated, knurled grip
- › Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

| Code | No. | mm | mm | Ø1 | Ø2 | kg |
|---------|-----------|-----|----|------|------|-------|
| 3300348 | R61200506 | E8 | 38 | 11,1 | 22,0 | 0,045 |
| 3300349 | R61200706 | E10 | 38 | 13,1 | 22,0 | 0,052 |
| 3300350 | R61200806 | E11 | 38 | 13,8 | 22,0 | 0,054 |
| 3300351 | R61200906 | E12 | 38 | 14,9 | 22,0 | 0,052 |
| 3300352 | R61201106 | E14 | 38 | 16,7 | 22,0 | 0,052 |
| 3300353 | R61201306 | E16 | 38 | 18,7 | 22,0 | 0,056 |
| 3300354 | R61201506 | E18 | 38 | 20,3 | 22,0 | 0,054 |
| 3300355 | R61201706 | E20 | 38 | 22,3 | 24,0 | 0,062 |
| 3300356 | R61201807 | E22 | 40 | 24,3 | 26,0 | 0,078 |
| 3300357 | R61201907 | E24 | 41 | 26,3 | 28,0 | 0,094 |

R6100XXXXSocket 1/2"
hexagon

- › Hand-operated, knurled grip
- › Acc. to DIN 3124, ISO 2725-1
- › Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

| Code | No. | mm | mm | Ø1 | Ø2 | kg |
|---------|-----------|----|----|------|------|-------|
| 3300257 | R61000806 | 8 | 38 | 12,4 | 22,2 | 0,05 |
| 3300258 | R61000906 | 9 | 38 | 14,2 | 22,2 | 0,05 |
| 3300259 | R61001006 | 10 | 38 | 15,3 | 22,2 | 0,05 |
| 3300260 | R61001106 | 11 | 38 | 16,5 | 22,2 | 0,051 |
| 3300261 | R61001206 | 12 | 38 | 17,8 | 22,2 | 0,052 |
| 3300262 | R61001306 | 13 | 38 | 19,0 | 22,2 | 0,052 |
| 3300263 | R61001406 | 14 | 38 | 20,2 | 22,2 | 0,054 |
| 3300264 | R61001506 | 15 | 38 | 21,3 | 22,2 | 0,054 |
| 3300265 | R61001606 | 16 | 38 | 23,2 | 22,2 | 0,06 |
| 3300266 | R61001706 | 17 | 38 | 24,2 | 23,0 | 0,063 |
| 3300267 | R61001806 | 18 | 38 | 25,0 | 23,0 | 0,066 |
| 3300268 | R61001906 | 19 | 38 | 27,0 | 24,0 | 0,08 |
| 3300269 | R61002006 | 20 | 38 | 28,0 | 24,0 | 0,077 |
| 3300270 | R61002106 | 21 | 38 | 29,0 | 24,0 | 0,091 |
| 3300271 | R61002206 | 22 | 38 | 30,0 | 26,0 | 0,092 |
| 3300272 | R61002306 | 23 | 38 | 31,0 | 28,0 | 0,102 |
| 3300273 | R61002406 | 24 | 38 | 32,0 | 28,0 | 0,105 |
| 3300274 | R61002507 | 25 | 42 | 34,0 | 28,0 | 0,147 |
| 3300275 | R61002607 | 26 | 42 | 35,0 | 29,0 | 0,15 |
| 3300276 | R61002707 | 27 | 42 | 36,0 | 30,0 | 0,175 |
| 3300277 | R61002807 | 28 | 42 | 37,0 | 30,0 | 0,2 |
| 3300278 | R61003007 | 30 | 42 | 40,0 | 34,0 | 0,219 |
| 3300279 | R61003207 | 32 | 42 | 42,0 | 36,0 | 0,192 |

R6100XXXXSocket 1/2"
hexagon,
long pattern

- › Hand-operated, knurled grip
- › Acc. to DIN 3124, ISO 2725-1
- › Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

| Code | No. | mm | mm | Ø1 | Ø2 | kg |
|---------|-----------|----|----|------|------|-------|
| 3300304 | R61001014 | 10 | 77 | 15,3 | 22,2 | 0,073 |
| 3300305 | R61001114 | 11 | 77 | 16,5 | 22,2 | 0,08 |
| 3300306 | R61001214 | 12 | 77 | 17,8 | 22,2 | 0,09 |
| 3300307 | R61001314 | 13 | 77 | 19,0 | 22,2 | 0,096 |
| 3300308 | R61001414 | 14 | 77 | 20,2 | 22,2 | 0,1 |
| 3300309 | R61001514 | 15 | 77 | 21,3 | 22,2 | 0,11 |
| 3300310 | R61001614 | 16 | 77 | 23,2 | 22,2 | 0,114 |
| 3300311 | R61001714 | 17 | 77 | 24,2 | 23,0 | 0,126 |
| 3300312 | R61001814 | 18 | 77 | 25,0 | 23,0 | 0,131 |
| 3300313 | R61001914 | 19 | 77 | 27,0 | 24,0 | 0,161 |
| 3300314 | R61002014 | 20 | 77 | 28,0 | 24,0 | 0,167 |
| 3300315 | R61002114 | 21 | 77 | 29,0 | 24,0 | 0,192 |
| 3300316 | R61002214 | 22 | 77 | 30,0 | 26,0 | 0,192 |
| 3300318 | R61002414 | 24 | 77 | 32,0 | 28,0 | 0,214 |
| 3300319 | R61002714 | 27 | 77 | 36,0 | 30,0 | 0,31 |
| 3300320 | R61003014 | 30 | 77 | 40,0 | 34,0 | 0,355 |
| 3300321 | R61003214 | 32 | 77 | 42,0 | 36,0 | 0,408 |

R6110XXXX
Socket 1/2"
bi-hexagon



- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

| Code | No. | ○ | ↳ mm ← | Ø1 | Ø2 | ⚖ |
|----------------|-----------|----|--------|------|------|-------|
| 3300323 | R61100806 | 8 | 38 | 22,2 | 12,4 | 0,05 |
| 3300324 | R61100906 | 9 | 38 | 22,2 | 14,2 | 0,05 |
| 3300325 | R61101006 | 10 | 38 | 22,2 | 15,3 | 0,05 |
| 3300326 | R61101106 | 11 | 38 | 22,2 | 16,5 | 0,051 |
| 3300327 | R61101206 | 12 | 38 | 22,2 | 17,8 | 0,052 |
| 3300328 | R61101306 | 13 | 38 | 22,2 | 19,0 | 0,052 |
| 3300329 | R61101406 | 14 | 38 | 22,2 | 20,2 | 0,054 |
| 3300330 | R61101506 | 15 | 38 | 22,2 | 21,3 | 0,054 |
| 3300331 | R61101606 | 16 | 38 | 22,2 | 23,2 | 0,06 |
| 3300332 | R61101706 | 17 | 38 | 23,0 | 24,2 | 0,063 |
| 3300333 | R61101806 | 18 | 38 | 23,0 | 25,0 | 0,066 |
| 3300334 | R61101906 | 19 | 38 | 24,0 | 27,0 | 0,08 |
| 3300335 | R61102006 | 20 | 38 | 24,0 | 28,0 | 0,077 |
| 3300336 | R61102106 | 21 | 38 | 24,0 | 29,0 | 0,091 |
| 3300337 | R61102206 | 22 | 38 | 26,0 | 30,0 | 0,092 |
| 3300338 | R61102306 | 23 | 38 | 28,0 | 31,0 | 0,102 |
| 3300339 | R61102406 | 24 | 38 | 28,0 | 32,0 | 0,105 |
| 3300341 | R61102607 | 26 | 42 | 29,0 | 35,0 | 0,147 |
| 3300342 | R61102707 | 27 | 42 | 30,0 | 36,0 | 0,15 |
| 3300343 | R61102807 | 28 | 42 | 30,0 | 37,0 | 0,175 |
| 3300345 | R61103007 | 30 | 42 | 34,0 | 40,0 | 0,2 |
| 3300346 | R61103207 | 32 | 42 | 36,0 | 42,0 | 0,219 |

R61021612
Spark plug socket 1/2"



- > Hand-operated, knurled grip
- > Rubber insert for holding the spark plug
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

| Code | No. | ○ mm | □ " | □ | ↳ mm ← | Ø | ⚖ |
|----------------|-----------|------|------|------|--------|------|------|
| 3300401 | R61021612 | 16,0 | 1/2" | 12,5 | 65 | 21,7 | 0,09 |

R61022112
Spark plug socket 1/2"
Square drive



- > Drive hexagon with 23 mm wrench size
- > Hand-operated, knurled grip
- > Rubber insert for holding the spark plug
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

| Code | No. | ○ mm | □ " | □ | ↳ mm ← | Ø | ⚖ |
|----------------|-----------|------|------|------|--------|------|-------|
| 3300402 | R61022112 | 21,0 | 1/2" | 12,5 | 65 | 27,7 | 0,138 |

R6110XXXXSocket 1/2"
bi-hexagon

- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

| Code | No. | Ø | l mm | Ø1 | Ø2 | kg |
|----------------|-----------|----|------|------|------|-------|
| 3300413 | R61101014 | 10 | 77 | 22,2 | 15,3 | 0,073 |
| 3300414 | R61101114 | 11 | 77 | 22,2 | 16,5 | 0,08 |
| 3300415 | R61101214 | 12 | 77 | 22,2 | 17,8 | 0,09 |
| 3300416 | R61101314 | 13 | 77 | 22,2 | 19,0 | 0,096 |
| 3300417 | R61101414 | 14 | 77 | 22,2 | 20,2 | 0,1 |
| 3300418 | R61101514 | 15 | 77 | 22,2 | 21,3 | 0,11 |
| 3300419 | R61101614 | 16 | 77 | 22,2 | 23,2 | 0,114 |
| 3300420 | R61101714 | 17 | 77 | 23,0 | 24,2 | 0,126 |
| 3300421 | R61101814 | 18 | 77 | 23,0 | 25,0 | 0,131 |
| 3300422 | R61101914 | 19 | 77 | 24,0 | 27,0 | 0,161 |
| 3300423 | R61102014 | 20 | 77 | 24,0 | 28,0 | 0,167 |
| 3300424 | R61102114 | 21 | 77 | 24,0 | 29,0 | 0,192 |
| 3300425 | R61102214 | 22 | 77 | 26,0 | 30,0 | 0,192 |
| 3300426 | R61102414 | 24 | 77 | 28,0 | 32,0 | 0,214 |
| 3300427 | R61102714 | 27 | 77 | 30,0 | 36,0 | 0,31 |
| 3300428 | R61103014 | 30 | 77 | 34,0 | 40,0 | 0,355 |
| 3300429 | R61103214 | 32 | 77 | 36,0 | 42,0 | 0,408 |

R6245XXXXScrewdriver
bit socket 1/2" TX®

- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

| Code | No. | Ø | l mm | Ø | Ø | kg |
|----------------|-----------|-----|------|------|----|-------|
| 3300391 | R62451310 | T20 | 55 | 17,0 | 22 | 0,058 |
| 3300392 | R62451410 | T25 | 55 | 17,0 | 22 | 0,058 |
| 3300393 | R62451510 | T27 | 55 | 17,0 | 22 | 0,059 |
| 3300394 | R62451610 | T30 | 55 | 17,0 | 22 | 0,059 |
| 3300395 | R62451810 | T40 | 55 | 17,0 | 22 | 0,063 |
| 3300396 | R62451910 | T45 | 55 | 17,0 | 22 | 0,064 |
| 3300397 | R62452110 | T50 | 55 | 17,0 | 22 | 0,065 |
| 3300398 | R62452210 | T55 | 55 | 17,0 | 22 | 0,074 |
| 3300399 | R62452310 | T60 | 55 | 17,0 | 24 | 0,1 |

R6245XXXXScrewdriver
bit socket 1/2"
for recessed TX head
screws, long pattern

- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

| Code | No. | Ø | l mm | Ø | Ø | kg |
|----------------|-----------|-----|------|------|----|-------|
| 3300450 | R62451319 | T20 | 100 | 62,0 | 22 | 0,08 |
| 3300451 | R62451419 | T25 | 100 | 62,0 | 22 | 0,085 |
| 3300452 | R62451519 | T27 | 100 | 62,0 | 22 | 0,085 |
| 3300453 | R62451619 | T30 | 100 | 62,0 | 22 | 0,085 |
| 3300454 | R62451819 | T40 | 100 | 62,0 | 22 | 0,085 |
| 3300455 | R62451919 | T45 | 100 | 62,0 | 22 | 0,09 |
| 3300456 | R62452119 | T50 | 100 | 62,0 | 22 | 0,12 |
| 3300457 | R62452219 | T55 | 100 | 62,0 | 22 | 0,155 |
| 3300458 | R62452319 | T60 | 100 | 62,0 | 24 | 0,155 |

R6270XXXXScrewdriver
bit socket 1/2"
for multi-point screws
XZN

- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

| Code | No. | Ø | l mm | Ø | Ø | kg |
|----------------|-----------|-----|------|------|----|-------|
| 3300471 | R62700519 | M5 | 100 | 62,0 | 22 | 0,07 |
| 3300472 | R62700619 | M6 | 100 | 62,0 | 22 | 0,075 |
| 3300473 | R62700819 | M8 | 100 | 62,0 | 22 | 0,09 |
| 3300474 | R62701019 | M10 | 100 | 62,0 | 22 | 0,15 |
| 3300475 | R62701219 | M12 | 100 | 62,0 | 24 | 0,19 |
| 3300476 | R62701419 | M14 | 100 | 62,0 | 24 | 0,17 |
| 3300477 | R62701619 | M16 | 100 | 62,0 | 26 | 0,19 |

Range of Sockets

R65200049

Sliding T bar 1/2"



- > Acc. to DIN 3122, ISO 3315
- > For hand-operated sockets
- > Coupler based on DIN 3120 - A 12.5, ISO 1174, with ball lock

| Code | No. | 1/2" | mm | mm | kg |
|---------|-----------|------|------|-----|-------|
| 3300408 | R65200049 | 1/2" | 12,5 | 250 | 0,368 |

R6510XXXX

Extension 1/2"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 12.5, ISO 1174, with ball lock

| Code | No. | 1/2" | mm | mm | kg |
|---------|-----------|------|------|-----|------|
| 3300403 | R65100014 | 1/2" | 12,5 | 75 | 0,1 |
| 3300404 | R65100024 | 1/2" | 12,5 | 125 | 0,18 |
| 3300406 | R65100049 | 1/2" | 12,5 | 250 | 0,43 |

R65300012

Universal joint 1/2"



- > Screwed-on joint
- > Acc. to DIN 3123 - C 12,6
- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 12.5, ISO 1174, with ball lock

| Code | No. | 1/2" | mm | 1/2" | mm | mm | kg |
|---------|-----------|------|------|------|------|----|-------|
| 3300407 | R65300012 | 1/2" | 12,5 | 1/2" | 12,5 | 66 | 0,134 |

R67131002

Adapter- and extension set 6in2
2 pieces



- > Push-through type square for dual-side use
- > Enlarging adaptor and extension
- > Reducing adaptor and extension
- > For hand-operated sockets

| Code | No. | Contents | Pieces | kg |
|---------|-----------|--|--------|------|
| 3300524 | R67131002 | Reducing and enlarging adapters 1/2" - 3/8" and 3/8" - 1/2" Extension 65 mm Reduction and enlarging adapter 3/8" - 1/4" and 1/4" - 3/8" Extension 50 mm | 2 | 0,24 |

R6730XXXX

Converter 1/2" to 3/4" square



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > Coupler as per DIN 3120 - B 20, ISO 1174, with locking pin

| Code | No. | 1/2" | mm | 3/4" | mm | mm | kg |
|---------|-----------|------|------|------|----|----|-------|
| 3300449 | R67300009 | 1/2" | 12,5 | 3/4" | 20 | 49 | 0,125 |

R6750XXXX

Reducer
1/2" to 3/8"
square



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 10, ISO 1174, with ball lock

| Code | No. | □" | □ mm | ■" | ■ mm | ↳ mm ▷ | ⚖ |
|----------------|-----------|------|------|------|------|--------|------|
| 3300430 | R67500007 | 1/2" | 12,5 | 3/8" | 10 | 40 | 0,05 |

R67100006

Bit adaptor
1/2" x 5/16"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > Hexagon socket DIN 3126 - D 8 (5/16") for bits
- > With clamping ring

| Code | No. | □" | □ mm | □" | □ mm | ↳ mm ▷ | ⚖ |
|----------------|-----------|-------|------|------|------|--------|-------|
| 3300521 | R67100006 | 5/16" | 8 | 1/2" | 12,0 | 38 | 0,056 |

R70000003

Reversible ratchet 3/4"



- > Lever for reversible clockwise/anticlockwise operation
- > Acc. to DIN 3122, ISO 3316

- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

| Code | No. | ■" | ■ mm | ∠° | ↳ mm ▷ | ⚖ |
|----------------|-----------|------|------|----|--------|------|
| 3300514 | R70000003 | 3/4" | 20 | 15 | 503 | 1,94 |

R7100XXXX

Socket 3/4"
hexagon



- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - D 20, ISO 1174, with drill hole for locking pin

| Code | No. | □ mm | ↳ mm ▷ | Ø1 | Ø2 | ⚖ |
|----------------|-----------|------|--------|------|------|-------|
| 3300491 | R71001909 | 19 | 50 | 29,0 | 36,0 | 0,16 |
| 3300492 | R71002109 | 21 | 50 | 31,0 | 36,0 | 0,21 |
| 3300493 | R71002209 | 22 | 50 | 32,0 | 36,0 | 0,21 |
| 3300494 | R71002409 | 24 | 51 | 34,0 | 36,0 | 0,22 |
| 3300495 | R71002709 | 27 | 52 | 38,0 | 36,0 | 0,21 |
| 3300496 | R71002809 | 28 | 52 | 40,0 | 36,0 | 0,258 |
| 3300497 | R71003010 | 30 | 54 | 42,0 | 36,0 | 0,25 |
| 3300498 | R71003210 | 32 | 56 | 44,0 | 36,0 | 0,26 |
| 3300499 | R71003310 | 33 | 56 | 46,0 | 36,0 | 0,28 |
| 3300500 | R71003410 | 34 | 56 | 46,0 | 36,0 | 0,29 |
| 3300501 | R71003611 | 36 | 58 | 50,0 | 45,0 | 0,35 |
| 3300502 | R71003811 | 38 | 60 | 52,0 | 45,0 | 0,46 |
| 3300503 | R71004112 | 41 | 64 | 56,0 | 45,0 | 0,55 |
| 3300504 | R71004613 | 46 | 68 | 62,0 | 45,0 | 0,6 |
| 3300505 | R71005013 | 50 | 72 | 68,0 | 45,0 | 0,81 |
| 3300506 | R71005514 | 55 | 76 | 74,0 | 45,0 | 0,93 |
| 3300507 | R71006014 | 60 | 78 | 80,0 | 45,0 | 1,114 |

R75200091

Sliding T bar 3/4"



- > Acc. to DIN 3122, ISO 3315
- > For hand-operated sockets
- > Coupler as per DIN 3120 - D 20, ISO 1174, with locking pin

| Code | No. | ■" | ■ mm | ↳ mm ▷ | ⚖ |
|----------------|-----------|------|------|--------|-------|
| 3300513 | R75200091 | 3/4" | 20 | 458 | 1,164 |

Range of Sockets

R75300021 Universal joint 3/4"



- > Screwed-on joint
- > Acc. to DIN 3123 - C 21
- > For hand-operated sockets
- > Square drive as per DIN 3120 - D 20, ISO 1174, with drill hole for locking pin
- > Coupler as per DIN 3120 - B 20, ISO 1174, with locking pin

| Code | No. | □" | □ mm | ■" | ■ mm | ↳ mm ▷ | ⚖ |
|----------------|-----------|------|------|------|------|--------|-------|
| 3300512 | R75300021 | 3/4" | 20,0 | 3/4" | 20 | 107 | 0,584 |

R7510XXXX Extension 3/4"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - D 20, ISO 1174, with drill hole for locking pin
- > Coupler as per DIN 3120 - B 20, ISO 1174, with locking pin

| Code | No. | ■" | ■ mm | ↳ mm ▷ | ⚖ |
|----------------|-----------|------|------|--------|-------|
| 3300509 | R75100039 | 3/4" | 20 | 200 | 0,64 |
| 3300510 | R75100079 | 3/4" | 20 | 400 | 1,054 |

R77300011 Converter 3/4" to 1"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - D 20, ISO 1174, with drill hole for locking pin
- > Coupler as per DIN 3120 - B 25, ISO 1174, with locking pin

| Code | No. | □" | □ mm | ■" | ■ mm | ↳ mm ▷ | ⚖ |
|----------------|-----------|------|------|----|------|--------|-------|
| 3300511 | R77300011 | 3/4" | 20,0 | 1" | 25 | 58 | 0,326 |

R77500009 Reducer 3/4" to 1/2"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - D 20, ISO 1174, with drill hole for locking pin
- > Coupler based on DIN 3120 - A 12.5, ISO 1174, with ball lock

| Code | No. | □" | □ mm | ■" | ■ mm | ↳ mm ▷ | ⚖ |
|----------------|-----------|------|------|------|------|--------|------|
| 3300515 | R77500009 | 3/4" | 20,0 | 1/2" | 12,5 | 55 | 0,14 |

R87500012 Reducer 1" to 3/4"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - D 25, ISO 1174, with drill hole for locking pin
- > Coupler as per DIN 3120 - B 20, ISO 1174, with locking pin

| Code | No. | □" | □ mm | ■" | ■ mm | ↳ mm ▷ | ⚖ |
|----------------|-----------|----|------|------|------|--------|-----|
| 3300516 | R87500012 | 1" | 25,0 | 3/4" | 20 | 69 | 0,4 |

R63003012Impact socket set 1/2"
12 pieces

- > Square drive as per DIN 3121 - G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2
- > Machine-operated, fixing with safety ring / pin
- > In rugged plastic case

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|-------|
| 3300574 | R63003012 | Size 10 11 12 13 14 15 16 17 19 21 22 24 mm | 12 | 1,598 |

R63003008Power wrench socket set 1/2"
8 pieces

- > Square drive as per DIN 3121 - G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2
- > Machine-operated, fixing with safety ring / pin
- > In rugged plastic case

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-------|
| 3300575 | R63003008 | Impact wrench 10 12 13 14 17 19 21 24 mm | 8 | 1,100 |

R63043003Impact wrench socket set 1/2"
3 pieces

- > Specially for fitting / removing wheels of vehicles
- > Plastic sleeves for damage-free work on aluminium wheel rims
- > Square drive as per DIN 3121 - G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2
- > Machine-operated, fixing with safety ring / pin
- > In robust plastic case

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-------|
| 3300578 | R63043003 | Power wrench insert SW 17 19 21 mm 86 mm | 3 | 0,830 |

R6300XXXX

Impact socket 1/2"



- > Machine-operated, fixing with safety ring / pin
- > Acc. to DIN 3129, ISO 2725-2
- > Square drive as per DIN 3121 - G 12,5, ISO 1174

| Code | No. | □" | □mm | ○mm | ↳mm▶ | Ø 1 | Ø 2 | |
|----------------|-----------|------|------|-----|------|------|------|-------|
| 3300525 | R63001006 | 1/2" | 12,5 | 10 | 38,0 | 17,0 | 25,0 | 0,068 |
| 3300526 | R63001106 | 1/2" | 12,5 | 11 | 38,0 | 18,5 | 25,0 | 0,075 |
| 3300527 | R63001206 | 1/2" | 12,5 | 12 | 38,0 | 19,5 | 25,0 | 0,072 |
| 3300528 | R63001306 | 1/2" | 12,5 | 13 | 38,0 | 21,0 | 25,0 | 0,072 |
| 3300529 | R63001406 | 1/2" | 12,5 | 14 | 38,0 | 22,0 | 25,0 | 0,076 |
| 3300530 | R63001506 | 1/2" | 12,5 | 15 | 38,0 | 23,5 | 30,0 | 0,076 |
| 3300531 | R63001606 | 1/2" | 12,5 | 16 | 38,0 | 24,5 | 30,0 | 0,080 |
| 3300532 | R63001706 | 1/2" | 12,5 | 17 | 38,0 | 26,0 | 30,0 | 0,088 |
| 3300533 | R63001906 | 1/2" | 12,5 | 19 | 38,0 | 28,5 | 30,0 | 0,096 |
| 3300534 | R63002106 | 1/2" | 12,5 | 21 | 38,0 | 31,0 | 30,0 | 0,114 |
| 3300535 | R63002208 | 1/2" | 12,5 | 22 | 38,0 | 32,0 | 30,0 | 0,148 |
| 3300536 | R63002408 | 1/2" | 12,5 | 24 | 45,0 | 35,0 | 30,0 | 0,154 |
| 3300537 | R63002708 | 1/2" | 12,5 | 27 | 50,0 | 38,0 | 30,0 | 0,174 |
| 3300538 | R63003009 | 1/2" | 12,5 | 30 | 50,0 | 41,0 | 30,0 | 0,240 |
| 3300539 | R63003209 | 1/2" | 12,5 | 32 | 50,0 | 44,0 | 30,0 | 0,232 |

Range of Sockets

R6300XXXX

Impact socket 1/2"
long pattern



- > Machine-operated, fixing with safety ring / pin
- > Acc. to DIN 3129, ISO 2725-2
- > Square drive as per DIN 3121 - G 12,5, ISO 1174

| Code | No. | □" | □mm | ○mm | ↳mm↳ | Ø 1 | Ø 2 | ⚖ |
|---------|-----------|------|------|-----|------|------|------|-------|
| 3300540 | R63001016 | 1/2" | 12,5 | 10 | 78,0 | 16,7 | 25,0 | 0,126 |
| 3300541 | R63001116 | 1/2" | 12,5 | 11 | 78,0 | 18,0 | 25,0 | 0,132 |
| 3300542 | R63001216 | 1/2" | 12,5 | 12 | 78,0 | 19,0 | 25,0 | 0,144 |
| 3300543 | R63001316 | 1/2" | 12,5 | 13 | 78,0 | 20,2 | 25,0 | 0,146 |
| 3300544 | R63001416 | 1/2" | 12,5 | 14 | 78,0 | 21,5 | 25,0 | 0,170 |
| 3300545 | R63001516 | 1/2" | 12,5 | 15 | 78,0 | 23,0 | 25,0 | 0,178 |
| 3300546 | R63001616 | 1/2" | 12,5 | 16 | 78,0 | 24,0 | 25,0 | 0,218 |
| 3300547 | R63001716 | 1/2" | 12,5 | 17 | 78,0 | 26,0 | 25,0 | 0,224 |
| 3300699 | R63001815 | 1/2" | 12,5 | 18 | 78,0 | 27,0 | 25,0 | 0,215 |
| 3300548 | R63001916 | 1/2" | 12,5 | 19 | 78,0 | 28,0 | 25,0 | 0,244 |
| 3300700 | R63002015 | 1/2" | 12,5 | 20 | 78,0 | 29,0 | 25,0 | 0,235 |
| 3300549 | R63002116 | 1/2" | 12,5 | 21 | 78,0 | 30,0 | 25,0 | 0,260 |
| 3300550 | R63002216 | 1/2" | 12,5 | 22 | 78,0 | 32,0 | 30,0 | 0,338 |
| 3300701 | R63002315 | 1/2" | 12,5 | 23 | 78,0 | 33,0 | 30,0 | 0,292 |
| 3300551 | R63002416 | 1/2" | 12,5 | 24 | 78,0 | 33,0 | 30,0 | 0,350 |
| 3300703 | R63002715 | 1/2" | 12,5 | 27 | 78,0 | 38,0 | 30,0 | 0,389 |
| 3300705 | R63003015 | 1/2" | 12,5 | 30 | 78,0 | 42,0 | 30,0 | 0,453 |
| 3300706 | R63003215 | 1/2" | 12,5 | 32 | 78,0 | 44,0 | 30,0 | 0,484 |

R6304XXXX

Impact socket 1/2"
hexagon, with protective sleeve



- > Specially for fitting / removing wheels of vehicles
- > Plastic sleeves for damage-free work on aluminium wheel rims
- > Machine-operated, fixing with safety ring / pin
- > Square drive as per DIN 3121 - G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2

| Code | No. | □" | □mm | ○mm | ↳mm↳ | Ø 1 | Ø 2 | RAL | ⚖ |
|---------|-----------|------|------|-----|------|------|------|--------|-------|
| 3300585 | R63041716 | 1/2" | 12,5 | 17 | 85,0 | 25,6 | 30,0 | blue | 0,182 |
| 3300586 | R63041916 | 1/2" | 12,5 | 19 | 85,0 | 28,8 | 30,0 | yellow | 0,225 |
| 3300587 | R63042116 | 1/2" | 12,5 | 21 | 85,0 | 30,8 | 30,0 | red | 0,252 |

R6610XXXX

Impact extension 1/2"



- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 12,5, ISO 1174
- > Square drive as per DIN 3121 - G 12,5, ISO 1174

| Code | No. | □" | □mm | ■" | ■mm | ↳mm↳ | ⚖ |
|---------|-----------|------|------|------|------|------|-------|
| 3300570 | R66100024 | 1/2" | 12,5 | 1/2" | 12,5 | 125 | 0,240 |
| 3300571 | R66100049 | 1/2" | 12,5 | 1/2" | 12,5 | 250 | 0,435 |

R66300014

Impact universal joint
1/2"



- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 12,5, ISO 1174
- > Square drive as per DIN 3121 - G 12,5, ISO 1174

| Code | No. | □" | □mm | ■" | ■mm | ↳mm↳ | ⚖ |
|---------|-----------|------|------|------|------|------|-------|
| 3300650 | R66300014 | 1/2" | 12,5 | 1/2" | 12,5 | 63 | 0,194 |

R67400008Impact socket
extension piece
1/2" - 3/4"

- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 25, ISO 1174
- > Square drive as per DIN 3121 - G 12,5, ISO 1174

| Code | No. | □" | □ mm | ■" | ■ mm | ↳ mm ▷ | ⚖ kg |
|----------------|-----------|------|------|------|------|--------|-------|
| 3300573 | R67400008 | 1/2" | 12,5 | 3/4" | 20 | 49 | 0,140 |

R67600005Impact socket reducer
1/2" - 3/8"

- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 10, ISO 1174
- > Square drive as per DIN 3121 - G 12,5, ISO 1174

| Code | No. | □" | □ mm | ■" | ■ mm | ↳ mm ▷ | ⚖ kg |
|----------------|-----------|------|------|------|------|--------|-------|
| 3300572 | R67600005 | 1/2" | 12,5 | 3/8" | 10 | 38 | 0,075 |

R6398XXXX

Safety ring



- > Consisting of safety ring and safety pin
- > For securing impact sockets

| Code | No. | ■" | ■ Use | Version | ⚖ kg |
|----------------|-----------|------|-------------------|-------------------------------|-------|
| 3300576 | R63981005 | 1/2" | 12,5 for 8-14 mm | pin 20 x 3 mm, ring 19 x 4 mm | 0,003 |
| 3300577 | R63981105 | 1/2" | 12,5 for 15-32 mm | pin 25 x 3 mm, ring 24 x 4 mm | 0,005 |

R7300XXXX

Impact socket 3/4"



- > Machine-operated, fixing with safety ring / pin
- > Acc. to DIN 3129, ISO 2725-2
- > Square drive as per DIN 3121 - H 20, ISO 1174

| Code | No. | □" | □ mm | ○ mm | ↳ mm ▷ | Ø 1 | Ø 2 | ⚖ kg |
|----------------|-----------|------|------|------|--------|------|------|-------|
| 3300591 | R73001909 | 3/4" | 20,0 | 19 | 51,0 | 32,5 | 44,0 | 0,340 |
| 3300593 | R73002209 | 3/4" | 20,0 | 22 | 51,0 | 36,0 | 44,0 | 0,354 |
| 3300594 | R73002309 | 3/4" | 20,0 | 23 | 51,0 | 37,5 | 44,0 | 0,360 |
| 3300595 | R73002409 | 3/4" | 20,0 | 24 | 51,0 | 38,5 | 44,0 | 0,260 |
| 3300598 | R73002710 | 3/4" | 20,0 | 27 | 53,0 | 42,5 | 44,0 | 0,388 |
| 3300599 | R73002810 | 3/4" | 20,0 | 28 | 53,0 | 44,0 | 44,0 | 0,400 |
| 3300601 | R73003010 | 3/4" | 20,0 | 30 | 53,0 | 46,0 | 44,0 | 0,428 |
| 3300602 | R73003210 | 3/4" | 20,0 | 32 | 57,0 | 48,0 | 44,0 | 0,472 |
| 3300603 | R73003310 | 3/4" | 20,0 | 33 | 57,0 | 50,0 | 44,0 | 0,482 |
| 3300606 | R73003610 | 3/4" | 20,0 | 36 | 57,0 | 53,0 | 44,0 | 0,514 |
| 3300608 | R73003810 | 3/4" | 20,0 | 38 | 57,0 | 56,0 | 44,0 | 0,564 |
| 3300609 | R73004110 | 3/4" | 20,0 | 41 | 58,0 | 59,0 | 44,0 | 0,594 |
| 3300610 | R73004611 | 3/4" | 20,0 | 46 | 62,0 | 66,0 | 44,0 | 0,700 |

Range of Sockets

R7300XXXX

Impact socket 3/4" hexagon long



- > Machine-operated, fixing with safety ring / pin
- > Acc. to DIN 3129, ISO 2725-2
- > Square drive as per DIN 3121 - H 20, ISO 1174

| Code | No. | □" | □mm | ○mm | ↳mm↳ | Ø 1 | Ø 2 | kg |
|----------------|-----------|------|------|-----|------|------|------|-------|
| 3300612 | R73001919 | 3/4" | 20,0 | 19 | 90,0 | 32,0 | 44,0 | 0,390 |
| 3300614 | R73002119 | 3/4" | 20,0 | 21 | 90,0 | 35,0 | 44,0 | 0,425 |
| 3300615 | R73002219 | 3/4" | 20,0 | 22 | 90,0 | 37,0 | 44,0 | 0,496 |
| 3300617 | R73002419 | 3/4" | 20,0 | 24 | 90,0 | 39,0 | 44,0 | 0,475 |
| 3300620 | R73002719 | 3/4" | 20,0 | 27 | 90,0 | 43,0 | 44,0 | 0,506 |
| 3300623 | R73003019 | 3/4" | 20,0 | 30 | 90,0 | 46,0 | 44,0 | 0,585 |
| 3300624 | R73003219 | 3/4" | 20,0 | 32 | 90,0 | 49,0 | 44,0 | 0,670 |
| 3300651 | R73003318 | 3/4" | 20,0 | 33 | 90,0 | 50,0 | 44,0 | 0,770 |
| 3300652 | R73003618 | 3/4" | 20,0 | 36 | 90,0 | 53,0 | 44,0 | 0,850 |
| 3300654 | R73004118 | 3/4" | 20,0 | 41 | 90,0 | 59,0 | 44,0 | 0,950 |
| 3300655 | R73004619 | 3/4" | 20,0 | 46 | 90,0 | 66,0 | 44,0 | 1,100 |

R73981005

Safety ring



- > Consisting of safety ring and safety pin
- > For securing impact sockets

| Code | No. | ■" | ■ Use | Version | kg |
|----------------|-----------|------|-----------------|-------------------------------|------|
| 3300634 | R73981005 | 3/4" | 20 for 17-50 mm | pin 35 x 4 mm, ring 36 x 5 mm | 0,01 |

R7610XXXX

Impact extension 3/4"



- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 25, ISO 1174
- > Square drive as per DIN 3121 - H 20, ISO 1174

| Code | No. | □" | □mm | ■" | ■mm | ↳mm↳ | kg |
|----------------|-----------|------|------|------|-----|------|------|
| 3300631 | R76100040 | 3/4" | 20,0 | 3/4" | 20 | 205 | 0,91 |
| 3300632 | R76100059 | 3/4" | 20,0 | 3/4" | 20 | 300 | 1,22 |

R77400011

Impact socket extension piece 3/4" - 1"



- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 25, ISO 1174
- > Square drive as per DIN 3121 - H 20, ISO 1174

| Code | No. | □" | □mm | ■" | ■mm | ↳mm↳ | kg |
|----------------|-----------|------|------|----|-----|------|-------|
| 3300637 | R77400011 | 3/4" | 20,0 | 1" | 25 | 65 | 0,435 |

R77600010

Impact socket reducer 3/4" - 1/2"



- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 12,5, ISO 1174
- > Square drive as per DIN 3121 - H 20, ISO 1174

| Code | No. | □" | □mm | ■" | ■mm | ↳mm↳ | kg |
|----------------|-----------|------|------|------|------|------|-------|
| 3300633 | R77600010 | 3/4" | 20,0 | 1/2" | 12,5 | 56 | 0,445 |

R8300XXXX

Impact socket 1"
hexagon long



- > Machine-operated, fixing with safety ring / pin
- > Acc. to DIN 3129, ISO 2725-2
- > Square drive as per DIN 3121 - H 25, ISO 1174

| Code | No. | □" | □ mm | ○ mm | ↳ mm | Ø 1 | Ø 2 | ⚖ |
|----------------|-----------|----|------|------|-------|------|------|------|
| 3300674 | R83002419 | 1" | 25,0 | 24 | 108,0 | 42,5 | 54,0 | 1,02 |
| 3300675 | R83002719 | 1" | 25,0 | 27 | 108,0 | 46,2 | 54,0 | 1,12 |
| 3300676 | R83003019 | 1" | 25,0 | 30 | 108,0 | 50,0 | 54,0 | 1,20 |
| 3300677 | R83003219 | 1" | 25,0 | 32 | 108,0 | 52,5 | 54,0 | 1,22 |
| 3300678 | R83003319 | 1" | 25,0 | 33 | 108,0 | 54,0 | 54,0 | 1,23 |
| 3300679 | R83003619 | 1" | 25,0 | 36 | 108,0 | 57,5 | 54,0 | 1,28 |
| 3300680 | R83003819 | 1" | 25,0 | 38 | 108,0 | 59,5 | 54,0 | 1,33 |
| 3300681 | R83004119 | 1" | 25,0 | 41 | 108,0 | 62,0 | 54,0 | 1,47 |
| 3300682 | R83004619 | 1" | 25,0 | 46 | 108,0 | 68,0 | 54,0 | 1,64 |

R8300XXXX

Impact socket 1"
hexagon



- > Machine-operated, fixing with safety ring / pin
- > Acc. to DIN 3129, ISO 2725-2
- > Square drive as per DIN 3121 - H 25, ISO 1174

| Code | No. | □" | □ mm | ○ mm | ↳ mm | Ø 1 | Ø 2 | ⚖ |
|----------------|-----------|----|------|------|------|------|------|------|
| 3300657 | R83002711 | 1" | 25,0 | 27 | 59,0 | 46,2 | 54,0 | 0,54 |
| 3300659 | R83003011 | 1" | 25,0 | 30 | 61,0 | 50,0 | 54,0 | 0,68 |
| 3300660 | R83003211 | 1" | 25,0 | 32 | 62,0 | 52,5 | 54,0 | 0,69 |
| 3300661 | R83003311 | 1" | 25,0 | 33 | 62,0 | 54,0 | 54,0 | 0,69 |

R86100059

Impact extension 1"



- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 25, ISO 1174
- > Square drive as per DIN 3121 - H 25, ISO 1174

| Code | No. | □" | □ mm | ■" | ■ mm | ↳ mm |
|----------------|-----------|----|------|----|------|------|
| 3300685 | R86100059 | 1" | 25,0 | 1" | 25 | 300 |

R83981105

Safety ring and safety pin




- > Consisting of safety ring and safety pin
- > For securing impact sockets

| Code | No. | ■" | ■ Use | Version |
|----------------|-----------|----|-----------------|-------------------------------|
| 3300708 | R83981105 | 1" | 20 for 24-80 mm | pin 45 x 5 mm; ring 45 x 7 mm |

WWW.GEDORE.COM

SOCKET SETS


*PERFECT
SELECTION*



i


ALWAYS THE RIGHT SOLUTION AT HAND

- Large selection of practical socket sets in 1/4", 3/8" and 1/2" for universal or specialised use
- Available in a robust sheet steel case with foam insert or in a lightweight moulded case
- Organised storage and safe transport

R49004033Socket set 1/4"
33 pieces

- > For hand-operated screw work
- > Red sheet-steel case with foam insert

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|------|
| 3300000 | R49004033 | 1/4" 2K lever reversible ratchet fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 25 mm 1/4" screwdriver bit socket hexagon 3 4 5 6 8 10 37 mm 1/4" screwdriver bit slot 4 5.5 6.5 37 mm 1/4" screwdriver bit insert cross recess PH 0 1 2 3 37 mm 1/4" socket wrench extension 50 100 mm 1/4" cross handle with sliding piece 115 mm 1/4" universal joint 32 mm Drive adaptor 1/4" hexagon x 1/4" square 50 mm | 33 | 1,14 |

R49014033Socket set 1/4"
33 pieces

- > For hand-operated screw work
- > Red sheet-steel case with foam insert

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-------|
| 3300001 | R49014033 | 1/4" 2C lever-action ratchet fine-toothed, 72 teeth 150 mm 1/4" square socket 165 mm 1/4" hexagon socket SW 4 4.5 5.5 6 7 8 9 10 11 12 13 25 mm 1/4" Screwdriver bit socket hexagonal 3 4 5 6 8 10 37 mm 1/4" Screwdriver bit socket TX T10 T15 T20 T25 T27 T30 T40 37 mm 1/4" socket extension 50 100 mm 1/4" Cross handle with slide 115 mm 1/4" universal joint 32 mm Drive adapter 1/4" hexagon x 1/4" square 50 mm | 33 | 1,136 |

R49044033Socket set 1/4"
33 pieces


- > For hand-operated screw work
- > Red sheet-steel case with foam insert

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-------|
| 3300004 | R49044033 | 1/4" 2K jointed reversible ratchet fine toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 25 mm 1/4" screwdriver bit socket hexagon 3 4 5 6 8 10 37 mm 1/4" screwdriver bit socket TX with bore hole T10 T15 T20 T25 T27 T30 T40 37 mm 1/4" socket wrench extension 50 100 mm 1/4" cross handle with sliding piece 115 mm 1/4" universal joint 32 mm Drive adaptor 1/4" hexagonal x 1/4" square 50 mm Bit adaptor 1/4" 4ct x 1/4" 6ct 25 mm | 33 | 1,164 |

R49003016Socket set 1/4"
16 pieces

- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|------|
| 3300050 | R49003016 | 1/4" 2C lever-action ratchet fine-toothed, 72 teeth 150 mm 1/4" Socket spanner hexagonal SW 4 4.5 5.5 6 7 8 9 10 11 12 13 25 mm 1/4" socket extension 100 mm 1/4" cross handle with slide 115 mm Bit adapter 1/4" square x 1/4" hex 25 mm | 16 | 0,62 |

R49003033Socket set 1/4"
33 pieces

- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|------|
| 3300051 | R49003033 | 1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 25 mm 1/4" screwdriver bit socket in-hex 3 4 5 6 37 mm 1/4" screwdriver bit socket slotted 4 5.5 6.5 37 mm 1/4" screwdriver bit socket cross-head PH 1 2 37 mm 1/4" screwdriver bit socket cross-head PZ 1 2 37 mm 1/4" screwdriver bit socket TX T15 T20 T25 T30 37 mm 1/4" socket extension 50 100 mm 1/4" universal joint 32 mm Bit adapter 1/4" sq. x 1/4" hex 25 mm | 33 | 1,31 |

Socket wrench sets

R49003046

Socket set 1/4"
46 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | kg |
|---------|-----------|---|--------|-------|
| 3300052 | R49003046 | 1/4" 2K reversible lever ratchet fine-toothed, 72 teeth 150 mm 1/4" square socket 165 mm 1/4" socket hexagon SW 4 4,5 5,5 6 7 8 9 10 11 12 13 14 25 mm 1/4" screwdriver bit socket hexagon socket inner 3 4 5 6 7 8 37 mm 1/4" screwdriver bit socket slot 4 5,5 6,5 37 mm 1/4" Screwdriver bit socket Phillips PH 1 2 3 37 mm 1/4" Screwdriver bit socket Phillips PZ 1 2 37 mm 1/4" Screwdriver bit socket TX T10 T15 T20 T25 T27 T30 T40 37 mm 1/4" Socket wrench extension 50 100 mm 1/4" Flexible socket wrench extension 150 mm 1/4" Cross handle with slide 115 mm 1/4" Cardan joint 32 mm Bit-Adapter 1/4" square x 1/4" hexagon 25 mm Allen wrench set hexagon SW 1,27 1.5 2.2 2.5 mm | 46 | 1,414 |

R49005037

Tool set T-handle
with ratchet 1/4"
37 pieces




- > In-hex for direct mounting of bits as per DIN 3126 - D 6.3
- > Ring for reversing clockwise/anticlockwise direction
- > 9x long all-steel blades with square drive and sockets
- > 1x long all-steel blade with square drive as bit holder or extension
- > Bits in extra plastic holders

| Code | No. | Contents | Pieces | kg |
|---------|-----------|--|--------|-------|
| 3300025 | R49005037 | 2C ratchet hand grip with swivel 1/4" in-hex blade, ring change Socket hexagon 6 7 8 9 10 11 12 13 14 135 mm Bit holder 1/4" hex x 1/4" hex 135 mm 1/4" bit hexagon 3 4 5 6 8 mm 25 mm 1/4" bit slotted 4.5 5.5 6.5 25 mm 1/4" bit cross-head PH 1 2 2 3 25 mm 1/4" bit cross-head PZ 1 2 2 3 25 mm 1/4" bit TX T10 T15 T20 T25 T30 T40 25 mm 1/4" bit TX with drill hole T10 T15 T20 T25 25 mm | 37 | 1,335 |

R49005023

Bit-ratchet-Set 1/4"
with adaptor compact
23 pieces



- > For hand-operated screw work
- > Rugged plastic box with belt clip

| Code | No. | Contents | Pieces | kg |
|---------|-----------|---|--------|------|
| 3300026 | R49005023 | Bit ratchet 1/4" reversible, with drive adapter Socket wrench insert hexagon SW 6 7 8 10 11 12 13 mm 1/4" bits hexagon socket 4 5 6 mm 1/4" bits slot 5,5 mm 1/4" bits cross recess PH 1 2 1/4" bits cross recess PZ 1 2 1/4" bits TX T15 T20 T25 T27 T30 Adapter 1/4" 4kt x 1/4" 6kt bit holder 1/4" 6kt x 1/4" 6kt, with magnet 67 mm | 23 | 0,38 |

R59003026

Socket set 3/8"
26 pieces




- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | kg |
|---------|-----------|---|--------|------|
| 3300053 | R59003026 | 3/8" 2K lever reversible ratchet fine-toothed, 72 teeth 180 mm 3/8" socket wrench insert hexagon SW 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 mm 3/8" spark plug insert SW 16 21 mm 65 mm 3/8" socket wrench extension 75 150 mm 3/8" cross handle with sliding piece 200 mm 3/8" Cardan joint 48 mm Reducer 3/8" - 1/4" 27 mm | 26 | 2,44 |

R59003059

Socket set 3/8"
59 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|---|--------|-----|
| 3300054 | R59003059 | 3/8" 2C lever reversible ratchet, fine-toothed, 72 teeth 180 mm 3/8" socket hexagon bi-hex 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 mm 3/8" socket hexagon hex long 8 9 10 11 12 13 14 15 17 19 L.63mm 3/8" spark plug socket 16 21 mm 65 mm 3/4" screwdriver bit socket in-hex 3 4 5 6 7 8 10 48 mm 3/4" screwdriver bit socket slotted 5.5 7 8 48 mm 3/8" screwdriver bit socket cross-head PH 1 2 48 mm 3/8" screwdriver bit socket cross-head PZ 1 2 48 mm 3/8" screwdriver bit socket TX T25 T27 T30 T40 T45 T50 T55 48 mm 3/8" socket extension 75 250 mm 3/8" universal joint 49 mm Reducer 3/8" - 1/4" 27 mm Socket extension piece/slider 3/8" x 1/2" 44 mm | 59 | 4,8 |

R58003002

Screwdriver bit sockets 3/8"
10 pieces



- > Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove
- > Long blades
- > Sturdy plastic case

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|---|--------|-----|
| 3301576 | R58003002 | TX T10 T15 T20 T25 T27 T30 T40 T45 T50 T55 200 mm | 10 | 0,8 |

R69004024

Socket set 1/2"
24 pieces




- > For hand-operated screw work
- > Red sheet-steel case with foam insert

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|--|--------|-------|
| 3300006 | R69004024 | 1/2" 2K lever reversible ratchet fine-toothed, 72 teeth 250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 1/2" socket wrench extension 75 125 250 mm 1/2" universal joint 66 mm 1/2" cross handle with sliding piece 250 mm Bit adaptor 1/2" square x 5/16" hexagon 38 mm | 24 | 5,344 |

R46004049

Socket set 1/2" + 1/4"
49 pieces



- > For hand-operated screw work
- > Red sheet-steel case with foam insert

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|---|--------|-------|
| 3300010 | R46004049 | 1/4" 2K lever reversible ratchet fine-toothed, 72 teeth 150 mm 1/4" socket wrench insert hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 25 mm 1/4" screwdriver bit socket hexagon socket 4 5 6 8 37 mm 1/4" screwdriver bit slot 5.5 37 mm 1/4" screwdriver bit insert cross recess PH 2 37 mm 1/4" screwdriver bit insert cross recess PZ 2 37 mm 1/4" screwdriver bit socket TX with bore hole T10 T15 T20 T25 T27 T30 T40 37 mm 1/4" socket wrench extension 50 100 mm 1/4" universal joint 32 mm 1/2" 2K lever reversible ratchet fine-toothed, 72 teeth 250 mm 1/2" hexagon socket wrench insert SW 10 11 12 13 14 15 16 17 18 19 21 22 24 1/2" socket wrench extension 75 125 250 mm 1/2" universal joint 66 mm Bit adaptor 1/2" square x 5/16" hexagon 38 mm | 49 | 5,142 |

R69003024

Socket set 1/2"
24 pieces hexagon



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|--|--------|------|
| 3300055 | R69003024 | 1/2" 2K lever reversible ratchet fine toothed, 72 teeth 250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 1/2" spark plug insert SW 16 21 mm 65 mm 1/2" socket wrench extension 125 250 mm 1/2" universal joint 66 mm 1/2" cross handle with sliding piece 250 mm | 24 | 4,43 |

Socket wrench sets

R69013024

Socket set 1/2"
24 pieces bi-hexagon




- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|--|--------|------|
| 3300056 | R69013024 | 1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth 250 mm 1/2" socket bi-hex 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 26 27 28 30 32 1/2" socket extension 125 250 mm Socket extension piece/slider 3/8" x 1/2" 44 mm | 24 | 4,75 |

R46003092

Socket set 1/4" + 1/2"
92 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|--|--------|------|
| 3300062 | R46003092 | 1/4" 2K lever reversible ratchet fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm 1/4" socket wrench insert hexagon SW 4 5 6 7 8 9 10 11 12 13 mm 50 mm 1/4" socket wrench extension 50 100 mm 1/4" cross handle with sliding piece 115 mm 1/4" universal joint 32 mm bit holder 1/4" hexagonal x 1/4" hexagonal, with magnet 60 mm Bit adaptor 1/4" square x 1/4" hexagon 25 mm Drive adaptor 1/4" hexagon x square with ball lock 25 mm 1/4" bits inner hexagon 3 4 5 6 8 10 25 mm 1/4" bits slot 4 5,5 7 25 mm 1/4" bits cross recess PH 0 1 2 3 4 25 mm 1/4" bits cross recess PZ 1 2 3 25 mm 1/4" bits TX T8 T10 T15 T20 T25 T27 T30 T40 25 mm 5/16" bits TX T45 T50 T55 30 mm 1/2" 2K lever reversible ratchet fine-toothed, 72 teeth 250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 17 19 22 24 27 30 32 mm 1/2" spark plug insert 21 mm (13/16") 65 mm 1/2" socket wrench extension 125 250 mm 1/2" universal joint 65 mm Enlarging/sliding piece 3/8" x 1/2" 44 mm Bit adaptor 1/2" square x 5/16" hexagon 38 mm Double-jointed key SW 8x9 10x11 12x13 14x15 mm Combination wrench SW 8 10 12 13 14 17 mm Hexagon Key Wrenches, hexagon SW 1.5 2 2.5 mm | 92 | 5,85 |

R46003094

Socket set 1/4" + 1/2"
94 pieces





- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|--|--------|------|
| 3300057 | R46003094 | 1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 25 mm 1/4" socket hexagon 6 7 8 9 10 11 12 13 mm 50 mm 1/4" screwdriver bit socket in-hex 4 4 5 6 37 mm 1/4" screwdriver bit socket slotted 4 5 5 6 5 37 mm 1/4" screwdriver bit socket cross-head PH 1 2 37 mm 1/4" screwdriver bit socket cross-head PZ 1 2 37 mm 1/4" screwdriver bit socket TX T8 T10 T15 T20 T25 T27 T30 37 mm 1/4" socket extension 50 100 mm 1/4" sliding T-bar with slider 115 mm 1/4" universal joint 32 mm 5/16" bits in-hex 8 10 12 14 30 mm 5/16" bits slotted 8 10 12 30 mm 5/16" bits cross-head PH 3 4 30 mm 5/16" bits cross-head PZ 3 4 30 mm 5/16" bits TX T40 T45 T50 T55 30 mm 1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth 250 mm 1/2" socket hex 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 27 28 30 32 1/2" socket hexagon 14 15 17 19 77 mm 1/2" spark plug socket 16 21 mm 65 mm 1/2" socket extension 125 250 mm 1/2" universal joint 66 mm Socket extension piece/slider 3/8" x 1/2" 44 mm Bit adapter 1/4" square x 5/16" hex 38 mm Hexagon Allen key set 1.5, 2 2.5 mm | 94 | 6,77 |

R46003100Socket set 1/4" + 1/2"
100 pieces

> Plastic case in
GEDORE red Design

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|---|--------|----|
| 3300063 | R46003100 | 1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm 1/4" socket extension 50 100 mm 1/4" sliding T-bar with slider 115 mm 1/4" universal joint 32 mm Bit adapter 1/4" sq. x 1/4" hex 25 mm 1/4" bits in-hex 3 4 5 6 8 10 25 mm 1/4" bits slotted 4 5 5 7 25 mm 1/4" bits cross-head PH 1 2 3 4 25 mm 1/4" bits cross-head PZ 1 2 3 25 mm 1/4" bits TX T8 T10 T15 T20 T25 T27 T30 T40 25 mm 1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth 250 mm 1/2" socket hex 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 26 27 28 30 32 mm 1/2" socket extension 125 250 mm 1/2" universal joint 65 mm Socket extension piece/slider 3/8" x 1/2" 44 mm Combination spanners 8 9 10 11 12 13 14 15 16 17 18 19 mm Hexagon Allen key set 1.5 2 2.5 3 4 5 6 8 10 mm Adjustable spanner 10" 250 mm Screwdriver slotted 4 5 5 6 5 Screwdriver cross-head PH 1 2 3 Side cutter 180 mm Telephone pliers 200 mm Water pump pliers 10" 250 mm Hammer 500 g | 100 | 10 |

R45603172Socket set
1/2"-3/8"-1/4"
172 pieces

> For hand-operated
screw work
> Plastic case in
GEDORE red Design

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|---|--------|------|
| 3300058 | R45603172 | 1/4" 2K lever reversible ratchet, fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert, hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 25 mm 1/4" socket wrench insert hexagon SW 4 5 6 7 8 9 10 50 mm 1/4" socket wrench insert TX E4 E5 E6 E7 E8 25 mm 1/4" screwdriver bit socket hexagon socket 3 4 5 6 37 mm 1/4" screwdriver bit socket slotted 4 5 5 6 5 7 37 mm 1/4" screwdriver bit socket cross-slotted PH 0 1 2 37 mm 1/4" screwdriver bit socket cross recess PZ 0 1 2 37 mm 1/4" screwdriver bit socket TX T8 T9 T10 T15 T20 T25 T27 T30 37 mm 1/4" screwdriver bit socket TX with bore T8 T9 T10 T15 T20 T25 T27 T30 37 mm 1/4" socket wrench extension 50 100 mm 1/4" T-handle with slider 115 mm 1/4" universal joint 32 mm bit adapter 1/4" square x 1/4" hex. 25 mm 1/4" bits TX T5 T6 T7 25 mm 1/4" bits TX with hole T7 25 mm 1/4" bits TX plus security T10 T15 T20 T25 T27 T30 T40 T45 25 mm 1/4" bits multi-tooth XZN M5 M6 M8 25 mm 1/4" bits keyway M5 M6 M7 M8 M9 25 mm 5/16" bits hexagon socket 7 8 10 12 14 30 mm 5/16" bits slotted 8 10 12 30 mm 5/16" bits cross recess PH 3 4 30 mm 5/16" bits cross recess PZ 3 4 30 mm 5/16" bits TX T40 T45 T50 T55 T60 T70 30 mm 5/16" bits TX with bore T40 T45 T50 T55 T60 T70 30 mm 3/8" 2K lever reversible ratchet, fine-toothed, 72 teeth 180 mm 3/8" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 3/8" socket wrench insert hexagon SW 10 11 12 13 14 15 63 mm 3/8" socket wrench insert TX E10 E11 E12 E14 E16 E18 3/8" spark plug insert SW 18 mm 65 mm 3/8" socket wrench extension 150 mm 3/8" universal joint 49 mm bit adapter 3/8" square x 5/16" hex 30 mm 1/2" 2K lever reversible ratchet, fine-toothed, 72 teeth 250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 1/2" socket wrench insert 6-kant SW 16 17 18 19 22 77 mm 1/2" socket wrench insert TX E20 E24 1/2" spark plug insert SW 16 21 mm 65 mm 1/2" socket wrench extension 125 250 mm 1/2" universal joint 66 mm enlarging piece / sliding piece 3/8" x 1/2" 44 mm bit adapter 1/2" square x 5/16" hex 38 mm offset screwdriver set hexagon SW 1.5 2 2.5 3 4 5 6 mm | 172 | 10,5 |

Socket wrench sets


R68003016
Socket set 1/2" TX®
16 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|--|--------|------|
| 3300009 | R68003016 | Socket wrench insert TX E10 E11 E12 E14 E16 E18 E20 E22 E24 Screwdriver bit socket TX T30 T40 T45 T50 T55 T60 T70 | 16 | 1,69 |

R68003020
Socket set 3/8" + 1/2"
20 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|--|--------|----|
| 3300045 | R68003020 | 3/8" socket wrench insert TX E6 E7 E8 E10 3/8" screwdriver bit socket TX T10 T15 T20 T25 T27 1/2" socket wrench insert TX E12 E14 E16 E18 E20 1/2" screwdriver bit socket TX T30 T40 T45 T50 T55 Reducer 1/2" 4kt x 3/8" 4kt | 20 | 2 |

R61003114
Socket set 1/2"
14 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|--|--------|-------|
| 3300008 | R61003114 | SW 10 12 13 14 15 17 19 21 22 23 24 27 30 32 77 mm | 14 | 3,746 |

R68003030
Set of screwdriver inserts 1/2" IN
30 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|---|--------|-----|
| 3301573 | R68003030 | 5 6 7 8 10 12 14 17 19 55 mm 5 6 7 8 10 11 12 13 100 mm 5 6 7 8 10 12 14 140 mm 5 6 7 8 10 12 200 mm | 30 | 5,4 |

R68003032

Set of screwdriver sockets 1/2" TX
32 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|-----|
| 3301577 | R68003032 | TX T20 T25 T27 T30 T40 T45 T50 T55 T60 T70 55 mm TX T20 T25 T27 T30 T40 T45 T50 T55 T60 T70 100 mm TX T40 T45 T50 T55 T60 T70 140 mm TX T40 T45 T50 T55 T60 T70 200 mm | 32 | 5,4 |

R68003026

Set of screwdriver inserts 1/2" XZN
26 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-----|
| 3301574 | R68003026 | XZN M5 M6 M8 M9 M10 M12 M14 M16 55 mm XZN M5 M6 M8 M9 M10 M12 M14 100 mm XZN M5 M6 M8 M9 M10 M12 M14 140 mm XZN M8 M10 M12 M14 200 mm | 26 | 5,4 |

R68003075

Assembly tool set
TX 1/4" + 1/2"
75 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-----|
| 3301575 | R68003075 | 1/4" socket TX E4 E5 E6 E7 E8 E10 E11 25 mm 1/4" screwdriver bit socket TX T7 T8 T9 T10 T15 T20 T25 T27 T30 T40 37 mm 1/4" bit adaptor square x hex 25 mm 1/4" bits TX with hole T7 T8 T9 T10 T15 T20 T25 T27 T30 T40 25 mm 1/2" socket TX E12 E14 E16 E18 E20 E22 E24 Bit adaptor 1/2" 4kt x 10 mm 6kt 38 mm 10mm bits TX T40 T45 T50 T55 T60 30 mm 10mm bits TX T15 T20 T25 T30 T40 T45 T50 T55 T60 75 mm Screwdriver TX T8x60 T10x80 T15x80 T20x100 T25x100 T27x125 T30x125 T40x150 mm Double-ended ring spanner TX E6xE8 E10xE12 E14xE18 E20xE24 Hexagon socket key TX T8 T10 T15 T20 T25 T27 T30 T40 T45 T50 T55 T60 Telescopic magnetic lifter with scriber 126 - 636 mm | 75 | 3,5 |

R78004014

Socket set 3/4"
14 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|------|
| 3300011 | R78004014 | 3/4" reversible ratchet, coarse-cogged, 24 teeth 510 mm 3/4" socket hexagon 22 24 27 30 32 36 38 41 46 50 mm 3/4" socket extensions 200 - 400 mm 3/4" sliding T-bar with slider 460 mm | 14 | 14,2 |

Socket wrench sets

R41008012

1/4" socket wrench inserts
on socket strip
12 pieces



> Sockets 1/4", hexagon, design according to
DIN 3124, ISO 2725

> Hand-operated, knurled grip

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|-------|
| 3300021 | R41008012 | Socket wrench insert hexagon SW 4,4,5,5,5 6 7 8 9 10 11 12 13 mm 50 mm | 12 | 0,537 |

R48008013

Screwdriver bit sockets 1/4"
on holding rail
13 pieces



> Screwdriver bit socket 1/4", for hex screws,
with pressed-in, phosphated pin
> Screwdriver bit socket 1/4", slotted,
with pressed-in, phosphated pin

> Screwdriver bit socket 1/4" PH with pressed-in,
phosphated pin
> Hand-operated, knurled grip

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-----|
| 3300022 | R48008013 | Inside hexagon: SW 3 4 5 6 8 10 37 mm slot: 4 5 5 6 5 37 mm Phillips PH: 0 1 2 3 37 mm | 13 | 0,3 |

R58018012

Socket set
12 pieces



> Sockets 3/8" and 1/2", TX
> Hand-operated, knurled grip
> Cross-handle with sliding block 3/8", type acc. to
DIN 3122, ISO 3315, Matt chrome plated,
For hand-operated sockets, Connecting square drive
acc. to DIN 3120 - A 10, ISO 1174, with ball locking

> Enlarging adaptor/slide 3/8", for driving socket
wrench and screwdriver sockets, square drive
according to DIN 3120 - C 10, ISO 1174, with ball
catch groove, connecting square according to
DIN 3120 - A 12.5, ISO 1174, with ball lock

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|------|
| 3300048 | R58018012 | 3/8" socket wrench inserts: TX E4 E5 E6 E8 28 mm 3/8" cross handle with sliding piece 150 mm 1/2" socket wrench inserts: TX E10 E12 E14 E16 E18 E20 38 mm Adapter Enlarger 3/8" x 1/2" 44 mm | 12 | 0,76 |

R61208007

Socket set 1/2" on holding rail
7 pieces



> Sockets 1/2", TX

> Hand-operated, knurled grip

| Code | No. | Contents | Pieces | |
|----------------|-----------|--------------------------------|--------|------|
| 3300028 | R61208007 | TX E10 E11 E12 E14 E16 E18 E20 | 7 | 0,46 |

R62558010

Screwdriver bit sockets 1/2" on holding rail
10 pieces



> Screwdriver bit socket 1/2", hexagon socket,
design according to DIN 7422

> Hand-operated, knurled grip

| Code | No. | Contents | Pieces | |
|----------------|-----------|----------------------------------|--------|-----|
| 3300023 | R62558010 | 5 6 7 8 9 10 11 12 14 17 55 mm | 10 | 1,1 |

R62558110

Screwdriver bit sockets 1/2"
In-hexagon on holding rail,
10 pieces



> Screwdriver bit socket 1/2", hexagon socket,
design according to DIN 7422

> Hand-operated, knurled grip

| Code | No. | Contents | Pieces | |
|----------------|-----------|----------------------------------|--------|------|
| 3300027 | R62558110 | 5 6 7 8 9 10 12 14 17 19 55 mm | 10 | 1,14 |

R62458017

Screwdriver bit sockets 1/2"
7 pieces



> Sockets 1/2", TX

> Hand-operated, knurled grip

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|------|
| 3300029 | R62458107 | TX T20 T25 T27 T30 T40 T45 T50 55 mm | 7 | 0,56 |

R68008009

Sockets/Screwdriver bit sockets 1/2"
9 pieces



> Socket wrench insert 1/2", hexagon,
design according to DIN 3124, ISO 2725

> Screwdriver bit socket 1/2", hexagon socket,
design according to DIN 7422
> Hand-operated, knurled grip

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|------|
| 3301872 | R68008009 | Socket wrench insert SW 10 13 15 17 19 mm Screwdriver set SW 4 5 6 8 mm | 9 | 0,61 |

R69008012

Socket set 1/2"
on holding rail 12 pieces



> 2C reversible ratchet 1/2"
> Socket extension 1/2", 75 mm

> Socket 1/2", hex

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-----|
| 3300030 | R69008012 | 2C reversible ratchet 1/2" 250 mm Socket wrench extension 1/2" 75 mm Sockets 1/2" SW 10 11 12 13 14 15 16 17 18 19 38 mm | 12 | 1,3 |

R2085 / R2094

Socket holder



R2085



R2094

> For use on R20852031 and R20852052
tool holding rails

> 10 piece Value pack

| Code | No. | ↳ mm ↳ | ↳ inch ↳ | |
|----------------|-----------|--------|----------|------|
| 3300014 | R20852031 | 200 | 8 | 0,04 |
| 3300015 | R20852052 | 305 | 12 | 0,06 |

| Code | No. | ■ " | ■ | W | H | |
|----------------|-----------|------|------|----|------|------|
| 3300017 | R20940004 | 1/4" | 6,3 | 26 | 18,5 | 0,02 |
| 3300018 | R20940005 | 3/8" | 10 | 26 | 20,5 | 0,02 |
| 3300019 | R20940006 | 1/2" | 12,5 | 26 | 23 | 0,05 |

TORQUE WRENCHES

*PURE
PRECISION*



CONTROLLED BOLT TIGHTENING

- For controlled right and left hand tightening from 5 to 550 N·m
- Precision confirmed with test certificate according to DIN EN ISO 6789
- Tripping accuracy: $\pm 3\%$ tolerance of the set scale value, higher than required by the standard

RX890XXX

Torque wrench



3301214

- > Controlled screw tightening from 5 to 550 N-m
- > Torque triggering clearly to be heard and felt
- > Clockwise and anti-clockwise tightening from switching over the mushroom head/ push-through square
- > Adjustable torque wrench with square drive and integrated ratchet function

- > Tripping accuracy: +/-3 % tolerance of the set scale value



3301871 3301216 3301217 3301218 3301219 3301220

| Code | No. | " | mm | N-m | نـمـ نـمـ | mm | kg |
|---------|-----------|------|------|---------|-----------|-------|-------|
| 3301214 | R48900025 | 1/4" | 6,3 | 5-25 | 0,1 | 285 | 0,515 |
| 3301871 | R58900050 | 3/8" | 10 | 10-50 | 0,25 | 334,5 | 0,476 |
| 3301216 | R68900100 | 1/2" | 12,5 | 20-100 | 0,5 | 395 | 1,176 |
| 3301217 | R68900200 | 1/2" | 12,5 | 40-200 | 1 | 485 | 1,420 |
| 3301218 | R68900300 | 1/2" | 12,5 | 60-300 | 1 | 577,5 | 1,541 |
| 3301219 | R78900400 | 3/4" | 20 | 80-400 | 1 | 684 | 2,390 |
| 3301220 | R78900550 | 3/4" | 20 | 110-550 | 1 | 957,5 | 4,184 |

RX899XXX

Mushroom head / connecting square



- > For use with tools with a square ratchet function
- > Coupler in acc. with DIN 3120
- > Chrome-vanadium steel

| Code | No. | Designation | " | mm | kg |
|---------|-----------|--|------|------|-------|
| 3301221 | R48990000 | Connecting square 1/4 w.knob L.33mm | 1/4" | 6,3 | 0,021 |
| 3301222 | R58990000 | Connecting square 3/8 with button L.47mm | 3/8" | 10 | 0,022 |
| 3301223 | R68990000 | Connecting square 1/2 w.knob L.51mm | 1/2" | 12,5 | 0,060 |
| 3301224 | R78991000 | Coupler 3/4" | 3/4" | 20 | 0,133 |

WWW.GEDORE.COM

SCREWDRIVERS



*RAPID
ROTATIONS*






FOR SLOT, PH, PZ, TX AND IN-HEX

- High-quality blades guarantee long service life
- Low-wear drive tips against round turned screw heads
- Comfortable handles and practical additional functions




R3810XXXX
 2C-Screwdriver
 for slotted head screws


- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

| Code | No. | ⊖ |  |  |  |
|----------------|-----------|------|--|---|---|
| 3301225 | R38100315 | 3,0 | 75 | 145 | 0,03 |
| 3301226 | R38100419 | 4,0 | 100 | 170 | 0,04 |
| 3301228 | R38105519 | 5,5 | 100 | 200 | 0,08 |
| 3301235 | R38100829 | 5,5 | 150 | 272 | 0,16 |
| 3301233 | R38106529 | 6,5 | 150 | 260 | 0,11 |
| 3301237 | R38101039 | 10,0 | 200 | 322 | 0,22 |




R3820XXXX
 2C-Screwdriver
 for cross slotted screws
 PH


- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

| Code | No. | ⊕ PH |  |  |  |
|----------------|-----------|------|--|---|---|
| 3301242 | R38200011 | 0 | 75 | 145 | 0,04 |
| 3301245 | R38200119 | 1 | 100 | 200 | 0,07 |
| 3301247 | R38200219 | 2 | 100 | 210 | 0,1 |
| 3301250 | R38200329 | 3 | 150 | 272 | 0,1 |


R3830XXXX
 2C-Screwdriver
 PZ


- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

| Code | No. | PZ |  |  |  |
|----------------|-----------|----|--|---|---|
| 3301251 | R38300119 | 1 | 100 | 200 | 0,08 |
| 3301252 | R38300219 | 2 | 100 | 210 | 0,1 |
| 3301253 | R38300329 | 3 | 150 | 272 | 0,16 |


R38002006
 Screwdriver set
 6 pieces


- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

| Code | No. | Contents | Pieces |  |
|----------------|-----------|--|--------|---|
| 3301270 | R38002006 | Slotted screwdriver 3 5.5 6.5 mm Cross-slotted screwdriver PH 0 1 2 | 6 | 0,435 |

R38002106
 Screwdriver set
 6 pieces


- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

| Code | No. | Contents | Pieces |  |
|----------------|-----------|---|--------|---|
| 3301271 | R38002106 | Slotted screwdriver 3 5.5 6.5 mm Cross-head screwdriver PH 0 1 2 | 6 | 0,435 |

R38002012Screwdriver set XXL
12 pieces

- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-------|
| 3301273 | R38002012 | Slotted screwdriver 3 4 5.5 6.5 8 mm Phillips screwdriver PH 1 2 Phillips screwdriver PZ 1 2 VDE slotted screwdriver 2.5 mm VDE Phillips screwdriver PH 1 Phase tester 3 mm | 12 | 0,927 |

R3840XXXX2C-Screwdriver
for recessed TX
head screws

- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

| Code | No. | | | | |
|----------------|-----------|-----|-----|-----|-------|
| 3301262 | R38401115 | T10 | 100 | 200 | 0,025 |
| 3301263 | R38401215 | T15 | 100 | 200 | 0,039 |
| 3301264 | R38401319 | T20 | 100 | 200 | 0,044 |
| 3301265 | R38401419 | T25 | 100 | 210 | 0,062 |
| 3301266 | R38401522 | T27 | 100 | 210 | 0,08 |
| 3301267 | R38401622 | T30 | 100 | 210 | 0,101 |
| 3301268 | R38401825 | T40 | 100 | 210 | 0,125 |

R38402006Screwdriver set TX
6 pieces

- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|------|
| 3301272 | R38402006 | TX screwdriver T10 T15 T20 T25 T30 T40 | 6 | 0,55 |

R380059062C-Electronic
Screwdriver set
6 pieces

- > 2C-handles, ergonomically formed, with quick-turning end caps
- > Screwdriver blades of chrome-molybdenum steel, chrome-plated

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|------|
| 3301351 | R38005906 | Slotted screwdrivers 1.5x60 2.0x60 2.5x60 3.0x60 mm Cross-head screwdriver PH 00x60 0x60 | 6 | 0,37 |

R38120419
Voltage tester
220-250V sl. 4mm



- > Integrated glow lamp and series resistor for networks from 220 to a max. 250 volt
- > Impact-resistant, transparent plastic
- > Clip for fastening

| Code | No. | Measuring range | mm $\frac{+}{-}$ | l-mm $\frac{+}{-}$ | l-mm $\frac{+}{-}$ | kg $\frac{+}{-}$ |
|----------------|-----------|-----------------|------------------|--------------------|--------------------|------------------|
| 3301421 | R38120419 | 220-250 | 4,0 | 190 | 190 | 0,036 |

R38120312
Voltage tester



- > Integrated glow lamp and series resistor for networks from 105 to a max. 250 volt
- > Impact-resistant, transparent plastic
- > Metal clip for fastening

| Code | No. | Measuring range | mm $\frac{+}{-}$ | l-mm $\frac{+}{-}$ | l-mm $\frac{+}{-}$ | kg $\frac{+}{-}$ |
|----------------|-----------|-----------------|------------------|--------------------|--------------------|------------------|
| 3301420 | R38120312 | 105 - 250 | 3,0 | 70 | 144 | 0,03 |

R38121312
Voltage tester
max 250 V



- > Integrated glow lamp and series resistor for networks to a max. 250 volt
- > Anti-slip handle surface
- > Metal clip for fastening

| Code | No. | mm $\frac{+}{-}$ | l-mm $\frac{+}{-}$ | kg $\frac{+}{-}$ |
|----------------|-----------|------------------|--------------------|------------------|
| 3301419 | R38121312 | 3,0 | 135 | 0,028 |

R38910000
Ratchet screwdriver
1/4"
with telescopic blade



- > Telescopic blade infinitely adjustable
- > Quick-grip system for hex bits as per DIN 3126 - C 6.3 + E 6.3 (1/4")
- > Reversible clockwise/anticlockwise ratchet function
- > Ratchet lock in central position

| Code | No. | 1/4" | 6,3 | l-mm $\frac{+}{-}$ | l-mm $\frac{+}{-}$ | kg $\frac{+}{-}$ |
|----------------|-----------|------|-----|--------------------|--------------------|------------------|
| 3301341 | R38910000 | 1/4" | 6,3 | 0 - 100 | 183-287 | 0,223 |

R38920000
Extendable shank screwdriver 13in1



- > 13 Screwdriver profiles in magazine
- > Screwdriver handle with integrated ratchet function, reversible
- > Hex recess drive as per DIN 3126 - D 6.3 (1/4"), for bits

- > Lockable telescopic blade, continuously adjustable
- > Reversible clockwise/anticlockwise ratchet function

| Code | No. | 1/4" | 6,3 | Contents | l-mm $\frac{+}{-}$ | kg $\frac{+}{-}$ |
|----------------|-----------|------|-----|---|--------------------|------------------|
| 3301337 | R38920000 | 1/4" | 6,3 | Magazine screwdriver with 1/4" bits Slot 4 4,5 5,5 mm Cross recess PH 1 2 3 Cross recess PZ 1 2 TX T10 T15 T20 T25 Inside hexagon 4 mm | 128 | 0,28 |

Screwdriver /Bits

R3867XXXX

Screwdriver hexagon socket in-hex



- > Two-way profile
- > 2-component-handles for a hands-friendly transfer of force

| Code | No. | mm | Blade length 1 | Blade length 2 | kg |
|----------------|-----------|-----|----------------|----------------|-------|
| 3301274 | R38672509 | 2,5 | 100 | 52 | 0,05 |
| 3301275 | R38670309 | 3 | 100 | 52 | 0,044 |
| 3301276 | R38670409 | 4 | 150 | 52 | 0,063 |
| 3301277 | R38670512 | 5 | 150 | 65 | 0,08 |
| 3301278 | R38670612 | 6 | 150 | 65 | 0,108 |
| 3301279 | R38670814 | 8 | 200 | 75 | 0,217 |
| 3301280 | R38671015 | 10 | 200 | 80 | 0,28 |

R38672006

2C-T-Screwdriver set
In-hex, 6 pieces



- > Two-way profile
- > 2-component-handle for a hands-friendly transfer of force

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|---------------------|--------|-------|
| 3301281 | R38672006 | SW 2,5 3 4 5 6 8 mm | 6 | 0,731 |

R3660XXXX

Offset screwdriver
in-hex, short



| Code | No. | mm | Blade length 1 | Blade length 2 | kg |
|----------------|-----------|-----|----------------|----------------|-------|
| 3301282 | R36601508 | 1,5 | 50 | 16 | 0,002 |
| 3301283 | R36600209 | 2 | 56 | 18 | 0,002 |
| 3301284 | R36602511 | 2,5 | 63 | 20 | 0,003 |
| 3301285 | R36600311 | 3 | 70 | 25 | 0,004 |
| 3301286 | R36600413 | 4 | 80 | 28 | 0,01 |
| 3301287 | R36600515 | 5 | 90 | 32 | 0,018 |
| 3301288 | R36600617 | 6 | 95 | 34 | 0,03 |
| 3301290 | R36600819 | 8 | 100 | 36 | 0,058 |
| 3301291 | R36601020 | 10 | 112 | 40 | 0,102 |

R36605009

Hexagon allen key set
in-hex, 9 pieces



- > In the holder

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|--|--------|------|
| 3301331 | R36605009 | Hexagon allen key 1,5 2 2,5 3 4 5 6 8 10 | 9 | 0,25 |

R36675009

Hexagon allen key set
in-hex, long, 9 pieces



- > With ball end
- > In the holder

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|-----------------------------|--------|-------|
| 3301335 | R36675009 | Size 1.5 2 2.5 3 4 5 6 8 10 | 9 | 0,404 |





R36405009Hexagon allen key set
9 pieces

- > Short version
- > In the holder

| Code | No. | Contents | Pieces |  |
|----------------|-----------|--|--------|---|
| 3301354 | R36405009 | Hexagon allen key TX T10 T15 T20 T25 T27 T30 T40 T45 T50 | 9 | 0,24 |

R3850XXXX2C-Socket wrench set
for in-hex screws

- > 2-component-handle
for a hands-friendly
transfer of force
- > With hanging hole






| Code | No. |  mm |  mm |  mm | Ø 1 |  |
|----------------|-----------|--|--|--|------|---|
| 3301368 | R38500417 | 4 | 190 | 90 | 6,8 | 0,065 |
| 3301369 | R38500517 | 5 | 190 | 90 | 7,8 | 0,065 |
| 3301370 | R38500617 | 6 | 190 | 90 | 9,8 | 0,07 |
| 3301371 | R38500719 | 7 | 210 | 100 | 10,3 | 0,09 |
| 3301372 | R38500819 | 8 | 210 | 100 | 11,8 | 0,095 |
| 3301373 | R38500919 | 9 | 210 | 100 | 12,8 | 0,1 |
| 3301374 | R38501023 | 10 | 240 | 120 | 13,8 | 0,1 |
| 3301375 | R38501123 | 11 | 240 | 120 | 15,8 | 0,145 |
| 3301376 | R38501223 | 12 | 240 | 120 | 16,8 | 0,15 |
| 3301377 | R38501323 | 13 | 240 | 120 | 17,8 | 0,155 |

R38950000

Bit screwdriver 1/4"



- > Hex recess drive as
per DIN 3126 -
D 6.3 (1/4"), for bits
- > Bit holder with
powerful magnet

| Code | No. |  " |  mm |  mm |  mm |  |
|----------------|-----------|---|--|--|--|---|
| 3301343 | R38950000 | 1/4" | 6,3 | 100 | 210 | 0,11 |

R38990000

(De)magnetiser



- > Magnetises tools
and grippers
- > Demagnetises all tools
which are used on
electronic devices

| Code | No. | L | H | W |  |
|----------------|-----------|----|----|----|---|
| 3301340 | R38990000 | 29 | 50 | 52 | 0,082 |

WWW.GEDORE.COM

R38004006Screw remover set
6 pieces

- > Hammer-actuating screw remover for extracting stiff screws!
- > Clockwise/anticlockwise rotating direction, reversible
- > 1/2" square drive in acc. with DIN 3120 - A 12.5, ISO 1174, with ball locking device for sockets

- > 1/2" adaptor, snap-on with hex recess drive in acc. with DIN 3126 - D 8 (5/16") with retention spring for bits
- > In robust sheet metal case

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|-------|
| 3301399 | R38004006 | Bit adaptor 1/2" square to 5/16" hexagon socket 5/16" slot bit 6.8 mm 5/16" cross recess PH 2.3 | 6 | 1,022 |

R33005007Bit box 1/4"
7 pieces

- > Bit box with the usual bit sizes and drive adaptor with bit locking
- > Hexagon drive acc. to DIN 3126 ISO 1173 - C 6.3
- > Machine-operated

- > In the holder

| Code | No. | Contents | Pieces |
|----------------|-----------|---|--------|
| 3301345 | R33005007 | 1/4" slot 4.5 6 mm 1/4" cross recess PH 1.2 3 Bit holder 1/4" hex x 1/4" hex, with magnet | 7 |

R33005009Bit box 1/4"
9 pieces

- > Bit box with the usual bit sizes and drive adaptor with bit locking
- > Hexagon drive acc. to DIN 3126 ISO 1173 - C 6.3
- > Machine-operated

- > In the holder

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|-------|
| 3301346 | R33005009 | 1/4" internal hexagon SW 3.4 5 mm 1/4" slot 4.5 6 mm 1/4" PH 1.2 Bit holder 1/4" hex x 1/4" hex, with magnet | 9 | 0,086 |

R33005014Bit box 1/4"
14 pieces

- > Bit box with the usual bit sizes and drive adaptor with bit locking
- > Hexagon drive acc. to DIN 3126 ISO 1173 - C 6.3
- > Machine-operated

> In the holder

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|--|--------|------|
| 3301347 | R33005014 | 1/4" hexagon SW 3 4 5 mm 1/4" slot 4 5 6 mm 1/4" cross recess PH 1 2 3 1/4" TX T10 T15 T20 T25 Bit holder 1/4" hex x 1/4" hex, with magnet | 14 | 0,11 |

R33005031Bit box 1/4"
32 pieces

- > Bits: Hardness: 60 HRC +/- 2, torque: 18.4 N-m
- > Drive adaptor with magnetic bit locking
- > Hexagon drive according to DIN 3126 ISO 1173 - C 6.3
- > Machine-operated

> Box with clear cover

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|---|--------|------|
| 3301338 | R33005031 | 1/4" hexagon sizes 3 4 5 1/4" slotted 0.6x4.5 1.0x5.5 1.2x6.5 2x 1/4" cross-head PH 1 2 3 2x 1/4" cross-head PZ 1 2 3 2xTX T10 T15 T20 T25 T30 T40 Quick change adaptor for 1/4" bits C 6.3 with magnet Bit adaptor 1/4" hex x 1/4" square | 32 | 0,25 |

R35003040Bit set 10 mm SK / XZN / TX
40 pieces

- > Reinforced bits, 10 mm
- > Hand-operated
- > Hexagon drive acc. to DIN 3126 ISO 1173 - C 10
- > In rugged plastic case

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|---|--------|------|
| 3301572 | R35003040 | inner hexagonal bit SW 4 5 6 8 10 12 30 mm inner hexagonal bit SW 4 5 6 8 10 12 75 mm TX Bit T20 T25 T30 T40 T45 T50 T55 30 mm TX Bit T20 T25 T30 T40 T45 T50 T55 75 mm XZN bit M5 M6 M8 M10 M12 30 mm XZN bit M5 M6 M8 M10 M12 75 mm Bit adapter inner square drive 1/2" to inner hexagonal drive 10mm Bitadapter inner square drive 3/8" to inner hexagonal drive 10mm | 40 | 1,75 |

PLIERS

ERGONOMIC POWER PACKS



GRIPPING, HOLDING, CUTTING AND PRESSING

- Optimised gripping surfaces combined with high cutting performance ensure the best possible work results
- Virtually loss-free power transmission from the handle via the joint to the workpiece
- Easy adjustment and operation - even in the case of large pipe and water pump pliers

R2830XXXX
 Combination pliers


- > Acc. to DIN ISO 5746
- > With gripping zones for flat and round stock
- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

| Code | No. | ↳ mm ↳ | Hard wire Ø mm | kg |
|----------------|-----------|--------|----------------|-------|
| 3301124 | R28302180 | 180 | 1,6 | 0,24 |
| 3301125 | R28302200 | 200 | 1,8 | 0,305 |

R2842XXXX
 Power side cutter


- > Acc. to DIN ISO 5749
- > High cutting performance with low force
- > Slim head
- > Induction-hardened long cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

| Code | No. | ↳ mm ↳ | Piano wire Ø mm | kg |
|----------------|-----------|--------|-----------------|------|
| 3301127 | R28422180 | 180 | 1,8 | 0,23 |
| 3301128 | R28422200 | 200 | 2,0 | 0,32 |

R28402160
 Side cutters


- > Acc. to DIN ISO 5749
- > Slim head
- > Induction-hardened long cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

| Code | No. | ↳ mm ↳ | Hard wire Ø mm | kg |
|----------------|-----------|--------|----------------|-------|
| 3301130 | R28402160 | 160 | 1,6 | 0,191 |

R2850XXXX
 Bent nose telephone pliers straight


- > Acc. to DIN ISO 5745
- > Straight grip surfaces, lengthways-serrated
- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

| Code | No. | ↳ mm ↳ | Hard wire Ø mm | kg |
|----------------|-----------|--------|----------------|------|
| 3301131 | R28502160 | 160 | 1,6 | 0,15 |
| 3301133 | R28502200 | 200 | 1,8 | 0,2 |

Pliers

R2851XXXX
Bent nose
telephone pliers
offset



- > Acc. to DIN ISO 5745
- > 45° angled grip surfaces, lengthways-serrated
- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

| Code | No. | l mm | Hard wire Ø mm | kg |
|----------------|-----------|------|----------------|-------|
| 3301134 | R28512160 | 160 | 1,6 | 0,166 |
| 3301136 | R28512200 | 200 | 1,8 | 0,22 |

R28202176
Wire stripper



- > Opening limitation by adjusting screw and spring
- > 2-component-handle for a hands-friendly transfer of force
- > Special tool steel, forged

| Code | No. | l mm | mm ² | kg |
|----------------|-----------|------|-----------------|------|
| 3301844 | R28202176 | 175 | 10 | 0,19 |

R28002003
Pliers set
3 pieces



- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|--|--------|-------|
| 3301155 | R28002003 | Combination pliers 180 mm Side cutter 160 mm Telephone pliers, straight 200 mm | 3 | 0,711 |

R28904201
Nippers



- > Acc. to DIN ISO 9243
- > head polished
- > Pliers for heavy-duty use
- > Induction-hardened cutting edges
- > Dip-coated handle covers
- > Special tool steel, forged

| Code | No. | l mm | Medium-hard wire Ø mm | kg |
|----------------|-----------|------|-----------------------|-------|
| 3301874 | R28904201 | 200 | 2,0 | 0,375 |

R2892XXXX
Tower pincer



- > Acc. to DIN ISO 9242
- > head polished
- > Pliers for heavy-duty use
- > Induction-hardened cutting edges
- > Dip-coated handle covers
- > Special tool steel, forged

| Code | No. | l mm | Medium-hard wire Ø mm | kg |
|----------------|-----------|------|-----------------------|-------|
| 3301842 | R28924110 | 250 | 2,4 | 0,395 |
| 3301843 | R28924112 | 300 | 3,1 | 0,55 |

R2880XXXX

Bolt cutters



- > Induction-hardened, phosphated precision cutting edges
- > Angled tubular steel leg for ease of use
- > Ergonomically formed 1-component handles
- > Chrome-molybdenum steel

| Code | No. | ● mm | ↳ mm ↲ | ⚖ kg |
|----------------|-----------|------|--------|------|
| 3301150 | R28801018 | 8,0 | 450 | 1,4 |
| 3301151 | R28801024 | 9,0 | 600 | 2,5 |
| 3301152 | R28801030 | 11,0 | 750 | 3,9 |
| 3301153 | R28801036 | 13,0 | 900 | 5,9 |

R2760XXXX

Circlip pliers for external retaining rings



- > Acc. to DIN 5254 Form A
- > Straight precision tips
- > With opening spring
- > DIN 471 for retaining rings
- > DIN 983 for shaft diameter
- > Dip-coated handle covers
- > Chrome-vanadium steel

| Code | No. | Size | Tip-Ø | Ring-Ø | ⚖ kg |
|----------------|-----------|------|-------|--------|-------|
| 3301137 | R27604025 | A1 | 1,3 | 10 | 0,098 |
| 3301138 | R27604060 | A2 | 1,8 | 19 | 0,18 |
| 3301139 | R27604100 | A3 | 2,3 | 40 | 0,234 |

R2765XXXX

Circlip pliers for external retaining rings



- > Acc. to DIN 5254 Form B
- > 90° angled precision tips
- > With opening spring
- > DIN 471 for retaining rings
- > DIN 983 for shaft diameter
- > Dip-coated handle covers
- > Chrome-vanadium steel

| Code | No. | Size | Tip-Ø | Ring-Ø | ⚖ kg |
|----------------|-----------|------|-------|--------|-------|
| 3301140 | R27654025 | A21 | 1,3 | 10 | 0,097 |
| 3301141 | R27654060 | A11 | 1,8 | 19 | 0,16 |
| 3301142 | R27654100 | A31 | 2,3 | 40 | 0,23 |

R2770XXXX

Circlip pliers for internal retaining rings



- > Acc. to DIN 5256 Form C
- > Straight precision tips
- > DIN 472 for retaining rings
- > DIN 984 for drill hole diameter
- > Dip-coated handle covers
- > Chrome-vanadium steel

| Code | No. | Size | Tip-Ø | Ring-Ø | ⚖ kg |
|----------------|-----------|------|-------|--------|-------|
| 3301143 | R27704025 | J1 | 1,3 | 12 | 0,081 |
| 3301144 | R27704060 | J2 | 1,8 | 19 | 0,15 |
| 3301145 | R27704100 | J3 | 2,3 | 40 | 0,208 |

R2775XXXX

Circlip pliers for internal retaining rings



- > Acc. to DIN 5256 Form D
- > 90° angled precision tips
- > DIN 472 for retaining rings
- > DIN 984 for drill hole diameter
- > Dip-coated handle covers
- > Chrome-vanadium steel

| Code | No. | Size | Tip-Ø | Ring-Ø | ⚖ kg |
|----------------|-----------|------|-------|--------|-------|
| 3301146 | R27754025 | J11 | 1,3 | 12 | 0,082 |
| 3301147 | R27754060 | J21 | 1,8 | 19 | 0,15 |
| 3301148 | R27754100 | J31 | 2,3 | 40 | 0,208 |

Pliers

R28002004

Pliers set
4 pieces



- > Circlip pliers for external retaining rings, straight and angled, Size 2
- > Circlip pliers for internal retaining rings, straight and angled, Size 2
- > Dip-coated handle covers
- > Chrome-vanadium steel

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|--|--------|------|
| 3301156 | R28002004 | External fuse tongs straight A2 External fuse tongs angled A21 Internal fuse clamp straight J2 Internal fuse tongs angled J21 | 4 | 0,68 |

R2710XXXX

Pipe wrench
swedish model



- > Acc. to DIN 5234
- > Heavy-duty pattern
- > Mouth position 90° angled
- > Teeth offset against direction of rotation

- > Jaws polished
- > Captive adjusting nut
- > Chrome-vanadium steel

| Code | No. | inch | mm | mm | kg |
|----------------|-----------|-------|-----|-----|-------|
| 3301157 | R27100010 | 1 | 40 | 320 | 0,78 |
| 3301158 | R27100015 | 1.1/2 | 55 | 420 | 1,356 |
| 3301159 | R27100020 | 2 | 67 | 555 | 2,55 |
| 3301160 | R27100030 | 3 | 103 | 635 | 3,1 |

R2714XXXX

Pipe wrench
S-jaw



- > Acc. to DIN 5234
- > Heavy-duty pattern
- > Mouth position 45° angled
- > Teeth offset against direction of rotation

- > Jaws polished
- > Captive adjusting nut
- > Chrome-vanadium steel

| Code | No. | inch | mm | mm | kg |
|----------------|-----------|-------|-----|-----|------|
| 3301167 | R27140010 | 1 | 44 | 325 | 0,8 |
| 3301168 | R27140015 | 1.1/2 | 55 | 420 | 1,46 |
| 3301169 | R27140020 | 2 | 67 | 535 | 2,5 |
| 3301170 | R27140030 | 3 | 103 | 640 | 4,22 |

R28154010

Water-pump-pliers
with automatic one-hand adjustment



- > Acc. to DIN 8976
- > Automatic setting mechanism for one-handed operation
- > Safety-box joint, substantial stability from a double guide
- > Slim design allows good access to the workpiece
- > Lengthways-serrated grip surfaces

- > head polished
- > Dip-coated handle covers
- > Chrome-vanadium steel

| Code | No. | L | mm | kg |
|----------------|-----------|-----|----|-------|
| 3301172 | R28154010 | 250 | 35 | 0,374 |

R2810XXXX

Water pump pliers
7 settings



- > Acc. to DIN 8976 Form C
- > Lengthways-serrated grip surfaces
- > With box joint
- > 7 settings
- > head and knuckle brightly ground

- > Chrome-vanadium steel
- > Red powder-coated

| Code | No. | L | mm | kg |
|----------------|-----------|-----|----|-------|
| 3301174 | R28100007 | 175 | 25 | 0,16 |
| 3301175 | R28100010 | 250 | 33 | 0,3 |
| 3301176 | R28100012 | 300 | 42 | 0,406 |

R2716XXXX

Pipe wrench
American pattern



- > Stillson type
- > Hardened knurled nut fixes span width
- > With hanging hole

> Forged steel

| Code | No. | mm | inch | mm | inch | kg |
|----------------|-----------|-----|------|-----|-------|-----|
| 3301203 | R27160007 | 200 | 8 | 38 | 1.1/2 | 0,4 |
| 3301204 | R27160009 | 250 | 10 | 43 | 1.7/8 | 0,8 |
| 3301205 | R27160011 | 300 | 12 | 53 | 2.1/8 | 1 |
| 3301206 | R27160012 | 350 | 14 | 58 | 2.3/8 | 1,4 |
| 3301207 | R27160016 | 450 | 18 | 76 | 3 | 2,1 |
| 3301208 | R27160021 | 600 | 24 | 89 | 3.1/2 | 3,5 |
| 3301209 | R27160030 | 900 | 36 | 140 | 5.1/2 | 7,9 |

R27220065

Long nose locking pliers



- > For clamping and gripping profiled, round and flat-section material
- > Long jaws for difficult-to-reach and tight spots
- > Lengthways-serrated grip surfaces
- > With adjusting screw and release lever
- > One-handed operation
- > Chrome-plated surface
- > Chrome-vanadium steel

| Code | No. | mm | inch | mm | kg |
|----------------|-----------|-----|------|----|-------|
| 3301181 | R27220065 | 175 | 6,5 | 50 | 0,175 |

R2720XXXX

Locking pliers



- > For clamping and gripping profiled, round and flat-section material
- > Lengthways-serrated grip surfaces
- > With adjusting screw and release lever
- > One-handed operation
- > Chrome-plated surface
- > Chrome-vanadium steel

| Code | No. | mm | inch | mm | kg |
|----------------|-----------|-----|------|----|-------|
| 3301177 | R27200007 | 185 | 7 | 35 | 0,375 |
| 3301178 | R27200010 | 225 | 10 | 40 | 0,545 |
| 3301179 | R27200012 | 295 | 12 | 60 | 0,91 |

R27202003

Curved jaw locking pliers set
3 pieces



- > For clamping and gripping profiled, round and flat-section material
- > Lengthways-serrated grip surfaces
- > With adjusting screw and release lever
- > One-handed operation
- > Chrome-plated surface
- > Chrome-vanadium steel

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|------------|--------|------|
| 3301180 | R27202003 | 7" 10" 12" | 3 | 1,95 |

STRIKING TOOLS

*TOUGH
FELLOWS*



CONCENTRATED USE OF POWER

- Forged, robust hammer heads with induction-hardened striking surfaces are indestructible
- Secure connections between head and handle for long service life and improved safety at work
- Chisels, centre punches and drivers with tempered striking ends are particularly robust

R9210XXXX

Engineers' hammer



- > Drop-forged hammer head, black paint-finished, of heat-treated steel
- > Striking surfaces inductively case-hardened for tough long-term work
- > 360° clamping force of the tapered collar fixes the hammer head

| Code | No. | g | mm | kg |
|----------------|-----------|------|-----|-------|
| 3300710 | R92100004 | 100 | 260 | 0,17 |
| 3300711 | R92100008 | 200 | 280 | 0,264 |
| 3300712 | R92100012 | 300 | 300 | 0,432 |
| 3300713 | R92100016 | 400 | 300 | 0,565 |
| 3300714 | R92100020 | 500 | 320 | 0,622 |
| 3300715 | R92100032 | 800 | 350 | 0,95 |
| 3300716 | R92100040 | 1000 | 360 | 1,164 |
| 3300717 | R92100055 | 1500 | 380 | 1,72 |
| 3300718 | R92100065 | 2000 | 400 | 2,2 |

R9212XXXX

Engineers' hammer with fibreglass



- > Drop-forged hammer head, black paint-finished, of heat-treated steel
- > Striking surfaces inductively case-hardened for tough long-term work
- > Nearly unbreakable fibreglass handle

| Code | No. | g | mm | kg |
|----------------|-----------|-----|-----|------|
| 3300720 | R92120012 | 300 | 300 | 0,48 |
| 3300722 | R92120020 | 500 | 320 | 0,73 |
| 3300723 | R92120032 | 800 | 350 | 1,1 |

R9220XXXX

Club hammer



- > Drop-forged hammer head, black paint-finished, of heat-treated steel
- > Striking surface inductively case-hardened for tough long-term work
- > 360° clamping force of the tapered collar fixes the hammer head

| Code | No. | g | mm | kg |
|----------------|-----------|------|-----|-------|
| 3300725 | R92200040 | 1000 | 260 | 1,164 |
| 3300726 | R92200050 | 1250 | 260 | 1,35 |
| 3300727 | R92200055 | 1500 | 280 | 1,69 |
| 3300728 | R92200065 | 2000 | 300 | 2,11 |
| 3300729 | R92200083 | 5000 | 810 | 5,5 |

R92300083

Sledge hammer



- > Forged hammer head, in black, of tempered steel
- > Striking surfaces inductively case-hardened for tough long-term work
- > 360° clamping force of the tapered collar fixes the hammer head

| Code | No. | g | mm | kg |
|----------------|-----------|------|-----|-------|
| 3300737 | R92300083 | 5000 | 800 | 5,894 |

R9250XXXX

Rubber-mallet



- > Hammer head of hard rubber
- > One crowned face and one striking face
- > Straight ash handle

| Code | No. | mm | mm | kg |
|----------------|-----------|----|-----|-------|
| 3300740 | R92500163 | 63 | 330 | 0,058 |
| 3300741 | R92500179 | 79 | 360 | 0,092 |

R9250XXXX

Rubber mallet, hard



- > Hammer head of hard rubber
- > One crowned face and one striking face
- > Straight ash handle

| Code | No. | mm | mm | kg |
|----------------|-----------|----|-----|------|
| 3300738 | R92500048 | 48 | 315 | 0,37 |
| 3300739 | R92500058 | 58 | 315 | 0,52 |

Striking Tools

R92600030

Nylon hammer



- > Exchangeable heads made from impact-resistant nylon
- > Straight ash handle

| Code | No. | ∅ mm | ↳ mm | ⚖️ |
|----------------|-----------|------|------|-----|
| 3300744 | R92600030 | 30 | 280 | 0,3 |

R92950030

Nylon spare head



- > Made of impact resistant nylon
- > Suitable for No. R92600030

| Code | No. | ∅ mm | ⚖️ |
|----------------|-----------|------|-------|
| 3300746 | R92950030 | 30 | 0,036 |

R9216XXXX

Engineer's ball pein hammer



- > Drop-forged hammer head of heat-treated steel
- > Carefully ground track and ball
- > Double-curved hickory handle
- > 360° clamping force of the tapered collar fixes the hammer head

| Code | No. | g | ↳ mm | ⚖️ |
|----------------|-----------|-----|------|-------|
| 3300766 | R92160002 | 113 | 255 | 0,176 |
| 3300767 | R92160003 | 227 | 290 | 0,34 |
| 3300768 | R92160004 | 340 | 310 | 0,47 |
| 3300769 | R92160005 | 453 | 330 | 0,64 |
| 3300770 | R92160008 | 680 | 350 | 0,92 |
| 3300771 | R92160010 | 907 | 390 | 1,06 |

R9243XXXX

Claw hammer, American pattern



- > Forged type from special steel
- > Pein with nail extractor
- > track and tiller brightly ground
- > Rounded edges

| Code | No. | ∅ mm | g | oz | lbs | ↳ mm | ⚖️ |
|----------------|-----------|------|-----|----|-----------|------|------|
| 3300782 | R92420023 | 27 | 570 | 20 | 1.1/4 lbs | 340 | 0,84 |
| 3300783 | R92430023 | 27 | 570 | 20 | 1.1/4 lbs | 320 | 0,82 |

R92402024

Carpenter's hammer



- > Forged type, black paint-finished, from special steel
- > Rounded edges
- > Track with magnetic nail groove
- > Tubular steel handle with plastic grip
- > With head protection

| Code | No. | g | oz | lbs | ↳ mm | ⚖️ |
|----------------|-----------|-----|----|-----------|------|------|
| 3300784 | R92402024 | 600 | 21 | 1.1/4 lbs | 330 | 0,81 |

R91990000

Universal protective hand guard



- > Made of impact-resistant plastic
- > Avoids injuries of the hand
- > No rolling away (rectangular shape)
- > Oil-proof

| Code | No. | for oval chisels | for 8-sided chisel | ⚖️ |
|----------------|-----------|------------------|--------------------|------|
| 3300827 | R91990000 | 20x12 - 26x13mm | 16-20 mm | 0,14 |

R9114XXXX
 Flat cold chisel
 flat oval


- > Chrome-vanadium steel
- > Cutting edge and head ground

| Code | No. | mm | Shaft thickness | l mm | |
|----------------|-----------|------|-----------------|------|------|
| 3300785 | R91140016 | 15,0 | 9 | 125 | 0,1 |
| 3300786 | R91140021 | 18,0 | 11 | 150 | 0,18 |
| 3300787 | R91140026 | 21,0 | 12 | 175 | 0,28 |
| 3300788 | R91140031 | 24,0 | 13 | 200 | 0,4 |
| 3300789 | R91140041 | 25,0 | 13 | 250 | 0,5 |
| 3300790 | R91140051 | 26,0 | 13 | 300 | 0,6 |

R9125XXXX
 Bricklayer's chisel
 octagonal


- > Striking ends tempered
- > Chrome-vanadium steel

| Code | No. | mm | 8-edge | l mm | |
|----------------|-----------|------|--------|------|-------|
| 3300791 | R91250041 | 23,0 | 16 | 250 | 0,4 |
| 3300792 | R91250051 | 23,0 | 16 | 300 | 0,47 |
| 3300793 | R91250056 | 26,0 | 18 | 350 | 0,7 |
| 3300794 | R91250061 | 26,0 | 18 | 400 | 0,791 |

R9129XXXX
 Bricklayer's chisel
 flat oval


- > Striking ends tempered
- > Chrome-vanadium steel

| Code | No. | mm | 8-edge | l mm | |
|----------------|-----------|------|--------|------|-------|
| 3300795 | R91290041 | 26,0 | 12 | 250 | 0,4 |
| 3300796 | R91290051 | 29,0 | 13 | 300 | 0,6 |
| 3300797 | R91290056 | 29,0 | 13 | 350 | 0,702 |

R9149XXXX
 Cross cut chisel
 flat oval


- > Striking end tempered
- > Chrome-vanadium steel

| Code | No. | mm | Shaft thickness | l mm | |
|----------------|-----------|-----|-----------------|------|-------|
| 3300799 | R91490016 | 5,0 | 9 | 125 | 0,1 |
| 3300800 | R91490021 | 6,0 | 11 | 150 | 0,163 |

R91370039
 Splitting chisel
 flat


- > Cutting edge and head ground
- > Striking ends tempered
- > Chrome-vanadium steel

| Code | No. | mm | Shaft thickness | l mm | |
|----------------|-----------|------|-----------------|------|------|
| 3300802 | R91370039 | 27,0 | 7 | 240 | 0,26 |

R9140XXXX
 Point chisel
 octagonal


- > Striking end tempered
- > Made from chrome-vanadium steel

| Code | No. | 8-edge | l mm | |
|----------------|-----------|--------|------|-------|
| 3300803 | R91400041 | 16 | 250 | 0,37 |
| 3300804 | R91400051 | 16 | 300 | 0,4 |
| 3300805 | R91400056 | 18 | 350 | 0,665 |
| 3300806 | R91400061 | 18 | 400 | 0,771 |

Striking Tools

R91310041
Electricians' chisel
square



- > For mortising slots, working on masonry, cutting wood and plasterboard
- > Striking end tempered
- > Made from chrome-vanadium steel

| Code | No. | mm | Shaft diameter | ↳ mm | |
|----------------|-----------|----|----------------|------|-------|
| 3300807 | R91310041 | 6 | 8 | 250 | 0,064 |

R9020XXXX
Pin punch
octagonal



- > Snake end left on
- > Made from chrome-vanadium steel

| Code | No. | ∅ | 8-edge | ↳ mm | |
|----------------|-----------|----|--------|------|-------|
| 3300808 | R90200221 | 2 | 10 | 150 | 0,065 |
| 3300809 | R90200321 | 3 | 10 | 150 | 0,065 |
| 3300810 | R90200421 | 4 | 10 | 150 | 0,065 |
| 3300811 | R90200521 | 5 | 10 | 150 | 0,065 |
| 3300812 | R90200621 | 6 | 10 | 150 | 0,075 |
| 3300813 | R90200721 | 7 | 12 | 150 | 0,105 |
| 3300814 | R90200821 | 8 | 12 | 150 | 0,11 |
| 3300815 | R90201021 | 10 | 12 | 150 | 0,125 |

R9010XXXX
Drift punch
octagonal



- > Leave the end of the clamp on
- > Made from chrome-vanadium steel

| Code | No. | ∅ | 8-edge | ↳ mm | |
|----------------|-----------|---|--------|------|-------|
| 3300816 | R90100115 | 1 | 10 | 120 | 0,06 |
| 3300817 | R90100215 | 2 | 10 | 120 | 0,06 |
| 3300818 | R90100315 | 3 | 10 | 120 | 0,063 |
| 3300819 | R90100415 | 4 | 12 | 120 | 0,091 |
| 3300820 | R90100515 | 5 | 12 | 120 | 0,091 |

R9015XXXX
Centre punch
octagonal



- > Striking end tempered
- > Vanadium Steel

| Code | No. | ∅ | 8-edge | ↳ mm | |
|----------------|-----------|---|--------|------|-------|
| 3300821 | R90150415 | 4 | 10 | 120 | 0,08 |
| 3300822 | R90150515 | 5 | 12 | 120 | 0,095 |

R91901004
Plastic chisel set




- > For the paint-friendly removal of decorative and window mouldings
- > For removing adhesive weights from aluminium rims
- > Flexible chisel blades
- > Striking cap for light blows

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-------|
| 3301570 | R91901004 | 3/4" 19 mm 7/8" 22 mm 1" 26 mm 1.1/2" 38 mm | 4 | 0,528 |


R90200006Pin punch set
6 pieces

> In metal case with lid

| Code | No. | Contents | Pieces |  |
|----------------|-----------|----------------------------------|--------|---|
| 3300823 | R90200006 | Splinter driver Ø 3 4 5 6 7 8 mm | 6 | 0,8 |


R90200106Pin punch set
6 pieces

> In metal case with lid

| Code | No. | Contents | Pieces |  |
|----------------|-----------|-----------------------------|--------|---|
| 3300824 | R90200106 | Pin punch Ø 3 4 5 6 8 10 mm | 6 | 0,82 |


R90100006Drift punch set
6 pieces

> In metal case with lid

| Code | No. | Contents | Pieces |  |
|----------------|-----------|---|--------|---|
| 3300825 | R90100006 | Punches Ø 1 2 3 5 10 mm punch Ø 4 mm | 6 | 0,72 |

R90000006Striking tool set
6 pieces

- > Striking ends tempered
- > Made from chrome-vanadium steel
- > In metal case with lid

| Code | No. | Contents | Pieces |  |
|----------------|-----------|--|--------|---|
| 3300826 | R90000006 | Flat cold chisel - length 125 mm 150 mm Cross-cut chisel - length 125 mm Drift punch - Ø 3 mm Centre punch - Ø 4 mm Pin punch - Ø 4 mm | 6 | 0,76 |

WWW.GEDORE.COM

MEASURING AND MARKING

*PRECISE
ASSISTANTS*



ACCURATE TO THE MILLIMETRE

- Easy-to-read and precise spirit levels, rulers and tapes as well as feeler gauges
- Practical additional functions for even easier and more accurate measuring and marking
- Digital measuring caliper - the solution for fast, uncomplicated, precise measurement, reading and transferring values

R9410XXXX

Spirit level



- > Smooth square alloy profile
- > One vertical and one horizontal vial, acrylic glass
- > Measurement accuracy: +/- 0.5 mm/m

| Code | No. | ↳ mm ▷ | ⚖️ |
|---------|-----------|--------|-------|
| 3301422 | R94100051 | 300 | 0,170 |
| 3301436 | R94100075 | 600 | 0,260 |
| 3301423 | R94100087 | 1.000 | 0,480 |

R9410XXXX

Spirit level with a movable vial, magnetic



- > Smooth square alloy profile
- > One vertical and one horizontal vial
- > magnetic
- > Measurement accuracy: +/- 0.5 mm/m

| Code | No. | ↳ mm ▷ | ⚖️ |
|---------|-----------|--------|-------|
| 3301424 | R94100151 | 300 | 0,170 |
| 3301425 | R94100187 | 1.000 | 0,482 |

R9455XXXX

Tape measure



- > Housing from 2-component ABS, fitted out with metal clip
- > Automatic tape rewind and lock
- > With magnetic stop
- > Accuracy class II with MID certificate

| Code | No. | L m | mm | ⚖️ |
|---------|-----------|-----|----|-------|
| 3301427 | R94550003 | 3 | 19 | 0,201 |
| 3301428 | R94550005 | 5 | 19 | 0,265 |
| 3301429 | R94550008 | 8 | 25 | 0,468 |

R94500002

Wood sectioned folding ruler



- > With easy to read metric dual scale
- > Accuracy class III
- > EC type-approval for continuous mm-pitch
- > Made of beechwood with through-riveted joints

| Code | No. | L m | ⚖️ |
|---------|-----------|-----|-------|
| 3301426 | R94500002 | 2 | 0,086 |

R94420021

Digital measuring calliper



- > Large LCD display 30 x 10 mm, with automatic switch-off
- > Resetting possible at any position
- > With mm/inch switching
- > With crossbill
- > Connection to PC interface
- > Measured value fixation by locking screw

| Code | No. | mm | inch | ⚖️ |
|---------|-----------|-----|------|------|
| 3301430 | R94420021 | 153 | 6 | 0,34 |

R94650013

Feeler gauge set
13 pieces



- > With protective handle, folding
- > For checking in-between spaces, contact intervals etc.
- > Blades tapering to a cone
- > Individually labelled with details of sizes

| Code | No. | Ⓜ️ | ⚖️ |
|---------|-----------|--|-----|
| 3301431 | R94650013 | 5 10 15 20 25 30 40 50 60 70 80 90 100 | 0,1 |

R90950012

Pencil
in packs of 12



- > For drawing and marking on practically all materials
- > Oval shape prevents rolling away at the workplace
- > HB Mine

| Code | No. | ↳ mm ▷ | ⚖️ |
|---------|-----------|--------|------|
| 3301432 | R90950012 | 175 | 0,02 |

R90900020

Carbide scriber
with clip



- > Pencil and carbide scriber in one
- > Retractable needle
- > For drawing and marking on metallic and similar surfaces

| Code | No. | ↳ mm ▷ | ⚖️ |
|---------|-----------|--------|------|
| 3301433 | R90900020 | 150 | 0,02 |

CUTTING, FILING, DRILLING

*VERSATILE
HELPERS*





i

CUTTING, SAWING, FILING, DRILLING AND MORE

- Versatile range of large and small workshop helpers
- High-quality materials and robust designs

R93210000
 Heavy-duty utility knife


- > Aluminium housing
- > Quick change mechanism of the blade
- > For right and left-handers
- > Supplied with one trapezoid blade and 4 spare trapezoid blades in cartridge

| Code | No. | Designation |  |  |
|----------------|-----------|--|---|---|
| 3301598 | R93210000 | Heavy-duty utility knife | 365 | 0,31 |
| 3301599 | R93960000 | Trapezoid blades for box cutter (10 pcs) | | 0,04 |
| 3301600 | R93960100 | Hook blades for box cutter (10 pcs) | | 0,05 |


R93200010
 Utility knife small


- > Blade 9 mm wide
- > Supplied with 5 spare blades (80mm long, 0.4mm thick)

| Code | No. | Designation |  | ↳ mm ↳ |  |
|----------------|-----------|---|---|--------|---|
| 3301601 | R93200010 | Utility knife small with 5 blades 10 mm | 145 | 9 | 0,068 |
| 3301602 | R93950010 | Spare blades, 10 pieces, 10 mm wide | | 9 | 0,03 |



R93200018
 Utility knife


- > Blade 18 mm wide
- > For right-handers
- > Supplied with 5 spare blades (100mm long, 0.4mm thick)
- > With built-in sharpener

| Code | No. | Designation |  | ↳ mm ↳ |  |
|----------------|-----------|-------------------------------------|---|--------|---|
| 3301603 | R93200018 | Utility knife with 5 blades 18 mm | 175 | 18 | 0,16 |
| 3301604 | R93950018 | Spare blades, 10 pieces, 18 mm wide | | 18 | 0,088 |




R93200025
 Utility knife


- > With practical belt clip
- > Blade 25 mm wide
- > For right-handers
- > Supplied with 5 spare blades (125mm long, 0.5mm thick)

| Code | No. | Designation |  | ↳ mm ↳ |  |
|----------------|-----------|-------------------------------------|---|--------|---|
| 3301605 | R93200025 | Utility knife with 5 blades 25 mm | 205 | 25 | 0,28 |
| 3301606 | R93950025 | Spare blades, 10 pieces, 25 mm wide | | 25 | 0,17 |

R93250008
 Pocket knife
 2C handle


- > Blade locking feature
- > Two-handed operation
- > Secure in pocket and on belt; cannot be accidentally opened
- > With sawing function for fibrous materials e.g ropes and textiles

| Code | No. |  |  |  |
|----------------|-----------|---|---|---|
| 3301615 | R93250008 | 87 | 210 | 0,154 |


R93300031
 Universal scissors


- > Suitable for cutting seals and other materials (paper, cardboard, foil, leather etc.)
- > Additional small blade for thin wires and cables
- > With wire stripper for 1.0, 1.5 and 2.0 mm cables
- > For right and left-handers

| Code | No. | Length of cutting edge | Total length |  |
|----------------|-----------|------------------------|--------------|---|
| 3301607 | R93300031 | 50 | 205 | 0,19 |

R9331XXXX
 Ideal pattern snips


- > Self-opening with installed spring, with lock
- > Induction-hardened precision cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > for stainless steel sheet up to 0,8 mm

| Code | No. | Size | Version | Cutting edge length | Total length |  |
|----------------|-----------|------|--------------------|---------------------|--------------|---|
| 3301741 | R93310041 | 10 | Right hand cutting | 30 | 245 | 0,41 |
| 3301742 | R93310141 | 10 | Straight cutting | 30 | 250 | 0,41 |
| 3301743 | R93310241 | 10 | Left hand cutting | 30 | 245 | 0,41 |

R99800000
 Multifunction tool


- > Stainless steel
- > Blade locking feature
- > Ergonomic handle, gentle power transmission

| Code | No. |  |
|----------------|-----------|---|
| 3301757 | R99800000 | 0,21 |


R93XXXXXX
 Hacksaw


- > Made of aluminium
- > Saw blade for different materials
- > Easy to tension and adjust

| Code | No. | Designation |  |
|----------------|-----------|-------------|---|
| 3301609 | R93350021 | Small saw | 0,22 |
| 3301610 | R93990021 | Saw blade | 0,012 |




R93350051
 Multifunction saw


- > Saw blade and bow can be turned through 90° = saw blade parallel to the wall and floor
- > Bracket can be rotated 180° = low height, therefore suitable for use in narrow places
- > Supplied with HSS bi-metal saw blade (24 tpi)
- > For metal, plastic, wood, etc.

| Code | No. | Designation | ↳ mm ↵ |  |
|----------------|-----------|---------------------|--------|---|
| 3301608 | R93350051 | Multifunctional saw | 300 | 0,47 |


R931XXXXX
Files

- > 2-component-handle for a hands-friendly transfer of force
- > 58 HRC
- > 14 teeth for every 10 mm

| Code | No. | Designation | Slash |  |  |  |
|----------------|-----------|-----------------|-------|---|---|---|
| 3301591 | R93100052 | Triangular file | 2 | 200 | 310 | 0,195 |
| 3301592 | R93120052 | Flat file | 2 | 200 | 310 | 0,192 |
| 3301593 | R93140052 | Round file | 2 | 200 | 310 | 0,124 |
| 3301594 | R93160052 | Half-round file | 2 | 200 | 310 | 0,21 |
| 3301595 | R93180052 | Square file | 2 | 200 | 310 | 0,124 |


R93000005
File kit
5 pieces

- > 2-component-handle, for easy handling
- > Made of special steel
- > In plastic bag

| Code | No. | Contents | Pieces |  |
|----------------|-----------|---|--------|---|
| 3301597 | R93000005 | Triangular file Flat file Round file Half-round file | 5 | 0,82 |

R93000006
Key file set
6 pieces

- > With wooden handle
- > Made of special steel

| Code | No. | Contents | Pieces |  |
|----------------|-----------|--|--------|---|
| 3301596 | R93000006 | Triangular file Flat file Round file Half-round file Square file | 6 | 0,85 |

R93700043
Wire brush

- > With plastic handle
- > Carbon bristles

| Code | No. | ↳ mm |  |
|----------------|-----------|------|---|
| 3301785 | R93700043 | 290 | 0,085 |


R93710043
Wire brush

- > with wooden handle
- > brass bristles

| Code | No. | ↳ mm |  |
|----------------|-----------|------|---|
| 3301786 | R93710043 | 285 | 0,12 |

R93710143
Wire brush

- > With plastic handle
- > Carbon bristles

| Code | No. | ↳ mm |  |
|----------------|-----------|------|---|
| 3301787 | R93710143 | 250 | 0,095 |

R93500025

Twist drill bit set, rolled
25 pieces



- > HSS Twist drill bit
DIN 338, type N
- > HSS Twist drill bit
DIN 338, type N
- > Tip angle: 118°
- > In metal case

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-------|
| 3301611 | R93500025 | 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5 8.0 8.5 9.0 9.5 10.0 10.5 11.0 11.5 12.0 12.5 13.0 mm | 25 | 1,263 |

R93510025

Twist drill bit set, blank
25 pieces



- > HSS twist drills
DIN 338, type N,
right-hand cutting
- > Tip angle: 118°
- > In metal case

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-------|
| 3301613 | R93510025 | Twist drills, ground 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5 8.0 8,5 9.0 9.5 10.0 10.5 11.0 11.5 12.0 12.5 13.0 mm | 25 | 1,263 |

R93500170

Twist drill bit set, rolled
170 pieces



- > HSS twist drills
DIN 338, type N,
right-hand cutting
- > Tip angle: 118°
- > In metal assortment box

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|-------|
| 3301612 | R93500170 | each 10x 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5 8.0 mm each 5x 8.5 9.0 9.5 10.0 mm | 170 | 3,724 |

R93980005

Cutting wheel



- > For pipe cutter
R93600022 and
R93600035
- > Advantage pack 5 pieces
- > Made of special steel

| Code | No. | Designation | |
|----------------|-----------|--------------------------------------|------|
| 3301618 | R93980005 | Spare cutting wheel for copper 5pcs. | 0,02 |

R93600035

Pipe cutter



- > For copper pipes
3-35 mm
- > With retractable
deburring tool
- > Exact telescope guide
- > Guiding rollers with
groove for flared tubes

| Code | No. | Size | ∅ mm | l mm | |
|----------------|-----------|-------------|------|------|------|
| 3301617 | R93600035 | 1/8 - 1.3/8 | 3-35 | 150 | 0,56 |

R93600022

Mini-Pipe cutter



- > For copper pipes
3-22 mm
- > With 2 supporting rollers
- > Metal housing
- > With knurled adjusting
wheel

| Code | No. | Size | ∅ mm | l mm | |
|----------------|-----------|---------|------|------|------|
| 3301616 | R93600022 | 1/8-7/8 | 3-22 | 60 | 0,14 |

R99210000

Cartridge caulking gun



- > For processing silicon, packed in bag or cartridge form, for 310 ml contents
- > With stable aluminium tube
- > Quick and easy cartridge change
- > Supplied with 3 tips

| Code | No. | L | H | |
|----------------|-----------|-----|-----|------|
| 3301753 | R99210000 | 340 | 210 | 0,84 |

R93400060

Scraper



- > For minor improvements/repair
- > Apply, spread and smooth down
- > With wooden handle

| Code | No. | Blade width | |
|----------------|-----------|-------------|-----|
| 3301754 | R93400060 | 60,0 | 0,1 |

R95300017

Torch



- > 2 levels of brightness plus warning/signal function
- > 1 W LED
- > Luminous flux 55-60 lm
- > Light range 25-30 m

| Code | No. | L | |
|----------------|-----------|-----|-------|
| 3301755 | R95300017 | 130 | 0,156 |

R95700023

Work lamp



- > Housing made from ABS plastic
- > Check LED battery display in 5 steps
- > Power source 3.7 v Li-ion battery, 1200 mAh
- > Incl. MICRO USB for charging

| Code | No. | L | H | W | |
|----------------|-----------|-----|----|----|-------|
| 3300002 | R95700023 | 155 | 20 | 40 | 0,132 |

R93800125

vice rigid



- > Vise opening to the front
- > With anvil
- > Max. clamping force 25 KN

| Code | No. | Version | mm | mm | |
|----------------|-----------|---------|-----|-----|----|
| 3301737 | R93800125 | fix | 125 | 125 | 19 |

R93800150

Parallel vice swiveling



- > Vise opening to the front
- > Chuck for pipes with 13.5 - 56 mm diameter
- > With anvil
- > Max. clamping force 25 KN

| Code | No. | Version | mm | mm | |
|----------------|-----------|----------------|-----|-----|----|
| 3301738 | R93800150 | with turntable | 150 | 125 | 14 |

1000 VOLT

UNCOMPROMISING PROTECTION






ON THE SAFE SIDE

- Extensive range of VDE-insulated tools
- Tools VDE-insulated according to DIN EN 60900
- Guaranteed protection while working under voltage up to 1000V AC (alternating voltage) and 1500V DC (direct voltage)

R3910XXXXVDE Screwdriver
for slotted head screws

- > Acc. to DIN 5264, DIN ISO 2380
- > VDE-insulated acc. to DIN EN 60900
- > Moulded handle forms a firm unit with the blade


> 5-edge handle head stops it rolling off when put down

| Code | No. | ⊖ |  |  |  |
|----------------|-----------|-----|---|--|---|
| 3301400 | R39102514 | 2,5 | 75 | 145 | 0,030 |
| 3301401 | R39100319 | 3,0 | 100 | 170 | 0,036 |
| 3301402 | R39100419 | 4,0 | 100 | 210 | 0,071 |
| 3301403 | R39105524 | 5,5 | 125 | 235 | 0,091 |

R3920XXXXVDE Screwdriver
PH

- > Acc. to DIN 7438, DIN ISO 8764
- > VDE-insulated acc. to DIN EN 60900
- > Moulded handle forms a firm unit with the blade

> 5-edge handle head stops it rolling off when put down

| Code | No. | ⊕ PH |  |  |  |
|----------------|-----------|------|--|---|--|
| 3301404 | R39200115 | 1 | 80 | 180 | 0,07 |
| 3301405 | R39200219 | 2 | 100 | 210 | 0,105 |

R3930XXXXVDE Screwdriver
PZ

- > Acc. to DIN 7438, DIN ISO 8764
- > VDE-insulated acc. to DIN EN 60900
- > Moulded handle forms a firm unit with the blade

> 5-edge handle head stops it rolling off when put down


| Code | No. | ⊕ PZ |  |  |  |
|----------------|-----------|------|---|--|---|
| 3301406 | R39300115 | 1 | 80 | 180 | 0,07 |
| 3301407 | R39300219 | 2 | 100 | 210 | 0,104 |

R2930XXXX

VDE Combination pliers



- > Acc. to DIN ISO 5746
- > Complies with VDE 0682 Part 201 and EN/IEC 60900
- > With gripping zones for flat and round stock

| Code | No. | l < mm > l | Cutting power (max.) |  |
|----------------|-----------|------------|----------------------|---|
| 3301408 | R29300180 | 180 | 1,6 | 0,275 |
| 3301409 | R29300200 | 200 | 1,8 | 0,36 |

1000 V

R29400180
VDE Side cutter



- > Acc. to DIN ISO 5749
- > Complies with VDE 0682 Part 201 and EN/IEC 60900

> Slim head

| Code | No. | l mm | Cutting power (max.) | kg |
|---------|-----------|------|----------------------|------|
| 3301410 | R29400180 | 180 | 1,6 | 0,28 |

R29500200
VDE Telephone pliers



- > Acc. to DIN ISO 5745
- > Complies with VDE 0682 Part 201 and EN/IEC 60900

> Straight grip surfaces, lengthways-serrated

| Code | No. | l mm | Cutting power (max.) | kg |
|---------|-----------|------|----------------------|------|
| 3301411 | R29500200 | 200 | 1,8 | 0,26 |

R29510200
VDE Telephone pliers offset



- > Acc. to DIN ISO 5746
- > Complies with VDE 0682 Part 201 and EN/IEC 60900

> 45° angled grip surfaces, lengthways-serrated

| Code | No. | l mm | Cutting power (max.) | kg |
|---------|-----------|------|----------------------|------|
| 3301412 | R29510200 | 200 | 1,8 | 0,26 |

R29100010
VDE Water pump pliers



- > Acc. to DIN ISO 8976 Form C
- > Complies with VDE 0682 Part 201 and EN/IEC 60900
- > Lengthways-serrated grip surfaces

> With box joint

| Code | No. | l mm | mm | inch | kg |
|---------|-----------|------|----|------|-------|
| 3301413 | R29100010 | 250 | 39 | 10 | 0,393 |

R39002005

VDE Tool assortment
5 pieces

**VDE screwdriver:**

- > For slotted head screws: Acc. to DIN 5264, DIN ISO 2380
- > For cross-head screws PH: Acc. to DIN 7438, DIN ISO 8764

VDE Side cutter:

- > Acc. to DIN ISO 5749

VDE Telephone pliers, straight:

- > Acc. to DIN ISO 5745

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-------|
| 3301414 | R39002005 | VDE Screwdriver slotted 3, 5.5 mm VDE Screwdriver cross-slotted PH 2 VDE Side cutter 180 mm VDE Telephone pliers 200 mm, straight pattern | 5 | 0,833 |

R93220028

VDE Cable knife



- > VDE-insulated acc. to DIN EN 60900
- > with fixed, sturdy blade with straight cutter and protective cap
- > Straight cutting edge
- > With protective cap

| Code | No. | | | |
|----------------|-----------|----|-----|-------|
| 3301415 | R93220028 | 45 | 185 | 0,143 |

R93220128

VDE Cable knife



- > VDE-insulated acc. to DIN EN 60900
- > with fixed, sturdy blade with straight cutter and fold-away blade protection
- > Straight cutting edge
- > With integrated protective cap

| Code | No. | | | |
|----------------|-----------|----|-----|-------|
| 3301416 | R93220128 | 45 | 185 | 0,095 |

R93970004

Spare-blades



- > Straight cutting edge
- > Set of 4 pieces

| Code | No. | |
|----------------|-----------|-----|
| 3301417 | R93970004 | 0,1 |

R38120000

Universal voltage tester



- > Measures AC/DC
- > Display 6 / 12 / 24 / 50 / 120 / 230 / 400 V AC/DC
- > Protection classification IP65, dust-proof, hose-proof
- > Acc. to DIN ISO 0680

| Code | No. | |
|----------------|-----------|------|
| 3301418 | R38120000 | 0,12 |

AUTOMOTIVE

CLEVER AUTOMOTIVE ASSISTANTS



SPECIAL TOOLS FOR MECHANICS

- Tools for steering and steering geometry, engines, gearboxes, bodywork and interior fittings
- Tool sets especially for the automotive sector

R11201002

Universal ball joint puller



- > For ejecting the ball joint journal from the steering arm, steering knuckles, anti-roll bars etc.
- > Hexagon spindle, width across flats 21 mm
- > Clamping height 2-stage
- > Hand-operated

| Code | No. | mm | Clamping height | |
|----------------|-----------|----|-----------------|-------|
| 3301558 | R11201002 | 20 | 50 | 1,454 |

R11203003

Dismantling and assembly fork set
5 pieces



- > For quick release of track and push rod ends, steering levers and other control parts
- > With replaceable fork ends
- > striking handle for manual hammer use
- > In plastic case
- > Note: The separating and mounting fork will damage the rubber sleeve

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|---|
| 3301555 | R11203003 | Fork head opening 17,5 mm Fork head opening 23,5 mm Fork head opening 28,5 mm Impact handle l = 200 mm Adapter l = 175 mm Ø 10 mm | 5 | 2 |

R15551000

Oil filter wrenches
3-arm pattern



- > For safe, rapid unscrewing of oil filters
- > Continuously adjustable, hand-operated
- > Drive 1/2" according to DIN 3120 - C 12.5, ISO 1174, and SW 19 mm
- > Holding segments stop any slipping



| Code | No. | Version | |
|----------------|-----------|---------------|-------|
| 3301540 | R15551000 | 65 - 120 mm Ø | 0,315 |

R15551001

Oil filter-Strap wrench



- > For safe, rapid unscrewing of oil filters
- > Continuous adjustment of the filter belt
- > 1/2" Drive (12,5 mm)
- > Hand-operated



| Code | No. | Ø mm | l mm | |
|----------------|-----------|------|------|------|
| 3301541 | R15551001 | 152 | 150 | 0,24 |

WWW.GEDORE.COM

R15553004

Oil service
wrench set 3/8"
12 pieces



- > For fitting/removing oil draining and gear oil control screws
- > Suitable sockets for various drive types
- > Actuator 3/8" according to DIN 3120 - C 10, ISO 1174, SW 19 or rotary pin 8 mm Ø
- > Hand-operated
- > In rugged plastic case

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|-----|
| 3301544 | R15553004 | Socket wrench insert 3/8" hexagon socket 8 mm A/F 9 3/8" (9.5 mm) 10 12 14 17 Socket wrench insert 3/8" square socket 8 mm A/F 5/16" 3/8" (9.5 mm) 11 13 Sliding handle 3/8" 165 mm | 12 | 1,1 |

R15151001

Adjustable set of
tank filler keys



- > For loosening and tightening the plastic cap ring of the fuel tank sensor on the fuel tank
- > High-speed gear function for adjusting the diameter
- > Hexagonal drive, key width 24 mm
- > Manually operated

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|-----|
| 3301585 | R15151001 | Tank sensor key Ø 80 - 120 mm Tank sensor key Ø 110 - 160 | 1 | 0,8 |

R15151000

Hose clamp pliers set



- > For disconnecting flexible hose lines
- > Adjustable locking device with latching function
- > Temperature resistant up to 160°

| Code | No. | Tong lengths | for diameter | Pieces | |
|----------------|-----------|----------------------------|-----------------------|--------|-------|
| 3301539 | R15151000 | 160 mm 185 mm 225 mm | Ø up to approx. 60 mm | 3 | 0,298 |

R15203000

Cylinder head drill
jig set
30 pieces



- > High time saving - 2 - 4 hours - cylinder head does not need to be removed
- > With this adjustable universal drill jig set, you can remove studs that have been torn off, especially on cylinder heads or exhaust flanges can be drilled out quickly and precisely without removing the cylinder head (bolt thread M8 and M10)

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|-----|
| 3301590 | R15203000 | 1x 3-part drilling template 3x centring pins conical 3x guide bush Ø 8 + Ø 10 2x SK collar nut M8 + M10 1x drill bush with cylindrical pin 4.0 6.5 8.5 mm 1x guide bushing M8 M10 1x drilling stop with cheese head screws 4.0 6.5 8.5 mm 1x Allen key 2 4 5 mm 1x twist drill Ø 4.0 6.5 8.5 mm | 30 | 1,4 |

R17151000

Puller
with clamping yoke



- > Spindle with hexagonal drive, spanner size 17mm
- > U-bolt with hexagon drive, spanner size 17 mm

| Code | No. | a1 | b | max. t | mm | |
|---------|-----------|----|-----|--------|-------|---|
| 3301554 | R17151000 | 90 | 100 | 1 | 17 mm | 1 |

R18101000

Washing nozzle needle



- > Ideal for cleaning and adjusting windscreen washing nozzles and headlight washing nozzles
- > Ideal for cleaning and adjusting windscreen washing nozzles and headlight washing nozzles
- > With retaining clip and protective cap

| Code | No. | | |
|---------|-----------|----|------|
| 3301549 | R18101000 | 95 | 0,24 |

R18201000

Label scraper



- > For the quick and safe removal of labels, seals and adhesive residues
- > With stable blade holder
- > Blades replaceable
- > Safety cap

| Code | No. | Blade width | | |
|---------|-----------|-------------|-----|-----|
| 3301566 | R18201000 | 40,0 | 165 | 0,1 |

R9911XXXX

Work gloves



- > Grip areas for small and smooth parts
- > Palms of one piece
- > Breathable surface between the fingers
- > Adhesion to smooth surfaces ensured from internal coating

| Code | No. | Glove size | |
|---------|-----------|------------|-------|
| 3301749 | R99110005 | M/9 | 0,08 |
| 3301750 | R99110010 | L/10 | 0,095 |
| 3301751 | R99110015 | XL/11 | 0,09 |
| 3301752 | R99110020 | XXL/12 | 0,09 |

R1935XXXX

Strap wrench



- > With strong, non-slip fabric strap
- > Plastic-covered handle

| Code | No. | | | | | |
|---------|-----------|-----|----|-----|----|-------|
| 3301465 | R19351019 | 140 | | 480 | 15 | 0,055 |
| 3301467 | R19351031 | 200 | 8" | 900 | 15 | 0,212 |

R19991019

Spare strap



- > Replacement tape for R19351019
- > Strong, non-slip fabric tape

| Code | No. | | | |
|---------|-----------|-----|----|------|
| 3301466 | R19991019 | 570 | 15 | 0,08 |

R19201000

Tyre tread depth gauge brass



- > Glare-free reading
- > Tip for depth measurement (tyre profiles)
- > Scale division in millimetres
- > 0-30 mm + 1/10 mm vernier

| Code | No. | ↳ mm | kg |
|----------------|-----------|------|------|
| 3301552 | R19201000 | 100 | 0,05 |

R19101003

Tyre lever



- > Especially suitable for bodywork and interior design
- > Chrome-plated blade
- > Special form

| Code | No. | ↳ mm | kg |
|----------------|-----------|------|-------|
| 3301569 | R19101003 | 275 | 0,175 |

R90610075

Tyre lever



- > heavy duty pattern
- > Chrome-vanadium

| Code | No. | ↳ mm | kg |
|----------------|-----------|------|------|
| 3301464 | R90610075 | 610 | 1,34 |

R19101002Pry-Bar-Set
4 pieces

- > Pushing off jammed components
- > Positioning of parts
- > Hold parts in position
- > Expansion of clamping bores etc.

| Code | No. | Contents | Pieces | kg |
|----------------|-----------|---|--------|-----|
| 3301568 | R19101002 | 24", 610 x 20 mm 18", 460 x 20 mm 12", 310 x 16 mm 8", 200 x 10 mm | 4 | 1,4 |

R19102000

Magnetic tray



- > Secure storage of small metal parts
- > Stainless steel
- > 2 extra strong rubber-protected magnets

| Code | No. | L | H | W | kg |
|----------------|-----------|-----|----|-----|-------|
| 3301547 | R19102000 | 240 | 46 | 140 | 0,744 |

R19101000

Telescopic magnetic lifter with scribe



- > This telescopic magnet lifter enables metallic objects or particles to be removed even from hard-to-reach areas.
- > The magnetic lifter is also suitable for lifting valve wedges

| Code | No. | Magnet diameter | Ω | kg |
|----------------|-----------|-----------------|-----|-------|
| 3301546 | R19101000 | 7,5 | 300 | 0,046 |

R68003010
 Extractor set 1/2"
 10 pieces


- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > For slackening and removing bolts and damaged screws
- > Anticlockwise cutting thread with 6 cutting edges tapering together
- > Hand-operated

| Code | No. | Contents | Pieces | |
|----------------|-----------|---|--------|------|
| 3300034 | R68003010 | 1/2" 10 11 12 13 14 15 16 17 19 mm 34 mm Chuck 80 mm | 10 | 0,95 |

R19153000
 Bolt extractor set
 14 pieces


- > For slackening and removing bolts and damaged screws
- > Anticlockwise cutting thread with 6 cutting edges tapering together
- > Internal square drive according to DIN 3120 - C 10, ISO 1174, with ball retaining groove
- > Hexagonal outer edges on the inserts as alternative drive

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|------|
| 3301563 | R19153000 | 6,4 mm (1/4") 8 mm (5/16") 9,5 mm (3/8") 10 mm 11 mm (7/16") 12 mm 12,5 mm (1/2") 13 mm 14 mm (9/16") 16 mm (5/8") 17 mm 17,5 mm (11/16") 19 mm (3/4") Punch 74 mm | 14 | 0,73 |

R19101001
 Hook set
 4 pieces


- > Assembly/disassembly of O-rings, seals in the areas of engine, transmission, steering and hydraulic systems
- > For work on the car body interior

| Code | No. | Contents | Pieces | |
|----------------|-----------|----------|--------|-------|
| 3301548 | R19101001 | | 4 | 0,114 |

R68003013
 Crow's foot
 socket set
 13 pieces


- > Square plug-in handle with swivel square drive according to DIN 3120 - C 12.5, ISO 1174, with ball catching groove
- > Open screw profiles for repairs on cables, for instance

| Code | No. | Contents | Pieces | |
|----------------|-----------|--|--------|---|
| 3301589 | R68003013 | Crow's foot socket spanner SW 20 21 22 23 24 25 26 27 28 30 32 mm Square socket 383 mm Extension 125 mm | 13 | 3 |

A

| | |
|----------------------------------|----|
| Adapter- and extension set 6in2 | 42 |
| Adapter set | 34 |
| Adjustable fuel sender key set | 96 |
| Adjustable spanner | 29 |
| Assembly tool set TX 1/4" + 1/2" | 57 |

B

| | |
|--|--------|
| Bit adaptor 1/2" x 5/16" | 43 |
| Bit adaptor 1/4" | 34 |
| Bit box 1/4" | 68, 69 |
| Bit holder 1/4" | 35 |
| Bit ratchet 1/4" | 31 |
| Bit screwdriver 1/4" | 67 |
| Bit set 10 mm SK / XZN / TX | 69 |
| Bit-ratchet-Set 1/4" with adaptor compact | 52 |
| Bolt cutters | 73 |
| Bolt-extractor-set | 99 |
| Bricklayers' chisels | 79 |

C

| | |
|---|----|
| Carbide scriber | 83 |
| Carpenter's hammer | 78 |
| Centre punches | 80 |
| Circlip pliers for external retaining rings | 73 |
| Circlip pliers for internal retaining rings | 73 |
| Claw hammer, American pattern | 78 |
| Club hammers | 77 |
| Combination pliers | 71 |
| Combination ratchet spanner | 23 |

| | |
|---|--------------|
| Combination ratchet spanner set | 5, 8, 23, 24 |
| Combination ratchet spanner set, reversible | 24 |
| Combination spanner | 28 |
| Combination spanner set | 28, 29 |
| Combination spanner set and hexagon socket key set | 8 |
| Convertor 1/2" to 3/4" | 42 |
| Convertor 3/4" to 1" | 44 |
| Convertor 3/8" to 1/2" | 37 |
| Cross-cut chisels | 79 |
| Crow's foot socket set | 99 |
| Curved jaw locking pliers set | 75 |
| Cutting wheel | 88 |
| Cylinder head drilling jig set | 96 |

D

| | |
|-----------------------------------|--------|
| Digital measuring calliper | 83 |
| Dismantling and assembly fork set | 95 |
| Double ended ring spanner set | 5 |
| Double open ended spanner | 26, 27 |
| Double open ended spanner set | 5, 27 |
| Double ring ratchet spanner | 25 |
| Double ring ratchet spanner set | 25 |
| Drift punch set | 81 |
| Drift punches | 80 |
| Drive adapter 1/4" | 34, 35 |

E

| | |
|------------------------------------|----|
| Electricians' chisels | 80 |
| Engineer's ball pein hammer | 78 |
| Engineers' hammer | 77 |
| Extendable shank screwdriver 13in1 | 65 |
| Extension 1/2" | 42 |
| Extractor set 1/2" | 99 |

F

| | |
|---|----|
| Feeler gauge set | 83 |
| File kit | 87 |
| Files | 87 |
| Flat cold chisels | 79 |
| Flexible head combination ratchet spanner | 24 |
| Flexible head combination ratchet spanner set | 24 |

G

| | |
|-------------|----|
| Grip wrench | 75 |
|-------------|----|

H

| | |
|--------------------------|--------|
| Hacksaw | 86 |
| Half-moon ring spanner | 26 |
| Hammer/chisel set | 7 |
| Heavy-duty utility knife | 85 |
| Hexagon allen key | 66 |
| Hexagon allen key set | 66, 67 |
| Hook assortment | 99 |

I

| | |
|---------------------|----|
| Ideal pattern snips | 86 |
| Impact extension 1" | 49 |

| | |
|---|--------|
| Impact extension 1/2" | 46 |
| Impact extension 3/4" | 48 |
| Impact socket 1" | 49 |
| Impact socket 1/2" | 45, 46 |
| Impact socket 3/4" | 48 |
| Impact socket 3/4" | 47 |
| Impact socket extension piece 1/2" - 3/4" | 47 |
| Impact socket extension piece 3/4" - 1" | 48 |
| Impact socket reducer 1/2" - 3/8" | 47 |
| Impact socket reducer 3/4" - 1/2" | 48 |
| Impact socket set 1/2" | 45 |
| Impact socket set 1/2" in 1/3 module | 6 |
| Impact universal joint 1/2" | 46 |

K

| | |
|--------------|----|
| Key file set | 87 |
|--------------|----|

L

| | |
|--------------------------|----|
| Label scraper | 97 |
| Long nose locking pliers | 75 |

M

| | |
|--------------------------------------|----|
| (De)magnetiser | 67 |
| Magnetic tray | 98 |
| Mini-Pipe cutter | 88 |
| Multifunction saw | 86 |
| Multifunction tool | 86 |
| Mushroom head / connecting square | 61 |

N

Nylon hammer 78

Nylon spare head 78

O

Oil filter wrenches 95

Oil filter-Strap wrench 95

Oil service wrench set 3/8" 96

Open ended ratchet
spanner set 25**P**

Parallel vice 89

Pencil 83

Pin punch set 81

Pin punches 80

Pincer 72

Pipe cutter 88

Pipe wrench 74, 75

Pliers 70

Pliers set 7, 72, 74

Pocket knives 85

Point chisels 79

Power side cutter 71

Pry-Bar-Set 98

Puller with clamping yoke 97

Q

Quick-change bit holder 1/4" 35

R

2C swivel head bit ratchet 31

2C swivel head reversible ratchet 31, 36, 37

2C swivel-head telescopic ratchet 38

2C-Ratchet handle with coupler 1/2" 37

Ratchet screwdriver 1/4" 65

Ratchet with accessories 1/2" 6

Reducer 1" to 3/4" 44

Reducer 1/2" to 3/8" 43

Reducer 3/4" to 1/2" 44

Reducer 3/8" to 1/4" 37

Retaining ring pliers set 7

2C reversible ratchet 1/2" 37, 38

Reversible ratchet 1/4" 31

Reversible ratchet 3/4" 43

Reversible ratchet 3/8" 35

Rubber mallet 77

S

2C-Screwdriver 63, 64

2C-T-Screwdriver set 66

Safety ring / 9in 1/2" 47, 48

Safety ring and safety pin 49

Scrapers 89

Screw remover set 68

Screwdriver bit socket 1/2" 38, 41

Screwdriver bit socket 1/4" 32, 33

Screwdriver bit socket set 1/2" 6, 59

Screwdriver bit sockets 1/2" on holding rail 58, 59

Screwdriver bit sockets 1/4" on holding rail 58

S

| | | | |
|---|------------|---|----------------|
| Screwdriver bit sockets 3/8" | 53 | Socket set 1/2" on holding rail | 58, 59 |
| Screwdriver set | 13, 63, 64 | Socket set 1/2" TX® | 56 |
| Screwdriver, pliers, hammer and chisel set | 9 | Socket set 1/2"-3/8"-1/4" | 55 |
| Screwdrivers | 62, 63 | Socket set 3/8" + 1/2" | 56 |
| Set of lengthwise dividers for the MECHANIC workshop trolley | 20 | Socket set 1/2" | 12, 53, 54, 56 |
| Set of Plastic Chisels | 80 | Socket set 1/4" | 6, 51, 52 |
| Set of screwdriver inserts 1/2" IN | 56 | Socket set 3/4" | 57 |
| Set of screwdriver inserts 1/2" XZN | 57 | Socket set 3/8" | 52, 53 |
| Set of screwdriver sockets 1/2" TX | 57 | Socket wrench inserts 3/8" + 1/2" | 58 |
| Set-of-hose-clamp-pliers | 96 | 2C-Socket wrench | 67 |
| Side cutters | 71 | Socket wrenches | 30 |
| Single open ended spanner | 29 | Socket wrench inserts 1/4" on socket strip | 58 |
| Sledge hammer | 77 | Sockets/Screwdriver bit sockets 1/2" | 59 |
| Sliding T bar 1/2" | 42 | Spanners | 22 |
| Sliding T bar 3/4" | 43 | Spare strap | 97 |
| Sliding T bar with slider 3/8" | 36 | Spare-blades | 93 |
| Sliding T-bar with slider 1/4" | 33 | Spark plug socket 1/2" | 40 |
| Socket 1/2" | 39, 41 | Special set ELECTRO-TECHNICS | 11 |
| Socket 1/4" | 32 | Spirit level | 83 |
| Socket 3/4" | 43 | Splitting chisels | 79 |
| Socket 3/8" | 36 | | |
| Socket extension 1/4" | 33 | | |
| Socket extension 3/4" | 44 | | |
| Socket extension 3/8" | 36 | | |
| Socket holder | 59 | | |
| Socket set | 50 | | |
| Socket set 1/2" + 1/4" | 53, 54, 55 | | |

S

| | |
|----------------------------|----|
| Square plug-in handle 1/4" | 33 |
|----------------------------|----|

| | |
|----------------|----|
| Strap wrenches | 97 |
|----------------|----|

| | |
|-------------------|--------------------------|
| Striking tool set | 8, 10, 11, 12, 13, 81 |
|-------------------|--------------------------|

T

| | |
|--------------|----|
| Tape measure | 83 |
|--------------|----|

| | |
|------------------|--------|
| Telephone pliers | 71, 72 |
|------------------|--------|

| | |
|--|----|
| Telescopic magnetic lifter with scribe | 98 |
|--|----|

| | |
|-------------------------------|----|
| Tire tread depth gauge, brass | 98 |
|-------------------------------|----|

| | |
|-----------------|----|
| tool assortment | 12 |
|-----------------|----|

| | |
|----------|----|
| Tool box | 17 |
|----------|----|

| | |
|------------|----|
| Tool cases | 17 |
|------------|----|

| | |
|--------------------|----|
| Tool chest WINGMAN | 21 |
|--------------------|----|

| | |
|---------------|----|
| Tool Roll Bag | 17 |
|---------------|----|

| | |
|---------------------------------------|--------|
| Tool set in workshop trolley MECHANIC | 18, 19 |
|---------------------------------------|--------|

| | |
|--------------------------------------|----|
| Tool set in workshop trolley WINGMAN | 21 |
|--------------------------------------|----|

| | |
|--------------------------------|---|
| Tool set measuring and cutting | 9 |
|--------------------------------|---|

| | |
|-----------------------------------|---|
| Tool set pliers, hammers, chisels | 8 |
|-----------------------------------|---|

| | |
|--|---|
| Tool set ratchet wrenches, open ended spanners | 9 |
|--|---|

| | |
|------------------------------|---|
| Tool set screwdrivers, files | 9 |
|------------------------------|---|

| | |
|----------------------------|----|
| Tool trolley MECHANIC PLUS | 19 |
|----------------------------|----|

| | |
|--------------------------------------|----|
| Tool trolley MECHANIC with 6 drawers | 18 |
|--------------------------------------|----|

| | |
|----------------------|----|
| Tool trolley WINGMAN | 21 |
|----------------------|----|

| | |
|-------------------------------------|----|
| Tool trolley WINGMAN with 4 drawers | 20 |
|-------------------------------------|----|

| | |
|-----------------|----|
| Tool/laptop bag | 17 |
|-----------------|----|

| | |
|-------|----|
| Torch | 89 |
|-------|----|

| | |
|---------------|----|
| Torque wrench | 61 |
|---------------|----|

| | |
|-----------------|----|
| Twist drill set | 88 |
|-----------------|----|

| | |
|-------------|----|
| Tyre levers | 98 |
|-------------|----|

U

| | |
|-----------------------------|----|
| Universal ball joint puller | 95 |
|-----------------------------|----|

| | |
|----------------------|----|
| Universal joint 1/2" | 42 |
|----------------------|----|

| | |
|----------------------|----|
| Universal joint 1/4" | 34 |
|----------------------|----|

| | |
|----------------------|----|
| Universal joint 3/4" | 44 |
|----------------------|----|

| | |
|---------------------------------|----|
| Universal protective hand guard | 78 |
|---------------------------------|----|

| | |
|--------------------|----|
| Universal scissors | 86 |
|--------------------|----|

| | |
|----------------------|--------|
| Universal set ALL-IN | 11, 15 |
|----------------------|--------|

| | |
|---------------------|--------|
| Universal set BASIC | 13, 14 |
|---------------------|--------|

| | |
|------------------------|--------|
| Universal set MECHANIC | 10, 15 |
|------------------------|--------|

| | |
|--------------------------|----|
| Universal tool set basic | 10 |
|--------------------------|----|

| | |
|--------------------------|----|
| Universal voltage tester | 93 |
|--------------------------|----|

| | |
|-----------------------|--------|
| Universalset ALLROUND | 10, 14 |
|-----------------------|--------|

| | |
|----------------|----|
| Utility knives | 85 |
|----------------|----|

V

| | |
|-----------------|----|
| VDE Cable knife | 93 |
|-----------------|----|

| | |
|-----------------|----|
| VDE Screwdriver | 91 |
|-----------------|----|

| | |
|---------------------|---|
| VDE Screwdriver set | 7 |
|---------------------|---|

| | |
|-----------------|----|
| VDE Side cutter | 92 |
|-----------------|----|

| | |
|----------------------|----|
| VDE Telephone pliers | 92 |
|----------------------|----|

| | |
|---------------------|----|
| VDE Tool assortment | 93 |
|---------------------|----|

| | |
|-----------------------|----|
| VDE Water pump pliers | 92 |
|-----------------------|----|

| | |
|--------------------------|----|
| Voltage tester max 250 V | 65 |
|--------------------------|----|

W

| | |
|---|--------|
| Washer nozzle needle | 97 |
| Water-pump-pliers | 74 |
| Wire brush | 87 |
| Wire stripper | 72 |
| Wood sectioned folding ruler | 83 |
| Work gloves | 97 |
| Work lamp | 89 |
| Workshop trolley MECHANIC | 19, 20 |
| Workshop trolley WINGMAN with tool set | 21 |

| | | | | | |
|-----------|--------|---------------|----|-----------|----|
| R0110XXXX | 26 | R19101000 | 98 | R21650057 | 15 |
| R0135XXXX | 26 | R19101001 | 99 | R21650059 | 14 |
| R01700057 | 29 | R19101002 | 98 | R21650072 | 14 |
| R0310XXXX | 29 | R19101003 | 98 | R21650108 | 15 |
| R0380XXXX | 29 | R19102000 | 98 | R22041004 | 21 |
| R0391XXXX | 29 | R19153000 | 99 | R22071004 | 21 |
| R0510XXXX | 27 | R19201000 | 98 | R22150000 | 5 |
| R05126008 | 27 | R1935XXXX | 97 | R22150001 | 5 |
| R0512XXXX | 26, 27 | R19991019 | 97 | R22150002 | 5 |
| R05905010 | 25 | R20150006 | 18 | R22150003 | 5 |
| R0710XXXX | 23 | R20152006 | 19 | R22150006 | 6 |
| R0710XXXX | 23 | R20200004 | 20 | R22150008 | 6 |
| R07203012 | 24 | R20200007 | 21 | R22150009 | 6 |
| R07203016 | 24 | R20240003 | 21 | R22150011 | 6 |
| R0720XXXX | 23, 24 | R20400006 | 19 | R22150012 | 6 |
| R07305005 | 24 | R20600073 | 17 | R22150013 | 7 |
| R0730XXXX | 24 | R20650066 | 17 | R22150014 | 7 |
| R07405006 | 25 | R20702069 | 17 | R22150015 | 7 |
| R0740XXXX | 25 | R20802012 | 17 | R22150016 | 7 |
| R07501002 | 25 | R2085 / R2094 | 59 | R22150017 | 7 |
| R07501019 | 25 | R20901500 | 20 | R22150018 | 7 |
| R0910XXXX | 28 | R21000042 | 11 | R22150019 | 7 |
| R09115016 | 29 | R21000057 | 10 | R22250000 | 8 |
| R0911XXXX | 28 | R21000059 | 10 | R22250001 | 8 |
| R11201002 | 95 | R21000072 | 10 | R22350000 | 8 |
| R11203003 | 95 | R21000108 | 11 | R22350001 | 8 |
| R15151000 | 96 | R21010000 | 11 | R22350002 | 9 |
| R15151001 | 96 | R21010001 | 12 | R22350004 | 9 |
| R15203000 | 96 | R21010002 | 12 | R22350005 | 9 |
| R15551000 | 95 | R21010004 | 13 | R22350006 | 9 |
| R15551001 | 95 | R21560001 | 18 | R2710XXXX | 74 |
| R15553004 | 96 | R21560002 | 19 | R2714XXXX | 74 |
| R17151000 | 97 | R21560004 | 18 | R2716XXXX | 75 |
| R18101000 | 97 | R21562002 | 20 | R27202003 | 75 |
| R18201000 | 97 | R21600072 | 13 | R2720XXXX | 75 |

| | | | | | |
|-----------|----|-----------|----|-----------|--------|
| R27220065 | 75 | R38004006 | 68 | R45200022 | 33 |
| R2760XXXX | 73 | R38005906 | 64 | R45300005 | 34 |
| R2765XXXX | 73 | R3810XXXX | 63 | R45603172 | 55 |
| R2770XXXX | 73 | R38120000 | 93 | R46003092 | 54 |
| R2775XXXX | 73 | R38120312 | 65 | R46003094 | 54 |
| R28002003 | 72 | R38120419 | 65 | R46003100 | 55 |
| R28002004 | 74 | R38121312 | 65 | R46004049 | 53 |
| R2810XXXX | 74 | R3820XXXX | 63 | R47001004 | 34 |
| R28154010 | 74 | R3830XXXX | 63 | R47100003 | 35 |
| R28202176 | 72 | R38402006 | 64 | R47100103 | 34 |
| R2830XXXX | 71 | R3840XXXX | 64 | R47110009 | 34 |
| R28402160 | 71 | R3850XXXX | 67 | R4711XXXX | 32, 35 |
| R2842XXXX | 71 | R38672006 | 66 | R47120011 | 35 |
| R2850XXXX | 71 | R3867XXXX | 66 | R48008013 | 58 |
| R2851XXXX | 72 | R38910000 | 65 | R49003016 | 51 |
| R2880XXXX | 73 | R38920000 | 65 | R49003033 | 51 |
| R28904201 | 72 | R38950000 | 67 | R49003046 | 52 |
| R2892XXXX | 72 | R38950001 | 33 | R49004033 | 51 |
| R29100010 | 92 | R38990000 | 67 | R49005023 | 52 |
| R2930XXXX | 91 | R39002005 | 93 | R49005037 | 52 |
| R29400180 | 92 | R3910XXXX | 91 | R49014033 | 51 |
| R29500200 | 92 | R3920XXXX | 91 | R49044033 | 51 |
| R29510200 | 92 | R3930XXXX | 91 | R50000027 | 35 |
| R33005007 | 68 | R40000027 | 31 | R50050009 | 35 |
| R33005009 | 68 | R40050009 | 31 | R50120027 | 36 |
| R33005014 | 69 | R40120027 | 31 | R5100XXXX | 36 |
| R33005031 | 69 | R40150027 | 31 | R5510XXXX | 36 |
| R35003040 | 69 | R40170027 | 31 | R55200039 | 36 |
| R36405009 | 67 | R41008012 | 58 | R57300008 | 37 |
| R36605009 | 66 | R4100XXXX | 32 | R57500004 | 37 |
| R3660XXXX | 66 | R4120XXXX | 32 | R5800XXXX | 53 |
| R36675009 | 66 | R4245XXXX | 33 | R58018012 | 58 |
| R38002006 | 63 | R4246XXXX | 33 | R59003026 | 52 |
| R38002012 | 64 | R4255XXXX | 32 | R59003059 | 53 |
| R38002106 | 63 | R4510XXXX | 33 | R60000027 | 38 |

| | | | | | |
|-----------|--------|-----------|--------|-----------|----|
| R60010027 | 38 | R68003010 | 99 | R90200006 | 81 |
| R60050009 | 37 | R68003013 | 99 | R90200106 | 81 |
| R60110009 | 38 | R68003016 | 56 | R9020XXXX | 80 |
| R60120027 | 37 | R68003020 | 56 | R90610075 | 98 |
| R60600006 | 37 | R68003026 | 57 | R90900020 | 83 |
| R61003114 | 56 | R68003030 | 56 | R90950012 | 83 |
| R6100XXXX | 39 | R68003032 | 57 | R9114XXXX | 79 |
| R61021612 | 40 | R68003075 | 57 | R9125XXXX | 79 |
| R61022112 | 40 | R68008009 | 59 | R9129XXXX | 79 |
| R6110XXXX | 40, 41 | R69003024 | 53 | R91310041 | 80 |
| R61208007 | 58 | R69004024 | 53 | R91370039 | 79 |
| R6120XXXX | 39 | R69008012 | 59 | R9140XXXX | 79 |
| R62458017 | 59 | R69013024 | 54 | R9149XXXX | 79 |
| R6245XXXX | 41 | R70000003 | 43 | R91901004 | 80 |
| R62558010 | 58 | R7100XXXX | 43 | R91990000 | 78 |
| R62558110 | 59 | R7300XXXX | 47, 48 | R9210XXXX | 77 |
| R6255XXXX | 38 | R73981005 | 48 | R9212XXXX | 77 |
| R6270XXXX | 41 | R7510XXXX | 44 | R9216XXXX | 78 |
| R63003008 | 45 | R75200091 | 43 | R9220XXXX | 77 |
| R63003012 | 45 | R75300021 | 44 | R92300083 | 77 |
| R6300XXXX | 45, 46 | R7610XXXX | 48 | R92402024 | 78 |
| R63043003 | 45 | R77300011 | 44 | R9243XXXX | 78 |
| R6304XXXX | 46 | R77400011 | 48 | R9250XXXX | 77 |
| R6398XXXX | 47 | R77500009 | 44 | R92600030 | 78 |
| R6510XXXX | 42 | R77600010 | 48 | R92950030 | 78 |
| R65200049 | 42 | R78004014 | 57 | R93000005 | 87 |
| R65300012 | 42 | R8300XXXX | 49 | R93000006 | 87 |
| R6610XXXX | 46 | R8300XXXX | 49 | R931XXXXX | 87 |
| R66300014 | 46 | R83981105 | 49 | R93200010 | 85 |
| R67100006 | 43 | R86100059 | 49 | R93200018 | 85 |
| R67131002 | 42 | R87500012 | 44 | R93200025 | 85 |
| R6730XXXX | 42 | R90000006 | 81 | R93210000 | 85 |
| R67400008 | 47 | R90100006 | 81 | R93220028 | 93 |
| R6750XXXX | 43 | R9010XXXX | 80 | R93220128 | 93 |
| R67600005 | 47 | R9015XXXX | 80 | R93250008 | 85 |

| | |
|-----------|----|
| R93300031 | 86 |
| R9331XXXX | 86 |
| R93350051 | 86 |
| R93400060 | 89 |
| R93500025 | 88 |
| R93500170 | 88 |
| R93510025 | 88 |
| R93600022 | 88 |
| R93600035 | 88 |
| R93700043 | 87 |
| R93710043 | 87 |
| R93710143 | 87 |
| R93800125 | 89 |
| R93800150 | 89 |
| R93970004 | 93 |
| R93980005 | 88 |
| R93XXXXXX | 86 |
| R9410XXXX | 83 |
| R94420021 | 83 |
| R94500002 | 83 |
| R9455XXXX | 83 |
| R94650013 | 83 |
| R95300017 | 89 |
| R95700023 | 89 |
| R9911XXXX | 97 |
| R99210000 | 89 |
| R99800000 | 86 |
| RX890XXXX | 61 |
| RX899XXXX | 61 |

DISCLAIMER

This catalogue replaces all previous editions.
The photographs and technical details are of the articles offered at present.

Since we are constantly updating and improving our products to keep them at the present state of the art, we reserve the right to make modifications and changes with regard to appearance, dimensions (always in "mm", if not otherwise stated), weights and properties, as well as in performance. No claim for correction or replacement supplies may thus be made with regard to products already delivered. Cancellations may be made at any time without there being any grounds for legal claim.

All information on use or safety is non-binding; nor does it replace any legal regulations or those made by professional or trade associations.

We do not accept any liability for printing errors. No supplemental items (tools etc.) are included in the scope of supply.

Reprinting, even of excerpts, requires the previous permission in writing by GEDORE. All rights reserved worldwide.

We refer to our current general agreements and commercial conditions as well as our delivery and payment conditions in the imprint under www.gedore.com.

GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheider Straße 149
42899 Remscheid · GERMANY

Brands of the GEDORE Group

gedore.com · ochsenkopf.com

Overall concept, design and layout:

GEDORE GmbH
Remscheider Straße 149
42899 Remscheid · GERMANY

© Copyright by GEDORE Remscheid
This catalogue was printed on recyclable and chlorine-free bleached paper.



GEDORE

TOOLS FOR LIFE

GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheid-er Straße 149
42899 Remscheid · GERMANY
Tel. + 49 (0) 21 91- 596 - 0
Fax + 49 (0) 21 91- 596 - 230
info@gedore.com
www.gedore.com

Vertrieb Deutschland
Tel. + 49 (0) 21 91- 596 - 900
Fax + 49 (0) 21 91- 596 - 999

GEDORE Automotive GmbH

Breslauer Straße 41
78166 Donaueschingen · GERMANY
Tel. +49 771 83223-0
Fax +49 771 83223-90

GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12
71665 Vaihingen/Enz · GERMANY
T +49 7042 9441-0
F +49 7042 9441-41
info@loesomat.de

GEDORE AUSTRIA GmbH

Gedore-Str. 1
8190 Birkfeld / Stmk. · AUSTRIA
Tel. +43 (0) 3174 / 363 64 00
Fax +43 (0) 3174 / 363 83 20
sales.austria@gedore.com
www.gedore.at

GEDORE Tools S.A. (Pty) Ltd.

103 Qashana Khuzwayo (Shepstone) Road,
New Germany, 3610 - South Africa
PO Box 68, New Germany, 3620
SOUTH AFRICA
Tel. +27 (0) 31 / 705 3587
Fax +27 (0) 31 / 705 32770
esales@gedore.co.za
www.gedore.co.za

GEDORE IBÉRICA S.L.

c/Arangutxi 12, Poligono Industrial de Jundiz
01015 Vitoria Alava · SPAIN
Tel. +34-945-29 22 62
Fax +34-945-29 21 99
gedore@gedore.es
www.gedore.es

Gedore Torque Ltd

(Formerly Gedore UK)
North Office, Unit 3B Enterprise Way
Airedale Business Centre
Skipton , North Yorkshire
BD23 2FJ · UNITED KINGDOM
Tel. +44 (0) 1756 / 70 67 00
sales@gedoreuk.com
www.gedoreuk.com

GEDORE France SARL

Parc d'activités des Béthunes - La Mare II
10, avenue du Fief - Bât. 12
BP 79144 Saint-Ouen-l'Aumône
F-95074 Cergy Pontoise Cedex · FRANCE
Tél. +33 (0)1 34 40 16 60
Fax +33 (0)1 34 40 16 61
jadore@gedore.fr
www.gedore.fr

GEDORE TECHNAG B.V.

Flemingweg 7, 2408 AV
Alphen aan den Rijn · NETHERLANDS
Tel. +31 (0) 172 / 42 73 50
Fax +31 (0) 172 / 42 73 60
technag@gedore.nl
www.gedore.nl

GEDORE (INDIA) Private Limited

148, Sector 3, IMT Manesar
Gurgaon – 122051
Haryana · INDIA
Tel. +91 (0) 124 22910 – 65/66/67
Fax +91 124 2341067
sales@gedoreindia.com
www.gedore.in

GEDORE POLSKA Sp. z o.o.

ul. Zwirki i Wigury 56a
43-190 Mikołów · POLAND
Tel. +48 (0) 32 / 738-40 10
Fax +48 (0) 32 / 738-40 20
gedore@gedore.pl
www.gedore.pl

Ferramentas GEDORE do Brasil S.A.

Rua Vicentina Maria Fidélis, 275
Bairro Vicentina |
São Leopoldo - RS | 93025-340 · BRAZIL
Tel. +55 51- 3589 9200
Fax + 55 51- 3589 9222
export@gedore.com.br
www.gedore.com.br

GEDORE TOOLS INC

4055 Faber Pl Dr
North Charleston SC, 29405 · USA
Phone: +1 (843) 225 5015
Fax: +1 (843) 300 0315
info@gedorettools.com
www.gedorettools.com

GEDORE Tool Trading (Shanghai) Co., Ltd.

1/F., Block 2, 1358 Pingan Road,
Minhang, Shanghai · CHINA 201109
Tel. +86-21-3388 7258
Fax +86-21-3388 7259
Service Hotline: 400 880 1858
info@gedore.cn
www.gedore.cn

GEDORE TOOL CENTER OOO

per. 2-0j Likhachevskiy 7/1
Moscow, 125438 · RUSSIA
Tel. 8 800 100 58 96 (free from Russia)
Tel. +7 (499) 754 7000
Fax +7 (8) 985 22 99 88 0
sales@gedorettools.ru

Your dealer:

Brands of the GEDORE Group
gedore.com · oxsenkopf.com

gedore.com